TOP SECRET [redacted]

Handle via [redacted] Control System

2 May 1966

TO: V. Webb
C. Murphy
A. Johnson
[redacted]

THRU: [redacted]

FROM: [redacted]

SUBJECT: MISSION 1022-1 AND 1022-2 FINAL REPORT

Enclosed is the Final Performance Evaluation Report for Mission 1022-1 and 1022-2.

[redacted]
Manager
Advanced Projects

IF ENCLOSURES ARE WITHDRAWN OR NOT ATTACHED THE CLASSIFICATION OF THIS DOCUMENT WILL BE CHANGED TO UNCLASSIFIED.

[redacted]

TOP SECRET [redacted]

Handle via [redacted] Control System

Declassified and Released by the N R O
In Accordance with E. O. 12958
on NOV 26 1997

CORONA J

PERFORMANCE EVALUATION REPORT

MISSION 1022-1 and 1022-2

FTV 1617; J-22

30 March 1966

Approved: [redacted]
Manager
Advanced Projects

Approved: [redacted]
Mgr.

FOREWORD

This report details the performance of the payload system during the operational phase of the Program [redacted] Flight Test Vehicle 1617.

Lockheed Missiles and Space Company has the responsibility for evaluating payload performance under the System Integration and "J" System contracts.

This document is the final payload test and performance evaluation report for Missions 1022-1 and 1022-2 which was launched on 19 July 1965.

TABLE OF CONTENTS

	Page
TITLE PAGE	
FOREWORD	i
TABLE OF CONTENTS	ii
LIST OF TABLES	iii
LIST OF ILLUSTRATIONS	iv
INTRODUCTION	1
SECTION 1 - SYSTEM PERFORMANCE	2
SECTION 2 - PRE-FLIGHT SYSTEMS TEST	6
SECTION 3 - FLIGHT OPERATIONS	15
SECTION 4 - MISSION 1022-1 RECOVERY SYSTEM	26
SECTION 5 - MISSION 1022-2 RECOVERY SYSTEM	28
SECTION 6 - MASTER (FWD)PANORAMIC CAMERA	30
SECTION 7 - SLAVE (AFT) PANORAMIC CAMERA	33
SECTION 8 - PANORAMIC CAMERA EXPOSURE	36
SECTION 9 - DIFFUSE DENSITY MEASUREMENTS	51
SECTION 10 - PERFORMANCE MEASUREMENTS	140
SECTION 11 - OBSERVED DATA	141
SECTION 12 - MISSION 1022-1 STELLAR-INDEX CAMERA	143
SECTION 13 - MISSION 1022-2 STELLAR-INDEX CAMERA	145
SECTION 14 - VEHICLE ATTITUDE	148
SECTION 15 - IMAGE SMEAR ANALYSIS	163
SECTION 16 - RADIATION DOSAGE	177
SECTION 17 - RELIABILITY	179
SECTION 18 - SUMMARY DATA	180

LIST OF TABLES

Table		Page
2-1	Self Heating Test	10
2-2	Environmental Test Cycle Rates	8-9
3-1	J-22 Cycle Rates	17
3-2	Clock/System Time Correlation	20
3-3 & 3-4	Mission Temperature Summary	21-22
4-1	Mission 1022-1 Recovery Sequence	27
5-1	Mission 1022-2 Recovery Sequence	29
9-1	Mission 1022-1 FWD Density Measurements	53-58
9-2	Mission 1022-1 AFT Density Measurements	59-64
9-3	Mission 1022-2 FWD Density Measurements	65-70
9-4	Mission 1022-2 AFT Density Measurements	71-75
9-5	Mission 1022-1 FWD Camera Density Distribution	78-82
9-6	Mission 1022-1 AFT Camera Density Distribution	92-97
9-7	Mission 1022-2 FWD Camera Density Distribution	107-112
9-8	Mission 1022-2 AFT Camera Density Distribution	122-127
9-9	Mission 1022 Processing and Exposure Analysis	139
15-1	Mission 1022 V/h Ratio and Resolution Limits	164
18-1	Mission Summary	181
18-2	Performance Summary	182-183
18-3	Exposure - Processing Summary	184-185
18-4	Estimated Reliability Summary	186-187

LIST OF ILLUSTRATIONS

Figure		Page
1-1	Mission 1022 Inboard Profile	3
2-1	J-22 TASC Internal Camera Pressure	11
2-2	Master Camera Pre-Flight Resolution	12
2-3	Slave Camera Pre-Flight Resolution	13
3-1	PMU Supply Pressure	19
3-2 to 3-4	Mission 1022 Predicted & Actual Temperatures	23-25
8-1	Mission 1022-1 Solar Elevations	37
8-2	Mission 1022-1 Solar Azimuth	38
8-3	Mission 1022-2 Solar Elevations	39
8-4	Mission 1022-2 Solar Azimuth	40
8-5 to 8-14	Nominal Exposure Points	41-50
9-1 to 9-9	Mission 1022-1 FWD Camera Density Distribution	83-91
9-10 to 9-18	Mission 1022-1 AFT Camera Density Distribution	98-106
9-19 to 9-27	Mission 1022-2 FWD Camera Density Distribution	113-121
9-28 to 9-36	Mission 1022-2 AFT Camera Density Distribution	128-136
14-1 to 14-3	Mission 1022-1 Attitude Error Distributions	150-152
14-4 to 14-6	Mission 1022-1 Attitude Rate Distributions	153-155
14-7 to 14-9	Mission 1022-2 Attitude Error Distributions	156-158
14-10 to 14-12	Mission 1022-2 Attitude Rate Distributions	159-161
14-13	Mission 1022 Stereo-Suppress Mode Effects	162
15-1 & 15-4	Mission 1022-1 V/h Error Distribution	165&168
15-2 to 15-6	Mission 1022-1 Resolution Limit Distributions	166-170
15-7 & 15-10	Mission 1022-2 V/h Error Distribution	171&174
15-8 to 15-12	Mission 1022-2 Resolution Limit Distributions	172-176

INTRODUCTION

This report presents the final performance evaluation of Missions 1022-1 and 1022-2 of the Corona Program. The purpose of this report is to define the performance characteristics of the J-22 payload system, to identify the source of in-flight anomalies and recommend the appropriate corrective action.

The performance evaluation was jointly conducted by representatives of Lockheed Missiles and Space Company (LMSC) and ITEK at the facilities of NPIC and AFSPPF. The off-line evaluation using Corona engineering photography acquired over the United States was performed at the individual contractors plants.

The quantitative data used for this report is obtained from government organizations. The diffuse density data, visual RES values and MTF/AIM resolution are produced by AFSPPF. The vehicle attitude error values, frame correlation times are made at NPIC who also supply the Processing Summary and MTF/AIM resolution reports published by [redacted]

Computer programs developed by A/P are utilized to calculate and plot the frequency distribution of the various contributors to image smear to permit analysis and correlation of the conditions of photography to the information content and quality of the acquired pictures. Computer analysis of the exposure, processing and illumination data provides the necessary data to analyze the exposure criteria selected for the mission.

SECTION 1

SYSTEM PERFORMANCE

A. MISSION OBJECTIVES

The payload section of Mission 1022, placed into orbit by Flight Test Vehicle #1617 and LV-2A booster #446, consisted of two panoramic cameras, two Stellar-Index cameras, two Mark 5A recovery capsules and a space structure to enclose the cameras and provide mounting surfaces for all equipments. Figure 1-1 presents an inboard profile of the J-22 payload system. This Corona "J" system is designed to acquire search and reconnaissance photography of selected areas of the earth from orbital altitudes. The planned mission was a five day photographic period followed by a four day photographic period possibly separated by a four day deactivate period.

B. MISSION DESCRIPTION

The payload was launched from Vandenberg Air Force Base (VAFB) at 2201:13 Z (3:01:13 PDT) on 19 July 1965. Ascent and injection were normal and the achieved orbit within nominal tolerances. Tracking and command support was effected by the Air Force Satellite Control Facility consisting of tracking and command stations at [redacted] under central control of the Satellite Test Center at Sunnyvale, California. Mission 1022-1 consisted of four days operation and was completed by air recovery on 23 July 1965. Mission 1022-2 followed immediately with no deactivate period and consisted of five days operation and was completed by air recovery on 28 July 1965.

The comparison of the planned and actual orbit parameters is tabulated as follows:

ORBITAL PARAMETERS

Parameter	Predicted	Orbit 1 Actuals
Period (Min.)	91.060	91.045
Perigee (N.M.)	99.98	99.12
Apogee (N.M.)	255.24	254.24
Inclination (Deg.)	85.00	85.05
Perigee Latitude (Deg. N.)	21.72	22.52
Eccentricity	0.0214	0.02144

SCHEMATIC INBOARD PROFILE - CORONA J SYSTEM



FIGURE [illegible]

The vehicle was launched with a V/h ramp, amplitude and start position set up of 8, 3, 6 (RTC 6, 8 and 10 respectively). This setup maintained FMC match at less than 3.5% error. The variation was approximately 0% to 3.5% slow. The ramp level was increased from level 8 to 7 on orbit 21 which resulted in estimated FMC errors of less than ± 2% through the remainder of the flight.

C. PANORAMIC CAMERAS

The Master and Slave panoramic cameras operated throughout both missions with no significant problems and Mission 1022-1 produced good photographic coverage. The cloud cover and atmospheric haze observed in the photography was nominal.

On three engineering passes, a "stereo-suppress" mode of operation was exercised for evaluation purposes. This mode of operation provides sequential starting and stopping of the panoramic cameras to eliminate the mono strips at each end of a stereo operation. Particular attention was directed to system performance on these operations. Specific observations and conclusions are reported in a subsequent section on vehicle attitude.

D. STELLAR-INDEX CAMERAS

The Mission 1022-1 Stellar-Index camera operated properly throughout the mission and produced very high quality photography. The Mission 1022-2 Stellar-Index camera operated properly during the mission except that the center format switch failed to function for 10 cycles during pass D-75.

E. OTHER SUB-SYSTEMS

The clock, pressure make-up, and thermal control sub-systems performed satisfactorily through both missions. The telemetry and command sub-systems performed satisfactorily with the exception that the slave instrument cycle counter randomly missed counts. At one point the counter indicated a gain of approximately 90 counts, but by the next acquisition this error had disappeared.

F. CONCLUSIONS

Missions 1022-1 and 1022-2 achieved the objective of acquiring high quality search and reconnaissance photography from orbital altitudes.

G. SYSTEM IMPROVEMENT STUDIES

The evaluation and analysis of the system performance has resulted in suggesting the following studies:

1. Forebody light leaks should be eliminated either by use of improved paint or a light deflecting chute.

2. Pan instrument light leaks should be determined to be acceptable or corrected. If the correction cannot be made at the pan instrument, partial correction might be made through use of baffles or chutes in exposed areas.

3. The reliability of the new type center of format switch should be reviewed to determine whether the intermittent failures encountered on the slave instrument indicate a need for corrective action.

4. The defects that occur near the ends of the stellar and index films (as well as insufficient supply) should be reviewed for possible corrective action. Possible corrective actions may be limited by cost or reliability considerations with respect to the secondary significance of the subsystem functions.

5. Continue mono overlap reduction experiments to obtain further evidence of vehicle dynamics, gas consumption and overlap.

SECTION 2

PRE-FLIGHT SYSTEMS TESTS

A. ENVIRONMENTAL TESTING

1. Test Objective

As a standard procedure, the J payload systems are subject to thermal/altitude environmental testing which simulates orbital environment. One of the purposes of this test is to demonstrate the system susceptability to corona discharge. Such discharge fogs the film thus degrading the operational photography.

2. Test Summary

The J-22 payload system was in the TASC chamber at LMSC, Sunnyvale for environmental test during March 20 through 23, 1965. The test consisted of 1 day operation in the "A" mode; 1 day of soak, and 1 day of operation in the "B" mode. The system during the test was complete with all flight subsystems included.

Results of the operation were generally satisfactory. Cycle rate predictability for the panoramic cameras was within + 1.5% during the "A" mode, but averaged 2% fast during the "B" mode. The higher rates were attributed to the increased environmental temperatures during that portion of the test.

Clock performance was satisfactory. The error observed after 1 day each of "A" and "B" mode operation was -0.001 second and -0.002 second respectively.

Both "A" and "B" recovery sequences indicated satisfactory performance. The instruments stowed properly during the "A" recovery cut and wrap operation. All subsystems responded as expected after a programmed 70°F deactivate soak.

3. Panoramic Camera Performance

Satisfactory instrument operation was observed throughout the

test as indicated by the monitoring of such functions as payload transport and clamping, 99/101 clutch operation, lens rotation, and center of format. Instrument operation at start and shut-down was normal, with the exception of an unexplained random current drain at instrument "ON" command.

Evaluation of the test film showed that the tested payload was free of any noticeable corona marking. The J-22 system was recommended for flight.

4. Stellar-Index Camera Performance

Both "A" and "B" mission stellar/index operations were normal, with an average stellar/index ratio of 7 to 3. On several occasions during the "A" mission and on orbit #2 of the "B" mission, the index metering monitor indicated that the index idler contact was chattering. The chattering occurred between platen "down" and platen "up" commands.

5. Instrumentation Performance

During orbit #11 of the "B" mode brush 14 and 27 functions did not respond correctly while operating at a reduced voltage. Problems encountered were V/h delay switch not homing with a Br. 14, and RTC 12 not stepping with a Br. 14; and the V/h delay switch "over-stepping" with a Br. 27 command. Camera cycle rate deviations are shown in Table 2-2.

6. Temperature Environment

The TASC Chamber thermal environment was programmed to simulate the on-orbital temperature environment of the J-22 payload system in flight. Average instrument temperatures during various times throughout the test are tabulated below. There were no evidences of self-heating of the temp sensors from tests conducted during the "A" and "B" soak periods. It is interesting to note that the clock has some inherent heating characteristics while first "Warming Up".

After chamber pump-down it was noticed that thermocouple #20 had completely come off the surface at station zero. Thermocouple #22, it was concluded, had a loose connection to vehicle surface

J-22 168/169 ENVIRONMENTAL TEST CYCLE RATES 03-20-65

REV/MODE		RAMP		T.U.R.	INST 168 ACT.	NUM.	DEV.	INST 169 ACT.	NUM.	DEV.	168/169 DIFF.
1	A	7	7	385	3.509	3.516	0.31	3.510	3.520	0.28	0.14
2	A	4	1	2125	2.172	2.166	-0.27	2.162	2.167	0.25	-0.46
3	A	5	8	1550	2.437	2.446	0.37	2.437	2.456	0.77	-0.
4	A	7	7	2275	2.566	2.572	0.22	2.570	2.581	0.41	0.16
4	A	8	2	260	5.350	5.312	-0.72	5.350	5.319	-0.59	-0.
6	A	11	1	2040	2.283	2.291	0.36	2.290	2.302	0.54	0.31
7	A	7	7	1175	2.900	2.879	-0.71	2.890	2.886	-0.13	-0.34
8	A	7	7	2525	2.760	2.746	-0.49	2.740	2.754	0.51	-0.72
9	A	4	1	3206	3.460	3.458	-0.07	3.460	3.462	0.05	-0.
10	A	11	1	1870	2.270	2.272	0.09	2.272	2.283	0.50	0.09
11	A	7	7	1900	2.496	2.479	-0.70	2.500	2.488	-0.47	0.16
13	A	11	1	1975	2.283	2.273	-0.44	2.287	2.284	-0.12	0.18
14	A	11	1	2385	3.990	3.986	-0.10	4.005	3.990	-0.40	0.38
15	A	5	8	1925	2.393	2.377	-0.69	2.400	2.387	-0.54	0.29
16	A	8	2	2550	2.687	2.670	-0.65	2.683	2.678	-0.19	-0.15
1	B	7	7	390	3.540	3.513	-0.77	3.535	3.517	-0.51	-0.14
2	B	4	1	2131	2.175	2.166	-0.39	2.155	2.168	0.59	-0.92
2	B	5	8	830	2.820	2.837	0.60	2.820	2.844	0.85	-0.
3	B	5	8	1650	2.397	2.414	0.69	2.397	2.424	1.11	-0.
4	B	7	7	2281	2.550	2.575	0.96	2.560	2.584	0.92	0.39
4	B	8	2	341	5.070	5.125	1.07	5.080	5.131	0.99	0.20
6	B	11	1	2041	2.240	2.292	2.25	2.250	2.303	2.29	0.45

TABLE 2-2

REV/MODE		RAMP		F.U.R.	INST 168 ACT.	INST 168 NOM.	INST 168 DEV.	INST 169 ACT.	INST 169 NOM.	INST 169 DEV.	168/169 DIFF.
6	B	5	8	1091	2.640	2.698	2.14	2.660	2.706	1.69	0.76
6	B	5	8	1446	2.440	2.489	1.98	2.450	2.499	1.95	0.41
7	B	7	7	1281	2.730	2.777	1.68	2.750	2.784	1.22	0.73
7	B	7	7	1692	2.480	2.517	1.47	2.490	2.526	1.43	0.40
8	B	7	7	2631	2.770	2.845	2.64	2.790	2.852	2.18	0.72
8	B	4	1	1017	2.660	2.705	1.67	2.680	2.713	1.22	0.75
9	B	4	1	3211	3.390	3.468	2.26	3.400	3.473	2.09	0.29
10	B	11	1	2965	4.500	4.524	0.53	4.520	4.527	0.17	0.44
11	B	7	7	1900	2.500	2.479	-0.86	2.517	2.488	-1.15	0.68

DEV. AND DIFF. ARE IN PERCENT
THE (-) SIGN INDICATES THAT THE INST IS SLOWER THAN PREDICTED OR THAT INST 1 IS SLOWER THAN INST 2

TABLE 2-2
(Cont'd)

which caused intermittent readings. A heat lamp was too close to thermocouple #24 (S/I #1) causing the 144°F temperature. Internal S/I temperature monitors did not substantiate the external recorded temperatures.

TABLE 2-1

Self-Heating Test

	T=0	T=1200	T=5400	Ø15A	Deactive	Ø1B	Ø9B
Inst. #1	75	76	76	65	67	74	93
Inst. #2	78	78	78	64	65	71	92
Supply Spools	82	83	82	57	58	66	83
Clock	72	76	82	63	68	70	85

The noticeable increase in temperature recorded during the "B" mode is due to a beta angle of 53° versus a beta angle of 0° during the "A" mode.

7. Pressure Environment

The J-22 environmental test was conducted with a flight pressure make-up system. Analysis of the pressure make-up system data and correlation with corona performance of the system will be covered in a separate report.

However, preliminary data indicates that the PMU system functioned satisfactorily throughout the test, and that tested payload was corona free. An orbit versus pressure (microns of H_g) is shown as Figure 2-1.

B. RESOLUTION TEST

The dynamic resolution test of the J-22 payload system was performed at the A/P facility on 2 April 1965. Each panoramic camera photographed high and low contrast resolution targets. The resulting through focus resolution data is shown in Figure 2-2 for the Master camera and in Figure 2-3 for the Slave camera.

J-22 TASC TEST PRESSURES



FIGURE 2-1

PRE-FLIGHT DYNAMIC RESOLUTION



Camera No: 168

Payload No: J-22

Resolution (l/mm)

High Contrast: 171

Low Contrast: 117

Film Type: 4404

Test Date: 8 April 196[redacted]

FIGURE 2-2

PRE-FLIGHT DYNAMIC RESOLUTION



Camera No: 169

Payload No: J-22

Resolution (l/mm)

High Contrast: 196

Low Contrast: 109

Film Type: 4404

Test Date: 2 April 196[illegible]

FIGURE 2-3

C. LIGHT LEAK TEST

The examination of the film threaded in the J-22 system during the light leak test determined that all of the fogging considered significant to flight performance resulted from a single light leak region at the drum of the Master Instrument. The felt seals at this location were readjusted, and subsequent examination showed that the leak was reduced to a level considered to be adequate for flight certification of the system.

SECTION 3

FLIGHT OPERATIONS

A. INSTRUMENTATION AND COMMAND PERFORMANCE

The telemetry instrumentation system operated satisfactorily except for the cycle counter for the slave camera. The counter malfunctioned between orbits 131[redacted], 132[redacted] and 133[redacted]. The counter gained approximately 90 counts between orbits 131 and 132 but lost approximately 90 counts between orbits 132 and 133. Similar problems as this (counter counting xx99 to xx00) have occurred in both test and flight but has never corrected itself. Improved cycle counters are scheduled to be installed in J-25 and up.

Normal response was obtained from all stored and real time commands Between orbit 30[redacted]ade and orbit 31[redacted] several unexplained ZEKE commands were experienced. The H-timer motor frequency setting changed causing the timer to be 17.3 seconds ahead of predicted at orbit 31[redacted] This caused one operation to occur early. The timer was then reset at orbit 31[redacted] RFI type noise coupled with slow relay response is considered to have caused the random command generation which caused the timer motor frequency change.

B. PANORAMIC CAMERA PERFORMANCE

Engineering operations were programmed for acquisition over [redacted] Tracking Station during orbits 9, 16, 31, 47, and 63 of Mission 1022-1, and 72, 79, 94, 110 and 126 of Mission 1022-2. Instrument dynamic operation was good on all engineering operations observed.

Instrument operation and payload metering was satisfactory throughout both Mission 1022-1 and 1022-2 as indicated on TLM by the center-of-format, lens rotation, and payload supply, take-up and horizon idler monitors. Start-up and shut-down was normal.

Cycle rate data obtained from the engineering operations indicated that instrument number 1 was running 1.6% to 2.65% slow in the limiter region. Instrument number 2 was running 1.65% to 3.10% slow in this same region. The cycle rate errors were approximately the same for both the -1 and -2 missions.

This indicates that the cycle rate error was not caused by temperature. However, the mag amp, V/h transducer and the V/h programmer temperature could be sensitive to temperature but are not monitored. The instruments operated within 1% of each other on all the engineering operations. Average 99/101 clutch ratios were 6/5 and 6/6 for the master and slave respectively. A summary of the engineering cycle rate data is presented in Table 3-1.

The center format switch S-105 malfunctioned for 10 frames on orbit 75. The H.O. cameras, data block and cycle counter failed to operate as a result.

Film consumption for the flight was as follows:

MISSION 1022-1

	Master	Slave
Cycles	2967	2943
Feet	8213*	8170*

MISSION 1022-2

Cycles	2935	2967
Feet	7758	7849

*Includes pre-flight test footage

C. STELLAR-INDEX PERFORMANCE

Both the -1 and -2 stellar/index cameras operated properly during the entire mission. Stellar/index events were observed on all of the engineering operations acquired at [redacted] Metering was normal for both units. The index shutter pulses were indicating properly during all of the daytime engineering operations at [redacted] The -1 index payload was depleted prior to the engineering operation on orbit 63[redacted] which was the last operation of the -1 mission. The -2 index supply was depleted on orbit 158 engineering operation which was the first stellar/index meter command after the -2 recovery. All S/I events occurred in the proper sequence throughout the flight.

J-22 MISSION 1022 CYCLE RATE SUMMARY-ENGR. OPERATIONS

REV/MODE	RAMP	T.U.R.	INST 168 ACT.	INST 168 NON. CALIB.	INST 168 DEV.	INST 169 ACT.	INST 169 NON. CALIB.	INST 169 DEV.	168/169 DIFF.
9 A	8 3	150	5.080	5.091	0.22	5.120	5.097	-0.46	0.79
16 A	8 3	1705	2.310	2.255	-2.46	2.321	2.266	-2.42	0.48
31 A	7 3	1845	2.233	2.200	-1.50	2.254	2.200	-2.45	0.94
47 A	7 3	1815	2.250	2.201	-2.23	2.265	2.201	-2.91	0.67
63 A	7 3	1866	2.236	2.200	-1.65	2.236	2.200	-1.65	-0.
72 B	7 3	365	4.490	4.445	-1.02	4.537	4.448	-2.00	1.05
79 B	7 3	1905	2.240	2.199	-1.85	2.249	2.199	-2.26	0.40
94 B	7 3	2018	2.250	2.201	-2.24	2.250	2.201	-2.24	-0.
110 B	7 3	2142	2.255	2.207	-2.17	2.263	2.207	-2.55	0.35
126 B	7 3	1982	2.258	2.200	-2.65	2.268	2.200	-3.10	0.44

DEV. AND DIFF. ARE IN PERCENT
THE (-) SIGN INDICATES THAT THE INST IS SLOWER THAN PREDICTED OR THAT INST 1 IS SLOWER THAN INST 2.

TABLE 3-1

D. CLOCK PERFORMANCE

Satisfactory clock correlation was obtained for both missions. Clock/System time correlation data is contained in Table 3-2. The system time is fitted to a best fit curve of clock versus system times which is represented by a second order equation in this case. The table includes the amounts that the recorded values of system time deviate from the corrected values.

The corrected system time values are computed from the equation - $y = a_2x^2 + a_1x + a_o$, where y = corrected system time and x = clock time.

E. PRESSURE MAKE-UP SYSTEM PERFORMANCE

The PMU supply consumption vs. camera operate time is plotted in Figure 3-1 . The overall average consumption rate was 7.42 PSIA/Minute of camera operate time. The plot of Figure 3-1 indicates that the PMU system is being heated during ascent and requires up to 2 days to dissipate. It is typical for past missions to have the same supply pressure at orbit 9 as the launch pressure. The instruments had been operated 24 minutes prior to orbit 9 and should have depleted 180 PSIA of the gas supply, based on the average flight consumption rate.

F. TEMPERATURE ENVIRONMENT

The temperature data obtained from [redacted] TLM acquisitions are summarized in Tables 3-3, and 3-4. Predicted vs actual flight temperatures are compared in Figures 3-2, 3-3 and 3-4.

The master camera drum temperature and the SRV-1 cassette mount temperatures were higher than predicted but were within the tolerance of $70 \pm 30^{\circ}$.

The clock temperature was lower than predicted at 56 to 58°F. Other temperatures were within the predicted ranges.

G. MONO OVERLAP REDUCTION EXPERIMENT

An experiment was conducted on this mission to verify dynamic operation of the system under simulated mono overlap reduction. To simulate overlap reduction, program 10 (stereo-disable) was used to delay the start up and shut down on one of the cameras. On orbits 1 and 47, only startup overlap was reduced. On orbit 126 the startup and shut down overlap was reduced. Vehicle dynamics, gas consumption and overlap on these experiments are still being analyzed.

MISSION 1022 PMU SUPPLY PRESSURE



FIGURE 3-1

CLOCK SUMMARY
PRELIMINARY CLOCK CORRELATION

ORDER FIT 1

SYS TIME I/P	CL TIME I/P	COMP SYS TM	DELTA ST	REV	STA
40717.297	104793.64390	40717.30590	-0.00793	9	1
80485.598	144561.95590	80485.60710	-0.00813	16	1
36239.857	186716.21990	36239.85960	-0.00169	24	1
75995.477	226471.84490	75995.47380	0.00410	31	1
37206.245	274082.62690	37206.24290	0.00303	40	1
76949.312	313825.70790	76949.31310	-0.00018	47	1
32603.139	355879.54190	32603.13570	0.00423	55	1
77801.997	401078.40890	77801.99040	0.00751	63	1
39085.109	448761.53690	39085.10550	0.00445	72	1
78811.371	488487.81490	78811.37270	-0.00077	79	1
34546.657	530623.10890	34546.65530	0.00267	87	1
74347.909	33553.45890	74347.90650	0.00348	94	1
35449.792	81055.35490	35449.78960	0.00337	103	1
75234.395	120839.97690	75234.40080	-0.00483	110	1
36237.947	168243.53390	36237.94490	0.00304	118	1
76013.699	208019.30190	76013.70210	-0.00216	126	1
31735.473	250141.08790	31735.47670	-0.00272	134	1
76816.782	295222.41390	76816.79040	-0.00749	142	1

A0=-0.64076309620 05 A1= 0.999999728525D 00
SIGMA=0.00449 NO. POINTS= 18
RATIO OF CLOCK TIME TO SYS TIME= 0.100000027147D 01

ORDER FIT 2

SYS TIME I/P	CL TIME I/P	COMP SYS TM	DELTA ST	REV	STA
40717.297	104793.64390	40717.29910	-0.00111	9	1
80485.598	144561.95590	80485.60250	-0.00360	16	1
36239.857	186716.21990	36239.85720	0.00072	24	1
75995.477	226471.84490	75995.47320	0.00478	31	1
37206.245	274082.62690	37206.24400	0.00198	40	1
76949.312	313825.70790	76949.31530	-0.00238	47	1
32603.139	355879.54190	32603.13880	0.00111	55	1
77801.997	401078.40890	77801.99420	0.00371	63	1
39085.109	448761.53690	39085.10960	0.00032	72	1
78811.371	488487.81490	78811.37680	-0.00488	79	1
34546.657	530623.10890	34546.65910	-0.00114	87	1
74347.909	33553.45890	74347.90970	0.00022	94	1
35449.792	81055.35490	35449.79180	0.00113	103	1
75234.395	120839.97690	75234.40190	-0.00593	110	1
36237.947	168243.53390	36237.94430	0.00365	118	1
76013.699	208019.30190	76013.69980	0.00017	126	1
31735.473	250141.08790	31735.47220	0.00171	134	1
76816.782	295222.41390	76816.78340	-0.00046	142	1

A0=-0.64076323710 05 A1= 0.9999998066970 00
A2=-0.83746186556880-13
SIGMA=0.00272 NO. POINTS= 18

TABLE 3-2

TABLE 3-3

J-22 TEMPERATURE SUMMARY

SENSOR	ORBITS ACQUIRED																	
Master Camera	0	8	16	24	31	40	47	55	63	72	79	87	94	103	110	119	126	134
3	70	74	68	72	68	71	67	69	67	65	60	63	59	62	57	61	57	60
4	75	82	75	80	76	80	75	79	74	73	67	71	67	70	65	70	65	68
5	69	84	76	81	77	81	76	79	76	75	68	72	67	71	66	70	65	68
6	64	83	77	81	79	80	77	79	76	74	67	70	66	68	65	67	64	65
7	68	83	78	81	79	79	78	79	77	73	69	70	68	69	66	69	66	66
8	70	83	76	80	77	80	76	79	75	74	67	71	66	70	65	70	65	68
9	70	86	79	83	79	83	78	81	78	77	70	73	68	72	67	71	66	70
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	69	80	75	77	73	76	73	74	72	66	63	64	61	63	60	62	59	59
12	69	74	66	71	68	72	66	70	66	65	59	65	58	63	58	62	57	61
13	67	84	77	80	78	80	76	77	74	71	67	67	65	66	63	65	62	63
AVG	69	82	75	79	75	78	74	77	74	71	66	69	64	67	63	67	63	65
Slave Camera																		
3	67	80	74	76	75	75	73	73	72	69	64	65	63	64	60	63	60	60
4	68	78	70	76	72	75	70	74	69	69	63	66	61	65	59	64	59	62
5	68	80	73	78	74	78	73	76	72	72	66	68	65	68	63	68	63	66
6	62	72	67	71	69	71	67	69	67	64	59	61	59	61	58	60	57	59
7	66	79	75	78	77	78	75	76	74	70	67	67	66	67	67	66	63	64
8	63	73	65	70	66	71	65	69	65	64	58	62	58	61	56	61	55	59
9	66	78	72	77	74	77	72	76	72	72	67	69	66	68	65	68	64	67
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	74	71	66	69	70	69	66	68	66	64	60	61	58	60	58	61	58	60
12	71	81	73	78	75	78	72	77	72	72	66	69	64	67	63	67	62	65
13	65	73	68	71	71	72	68	70	68	64	60	60	60	60	58	60	58	59
AVG	67	76	70	74	73	74	70	73	70	68	63	65	62	64	60	64	60	58
Supply Spool																		
1	63	63	59	62	61	63	61	62	60	59	55	55	54	55	53	55	53	54
2	67	69	65	68	66	69	66	68	65	65	59	61	58	60	56	61	56	58

TABLE 3-4

J-22 TEMPERATURE SUMMARY

SENSOR	ORBITS ACQUIRED																	
	0	8	16	24	31	40	47	55	63	72	79	87	94	103	110	119	126	134
Fairing ("A") Barrel #1 ("B")																		
1	-	30	65	24	71	30	62	30	77	20	39	20	42	20	39	20	39	17
2	-	14	14	14	20	17	14	14	20	53	55	50	60	53	63	53	60	50
3	235	13	24	10	27	10	24	10	24	57	136	55	144	57	147	57	130	55
4	234	45	53	45	53	43	53	43	51	41	98	38	102	38	95	41	81	33
5	-	57	65	57	62	54	60	51	57	36	62	34	53	31	51	34	48	28
6	-	46	86	40	88	43	80	43	88	20	-	-	-	-	-	-	-	-
Barrel #2																		
1	162	46	66	52	63	43	60	40	57	31	55	28	49	28	43	28	40	22
2	152	44	99	44	102	42	93	42	99	39	84	37	84	37	82	37	71	32
3	237	59	130	54	140	59	130	59	153	57	126	57	136	57	140	59	123	57
4	225	51	51	51	57	54	54	51	62	45	51	48	57	45	57	48	57	48
5	199	49	60	49	62	49	60	49	60	36	49	36	49	34	49	36	47	34
Conic Adapter																		
1	177	43	55	43	55	43	49	40	52	30	40	26	37	26	35	26	29	23
Clock																		
1	90	61	57	59	59	59	57	57	57	49	49	46	46	51	46	46	46	46
2	92	59	55	57	57	57	57	57	57	49	46	46	46	46	46	46	44	44
Thrust Cone "A" to "B" SRV																		
1	119	41	35	37	35	37	34	35	34	57	54	55	52	54	51	54	50	52
2	81	62	51	54	49	54	48	51	47	65	62	62	61	61	59	61	58	58
Stellar/Index "A" to "B"																		
1	81	57	54	52	54	52	52	49	49	56	53	50	50	47	47	50	50	44
2	77	64	59	59	59	62	57	59	57	51	49	49	49	49	46	49	46	49
Recovery Battery "B" SRV																		
1	70	71	67	67	67	67	67	65	65	81	83	84	82	86	78	84	78	80
Master Cassette "A" SRV																		
2	91	72	65	67	66	67	65	66	66	-	-	-	-	-	-	-	-	-

J-22 INFLIGHT TEMPERATURES
Predicted Range (lines) vs Actual (x)



FIGURE 8-2

J-22 INFLIGHT TEMPERATURES
Predicted Range (lines) vs. Actual (x)



FIGURE 3-8

J-22 INFLIGHT TEMPERATURES
Predicted Range (lines) vs. Actual (x)



FIGURE 3-4

SECTION 4

MISSION 1022-1 RECOVERY SYSTEM

SRV #664 was received at A/P on 11 September 1964. The receiving inspection weight was 141 pounds. After modifications and incorporation of outstanding E.O.'s, the SRV was delivered to systems test for incorporation into the J-22 system.

The capsule was delivered to VAFB on 17 May 1965.

A successful air catch of the capsule was made on orbit 65. The impact was within normal tolerances. Table 4-1 lists the sequence of monitored re-entry and recovery event times.

The condition of the recovered capsule was satisfactory with damage limited to normal paint blistering. Post flight inspection and test showed no anomalies.

TABLE 4-1

RE-ENTRY SEQUENCE OF EVENTS

EVENT	SYSTEM TIME	DELTA TIME	
		Actual	Nominal
Transfer	2128.38	--	--
Electrical Disconnect	2129.43	1.05	$0.90^{+0.43}_{-0.40}$
Separation*	2130.37	1.99	2.00 ± 0.25
Spin**	2132.82	3.39	3.40 ± 0.30
Retro	2140.43	7.61	7.55 ± 0.45
Despin	2151.16	10.73	10.75 ± 0.54
T/C Separation	2152.82	1.66	1.50 ± 0.15
"G" Switch Open	2634.90	494.47	496.6
Parachute Cover Off	2668.96	34.06	34.0 ± 1.5
Drogue Chute Deployed	2669.54	0.58	0.63 ± 0.08
Drogue Chute Release	2680.09	10.55	$10.14^{+0.48}_{-0.40}$
Main Chute Deployed	2680.53	0.44	0.52 ± 0.13
Main Chute Disreefed	2685.29	4.76	$4.46^{+0.49}_{-0.29}$

* From Transfer
** From Electrical Disconnect

SECTION 5

MISSION 1022-2 RECOVERY SYSTEM

SRV #658 was received at A/P on 15 January 1964 at a receiving weight of 151.4 pounds. After modification and incorporation of outstanding E.O.'s the capsule was delivered to systems test for incorporation into the J-12 system.

The capsule was delivered to VAFB on 17 May 1965.

A successful air recovery was executed on orbit 144 on 28 July 1965. The impact point was within nominal dispersion tolerances. Table 5-1 lists the sequence of monitored re-entry and recovery events.

The condition of the recovered capsule was satisfactory with damage limited to normal paint blistering. Post flight inspection and test showed no anomalies.

TABLE 5-1

RE-ENTRY SEQUENCE OF EVENTS

EVENT	SYSTEM TIME	DELTA TIME	
		Actual	Nominal
Transfer	1083.20	--	--
Electrical Disconnect	1084.16	0.96	$0.90^{+0.43}_{-0.40}$
Separation*	1085.19	1.99	2.00 ± 0.25
Spin**	1087.57	3.41	3.40 ± 0.30
Retro	1095.04	7.47	7.55 ± 0.45
Despin	1105.88	10.84	10.75 ± 0.54
T/C Separation	1107.35	1.47	1.50 ± 0.15
"G" Switch Open	1637.59	530.24	537.4
Parachute Cover Off	1671.68	34.09	34.0 ± 1.5
Drogue Chute Deployed	1672.28	0.60	0.63 ± 0.08
Drogue Chute Release	1682.70	10.42	$10.14^{+0.48}_{-0.40}$
Main Chute Deployed	1683.26	0.56	0.52 ± 0.13
Main Chute Disreefed	1687.69	4.43	$4.46^{+0.49}_{-0.29}$

* From Transfer
** From Electrical Disconnect

SECTION 6

MASTER (FWD) PANORAMIC CAMERA

A. COMPONENT ASSIGNMENT

Component	Serial Number
Main Camera	168
Main Camera Lens	1532435
Supply Horizon Camera	181G10
Supply Horizon Camera Lens	812308
Take-up Horizon Camera	146A
Take-up Horizon Camera Lens	813513
Supply Cassette	SC-33

B. CAMERA DATA AND FLIGHT SETTINGS

Main Camera:

Lens	24"f/3.5
Slit Width	0.250"
Filter Type	Wratten 25
Film Type	Eastman Type 3404

Supply (Port) Horizon Camera:

Lens	55mm f/6.8
Aperture Setting	f/6.8
Exposure Time	1/100 second
Filter Type	Wratten 25

Take-Up (Starboard) Horizon Camera:

Lens	55mm f/6.8
Aperture Setting	f/8.0
Exposure Time	1/100 second
Filter Type	Wratten 25

C. POST FLIGHT PERFORMANCE EVALUATION - FWD Camera

This camera produced 2976 frames (8213 feet, including pre-flight test footage) of photography during Mission 1022-1, and 2935 frames (7758 feet) during Mission 1022-2. The overall photographic quality was judged to be better than Missions 1021 and 1020, but not as good as the best earlier missions. Cloud coverage was estimated to be 35% on Mission 1022-1, and 45% on Mission 1022-2.

Image quality of material from the Master pan camera appeared to be slightly poorer than that of material from the Slave pan camera. From examination of the duplicate positive prints, it appeared that some highlight detail may have been lost from semi-specular solar reflections, however, this effect could have resulted from the way in which the duplicate was printed. Photographic interpreters using the material stated that while the Master material was not as good as the Slave, it did provide particularly good stereo viewing. This suggests that the differences in illumination geometry between the two cameras tended to increase the total information content of corresponding ground areas. Insofar as could be determined from the duplicate positives, there was very little difference between Master and Slave pan cameras in either the density or contrast of the imagery produced.

The Master panoramic camera and its auxiliary equipment operated in a generally satisfactory manner throughout both missions. The prinicpal functional defect was the failure of one fiducial lamp on the starboard (output) horizon camera on Pass D-08. As a result, the intensity of the remaining three fiducial lamps in this camera increased and caused blooming of the film images. This condition continued through the remainder of Mission 1022-1, and all of Mission 1022-2. Another defect of a minor nature was the slight blooming of the index mark located adjacent to the camera number. Other than these items, the functioning of all data lights was normal. Horizon camera operation was also normal.

Pre-flight testing of this instrument had shown some evidence of heavy banding near the start of scan. Although a careful check was made for this condition in the flight material, only slight indications of the effect could be detected. In fact, the extent of banding in this instrument was less than that of several recent systems which had shown less banding in test.

The Master camera film was unusually free of scratches. The usual rail marks were minor throughout both missions. A small scan head roller scratch was detected along the timing mark edge of the format. However, the film did

not contain the many small roller scratches observed in previous missions.

Although particular effort had been directed to elimination of light leaks from the pan cameras, the usual fogging from this source appeared on the last three frames of a pass and the first frame of the following pass. The forebody light leak affecting the sixth frame from the end of a pass during a first mission in some earlier systems was eliminated. There was no other light leak fogging.

SECTION 7

SLAVE (AFT) PANORAMIC CAMERA

A. COMPONENT ASSIGNMENT

Component	Serial Number
Main Camera	169
Main Camera Lens	1582435
Supply Horizon Camera	183G10
Supply Horizon Camera Lens	812311
Take-up Horizon Camera	183G9
Take-up Horizon Camera Lens	812297
Supply Cassette	SC-33

B. CAMERA DATA AND FLIGHT SETTINGS

Main Camera:	
Lens	24" f/3.5
Slit Width	0.175"
Filter Type	Wratten 21
Film Type	Eastman Type 3404
Supply (Starboard) Horizon Camera:	
Lens	55mm f/6.8
Aperture Setting	f/8.0
Exposure Time	1/100 second
Filter Type	Wratten 25
Take-Up (Port) Horizon Camera:	
Lens	55mm f/6.8
Aperture Setting	f/6.8
Exposure Time	1/100 second
Filter Type	Wratten 25

C. POST FLIGHT PERFORMANCE EVALUATION - AFT Camera

This camera produced 2943 frames (8170 feet, including pre-flight test footage) of photography during Mission 1022-1, and 2967 frames (7849 Feet) of photography during Mission 1022-2. The overall photographic quality was judged to be slightly better than that of the Master instrument although contrast and density appeared comparable. The MIP frames for both missions were given a rating of 85 and were produced by the Slave camera.

The evaluation team compared the MIP frames of this mission with those of Mission 1006-1 and -2. Mission 1006 has been considered to contain the best image quality of any Corona mission to date, and the MIP frames of both parts of that mission had been assigned MIP values of 90. The evaluation team considered the MIP frames of Mission 1022 to be comparable, however, the MIP frame of Mission 1006-1 had an added advantage of more than 10% larger scale.

In examining the entire 1022 mission, it appeared that the variability of image quality may have been greater than usual. It appears probable that atmospheric conditions contributed significantly to this variability. Also, since the evaluation of image quality is necessarily subjective to a considerable degree, the presence of some areas with excellent quality may have given the impression that other areas were relatively poor.

The Slave panoramic camera and its auxiliary equipment operated in a generally satisfactory manner throughout both missions. The principal defect noted was the failure of the center-of-format switch for one frame (D-07 AFT 46) on Mission 1022-1, and again for ten consecutive frames (D-75 AFT 13 through 22) on Mission 1022-2. Failure of this switch eliminates operation of the horizon camera shutters, and lights for the horizon fiducials, camera serial number, index marks, and the binary time word. The 200 cycle timing mark corresponding to switch contact is not blanked.

A minus density streak appeared intermittently in the pan format during passes D-67 through D-70. This condition, which is observed occasionally in both test and flight film, is due to dirt (probably emulsion dust) in the exposure slit.

Pre-flight testing of this instrument had shown heavy banding near the start of scan. The condition was similar to that described on the Master pan camera. As was also the case with the Master pan camera, the flight results from the Slave pan camera showed only slight indications of banding.

Film from the Slave pan camera was exceptionally free from mechanically caused degradations. The rail scratches were minor throughout and the scratches from scan head rollers that appear on most flights were nonexistant. Although the film condition was excellent, there was apparently enough emulsion dust to produce the minus density streak already noted, and also some dust adhering to the film rail at the data block side to cause a rough edge to the pan format.

The usual fogging from light leaks of both pan cameras appeared on the Slave pan camera film. These light leaks affect the last four frames of a pass as well as the first of ;the following pass. Some of this fogging appears regularly while the rest appears only when the film has not been moved for several orbits. A leak from the forebody on Mission 1022-1 also appeared on the seventh frame from the end of a pass in the few cases where the film was not moved for several orbits. As already noted, this leak did not affect the Master camera film which is adjacent to the Slave film at this point.

SECTION 8

PANORAMIC CAMERA EXPOSURE

The exposure parameters of the panoramic cameras were the normal combinations of a 0.250 inch wide slit with a Wratten 25 filter on the Master camera and a 0.175 inch wide slit with a Wratten 21 filter on the Slave camera. These conditions place the nominal exposure between the intermediate and full level processing curves, as published by [redacted] for their 3404 emulsion.

The illumination conditions during the mission were relatively uniform as the flight was conducted near the summer solstice. The frequency distributions of the solar elevations and solar azimuths encountered during the photographic operations are shown in Figures 8-1 through 8-4.

The nominal exposure times are shown as a function of latitude for passes D-08, D-40, D-72, D-104 and D-136 in Figures 8-5 through 8-9 for the Master camera and in Figures 8-10 through 8-14 for the Slave camera. The predicted level of processing for the original negative is based on the in-flight performance estimate and is tabulated below with the processing levels reported by [redacted]

Mission	Camera		Primary	Intermediate	Full
1022-1	FWD	Predicted	0.0	36.0	64.0
		Reported	8.0	36.0	56.0
1022-1	AFT	Predicted	0.0	89.2	10.8
		Reported	6.8	41.8	51.4
1022-2	FWD	Predicted	0.0	8.3	91.7
		Reported	0.5	37.0	62.5
1022-2	AFT	Predicted	0.0	100.0	0.0
		Reported	10.0	44.0	46.0

The nominal exposure for both cameras was, in general, half way between the Intermediate and Full processing curves. The variations between the predicted and reported values are therefore not considered significant as small changes in topography, weather and haze would become the predominant factors in the choice of processing level.

SOLAR ELEVATION FREQUENCY DISTRIBUTION



Mission No: 1022-1

Payload No: J-22

Camera No: 168

Launch Date: 7/19/65

Launch Time: 2201 Z

Inclination: 85°

FIGURE 8-1

SOLAR AZIMUTH FREQUENCY DISTRIBUTION





Mission No: 1022-1

Payload No: J-22

Camera No: 168

Launch Date: 7/19/65

Launch Time: 2201 Z

Inclination: 85°

SIGN NOTATION



SOLAR ELEVATION FREQUENCY DISTRIBUTION



Mission No: 1022-2

Payload No: J-22

Camera No: 168

Launch Date: 7/19/65

Launch Time: 2201 Z

Inclination: 85°

FIGURE 8-3

SOLAR AZIMUTH FREQUENCY DISTRIBUTION





Mission No: 1022-2

Payload No: J-22

Camera No: 168

Launch Date: 7/19/65

Launch Time: 2201 Z

Inclination: 85°

SIGN NOTATION



FIGURE 8-4

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 168

Pass No: 8

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .250

Filter Type: Wratten 25

Film Type: 3404

FIGURE 8-5

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 168

Pass No: 40

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .250

Filter Type: Wratten 25

Film Type: 3404

FIGURE 8-6

~~TOP SECRET~~ [redacted]

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 168

Pass No: 72

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .250

Filter Type: Wratten [redacted]

Film Type: 3404

LATI[redacted]

FIGU[redacted]

~~TOP SECRET~~ [redacted]

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 168

Pass No: 104

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .250

Filter Type: Wratten 2

Film Type: 3404

FIGURE [illegible]

~~TOP SECRET~~ [redacted]

EXPOSURE POINTS



FIGURE [redacted]

Mission No: 1022

Payload No: J-22

Camera No: 168

Pass No: 136

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .250

Filter Type: Wratten [redacted]

Film Type: 3404

~~TOP SECRET~~ [redacted]

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 169

Pass No: 8

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .175

Filter Type: Wratten 21

Film Type: 3404

FIGURE 8-10

EXPOSURE POINTS



Mission No: 1022

Payload No: J-22

Camera No: 169

Pass No: 40

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .175

Filter Type: Wratten 21

Film Type: 3404

FIGURE [illegible]

TOP SECRET [redacted]

EXPOSURE POINTS



FIGURE 8-12

Mission No: 1022

Payload No: J-22

Camera No: 169

Pass No: 72

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .175

Filter Type: Wratten

Film Type: 3404

TOP SECRET [redacted]

TOP SECRET [redacted]

EXPOSURE POINTS



FIGURE [illegible]

Mission No: 1022

Payload No: J-22

Camera No: 169

Pass No: 104

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .175

Filter Type: Wratten 21

Film Type: 3404

TOP SECRET [redacted]

EXPOSURE POINTS



FIGURE 8.2.4

Mission No: 1022

Payload No: J-22

Camera No: 169

Pass No: 136

Launch Date: 7/19/65

Launch Time: 2201 Z

Slit Width: .175

Filter Type: Wratten [redacted]

Film Type: 3404

COLUMN NUMBER	HEADING	DATA
66-68	LAT.	Latitude
68	T	N = North, S = South
69-71	Sun Ele	Solar Elevation
72-74	CLD	Percent cloud cover
75-76	OL	Percent overlap
78	-	Processing level; 1 = Primary, 2 = Intermediate, 3 = Full
80	-	Figure 1 indicates that D min was measured in shadow area

The data key for the listings of the "Subject", "Terrain" and "Qualifiers" is shown below.

I SUBJECT

1. Buildings
2. Roads, runways
3. Tanks, A/C, other man-made
4. Non-cultural

II TERRAIN

1. Flat
2. Hilly
3. Mountains
4. Flat and snow
5. Hilly and snow
6. Mountains and snow

III EDGE QUALIFIERS

1. Clear
2. Snow
3. Hazy
4. Shadow
5. Snow and Haze
6. Snow and Shadow
7. Haze and Shadow
8. Snow, Haze and Shadow

SECTION 9

DIFFUSE DENSITY MEASUREMENTS

Tables 9-1 through 9-4 list mission data supplied by AFSPPF. This data includes the visual Reciprocal Edge Spread (RES) values, the area on the format in which the value was obtained and the general characteristics of the edge as shown on the data key page. The densitometric measurements of the base plus fog, minimum and maximum terrain densities and the maximum cloud densities are also listed with other general data such as solar elevation, altitude and overlap.

The columns are arranged in the following order:

COLUMN NUMBER	HEADING	DATA
1	-	Ascending or Descending pass
2-4	Pass Nbr	Pass Number
5	-	FWD or AFT camera
6-8	Frm Nbr	Frame Number
9-17	Area 1 RES	RES data in area 1
9-11	WWW	With flight RES value
12-14	AAA	Across flight RES value
15	S	Subject - see key
16	T	Terrain - see key
17	Q	Qualifiers - see key
18-26	Area 2 RES	RES data in area 2
27-35	Area 3 RES	RES data in area 3
36-44	Area 4 RES	RES data in area 4
45-53	Area 5 RES	RES data in area 5
54-66	D min	Terrain minimum density
57-59	D max	Terrain maximum density
60-62	D B+F	Base plus fog density
63-65	LIM max	Cloud maximum density

MISSION 1022-1

PAS	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES	D	D	D	LIM	SUN

NBR	NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP	
D001F005	094067211	046152020237651N+4409899 3
D001F015		02024063N+4510099 3
D002F005		02023070N+3910099 3
D005F005		075226020226801N+3008599 3
D005F015	085085431	056215018000781N+3200006 3
D005F025		062222020148761N+3300199 3
D005F035	094094411	046212020000741N+3500006 3
D005F045		036154020215721N+3700199 3
D005F055	078075411	034096020000711N+3900006 3
D005F065		040164018000691N+4100099 3
D005F080	094104111	034118020236401N+5902006 3
D005F090		048152020248391N+6006599 3
D006F005		043172021000651N+4300299 3
D006F015	082090411	030112021215641N+4400207 3
D006F025		031084020222621N+4601599 3
D006F035	082085411	029076020244601N+4706006 3
D006F043		032082020240591N+4807099 3
D006F053	104094111	035134020255531N+5307003 3
D006F063		063183020250511N+5408599 3
D006F073		078078432080199021251411N+5808599 3
D006F083		063180017242391N+5902099 3
D007F005		026106013237551N+5406599 2
D007F020	104094111	052154013236501N+5408599 2
D007F035		035170011000451N+5700099 2
D007F045	094085111	033187012000441N+5800006 2
D007F055		020222014227421N+5800199 2
D007F065	099090431	026180013000411N+5900005 2
D007F075		060180012000391N+6000099 2
D007F085		050164012000371N+6000005 2
D007F095	094094111	032234013200361N+6100199 2
D008F005		053093012218581N+4809899 2
D008F015		034117012222571N+4909099 2
D008F026	070075212	039142012205481N+5404503 2
D008F036		071192012225471N+5509599 2
D008F046	072067212	068180012235451N+5606008 2
D008F056		072170012232441N+5706099 2
D008F066	063055412	094169012242421N+5808099 2
D008F076		066200012226411N+5901099 2
D008F086	067067412	058170012204391N+6000106 2
D008F095	075078431	030154012230381N+6101007 2
A009F005		01600041N-2100099 2
D009F005	094094111	039135021232601N+4601502 3
D009F015		036124019238591N+4804599 3
D009F025	078075311	036110019242571N+4902005 3
D009F035		039152019242551N+5005099 3
D009F045	099104111	038172019244541N+5104505 3
D009F055		037160020242521N+5200599 3
D009F065	111094111	033138019244501N+5302006 3
D09F075		048148019242491N+5405099 3
D009F085	085094111	055152019238471N+5508006 3

TABLE 9-1

MISSION 1022-1

PAS	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D	D	D LIN	SUV
NBR	NBRWWWAAASTOWWWAAASTOWWWAAASTOWWWAAASTOWWWAAASTOMINMAXB+FMAXLATELECLOOLP								
D009F095						05016001923645N+5602099 3			
D009F104						01923044N+5702099 3			
D010F005						06021401400024N+6300099 2			
D010F015		085085431				05419901421423N+6302004 2			
D010F025						11119501320222N+6204099 2			
D010F032					078067432	12419601220221N+6206099 2			
D011F005						09518601321227N+6307099 2			
D011F015		072085431				07519701300026N+6300003 2			
D011F025						08214401100022N+6300099 1			
DC11F033		078078431				06316501100021N+6200003 1			
D016F005						01117036N+6107599 1			
D018F005						05817001019667N+4209899 1			
DC18F015		094094431				02817601222365N+4309505 2			
D018F025						01220064N+4509599 2			
D018F038						01221817N+6304099 2			
D018F047						01217216N+6208099 2			
D019F005		094094411				03819201822570N+3901301 3			
D019F015						03014401900068N+4100099 3			
D019F030		067075411				05013001823061N+4704505 3			
D019F040						03522301823259N+4804099 3			
D019F050		085082411				03723401921557N+4900305 3			
D019F060						03422201823855N+5100599 3			
^019F070						01819253N+5209099 3			
J19F073						01822553N+5307099 3			
D020F005						05021002021973N+3700199 3			
D020F015		067082421				03518202019271N+3802005 3			
D020F025						02024468N+4009599 3			
D020F038		094090111				03408802223549N+5508505 3			
D020F048						01923847N+5609899 3			
D020F058		078000211				06021501900015S+4500003 3			
D020F068						04217101900017S+4300099 3			
D020F078		082085431				03314001919019S+4100108 3			
D020F088						05518601900021S+3900099 3			
DC22F005			057052412			08921502023981N+2906599 3			
D022F015						08620502222980N+3009899 3			
D022F025			063055412			07915402023674N+3609099 3			
D022F035						04414301923472N+3706599 3			
DC22F045		065057412				04014601924571N+3905505 3			
D022F055						03220201922569N+4003599 3			
D022F065		059054411				02913801823067N+4201010 3			
DC22F075						03416001922065N+4301099 3			
D022F085		063059422				02807601823864N+4500610 3			
D022F095						02817201923962N+4602099 3			
D022F105		078065112				04312001924556N+5008599 3			
DC22F115						04511801924255N+5108599 3			
D022F125		059057412				03209501924253N+5307008 3			
D022F135						02812201823204N+5701099 3			
D022F145		059061411				02913201922203N+5600107 3			
)22F155						04516101924101N+5504599 3			
D022F159						01924401N+5509599 3			

TABLE 8-1

MISSION 1022-1

PAS NBR	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D	D	D	LIN	SUM
	NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLOCLP									
D023F005					10020801823080N+3009899					3
D023F013					0842070172107 9N+3109899					3
D023F023			078094111		0361330172314 9N+5407007					3
D023F033					0320940122294 8N+5506099					2
D023F043			104094111		0301180132084 6N+5606010					2
D023F053					0311380122234 5N+5700599					2
D023F063				090092211	0261450112274 3N+5800206					2
D023F073					0341280162284 2N+5903099					3
D023F083			085094111		0371640162094 0N+6000207					3
D023F093					0462360172363 9N+6104099					3
D023F103			085085431		0541920181343 7N+6207005					3
D023F113					0531820182373 6N+6307099					3
D023F123			104104111		0571700162283 1N+6303004					2
D023F133					0271660152283 0N+6305099					2
D023F143				078078112	0821540122242 8N+6308005					2
D023F153					0611660122312 7N+6408099					2
D023F163		104111111			0241060102002 5N+6406005					2
D023F173					0280760122282 4N+6408599					2
D024F005			082085211		0751950120002 5N+6400004					1
D024F015					1081550120002 4N+6400099					1
D025F005			070085211		0241240142345 6N+[illegible]					[illegible]
D025F015					0421510182335 5N+5104099					3
D025F025			072085212		0351640182309 3N+5206010					2
D025F035					0321380182345 2N+5301599					3
D025F045			078080212		0361620182205 0N+5403510					3
D025F055					0361720182304 9N+5603099					3
D025F062			085085212		0401640192324 8N+5705510					3
D025F072					0361550182440 1S+5301599					3
D025F082			070065422		0451550182360 3S+5204510					3
D025F092					0451250202420 4S+5105599					3
D025F102			072072421		0561340202360 6S+5000311					3
D025F112					0421400202380 8S+4900599					3
D025F122			078078421		0601160202220 9S+4700510					3
D026F005			094099431		0802080180002 3N+6400301					3
D026F015					0841960180002 2N+6400099					3
D026F025			072067433		1301750142152 1N+6300199					2
D026F035					0881780142151 9N+6300599					2
D027F005			070078431		0432150130008 1N+2999908					2
D027F015					0132558 0N+3010099					2
D027F020					0132247 9N+3110099					2
D028F005					1492100120006 4N+4400099					1
D028F015					0542020120006 3N+4500099					1
D028F025			090085431		0182040110006 1N+4700009					1
D029F005					0501200210002 1S+3800099					1
D029F015			094082411		0501480180002 3S+3700010					3
D029F025					0411520201322 5S+3500199					3
D029F035			078099211		0461400200002 7S+3300010					3
D029F045					0331350181762 9S+3200599					3
D029F055			085085111		0331900181863 1S+3008099					3
D030F005					0652250210007 3N+3600099					3

TABLE 9-1

MISSION 1022-1

PAS NBR	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D	D	D	LIM	SUV
	NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP									
D030F015			078085411			045222022000720+3700008				3
D030F025						050226021000700+3900099				3
D030F031			094085411			040218021170690+4000109				3
D031F005			063059411			048182020000690+4100007				3
D031F015						032168020000670+4200099				3
D031F025			067065411			026088020186660+4300110				3
D031F035						038107020205640+4501099				3
D031F049			061061111			040200020235310+6402503				3
D031F059						060182020228300+6508099				3
D031F064						056168020240300+6509099				3
D035F005						02022257N+4910099				3
D035F015						034110020202560+5103099				3
D035F025			085078421			030170020215540+5200210				3
D035F035						032232020185530+5300399				3
D035F045			075082412			042152020210510+5408510				3
D035F050						02022451N+5510099				3
D036F005						040115020236490+5509099				3
D036F015			085078411			044078020234480+5609899				3
D036F025						044162020220460+5708599				3
D036F035			078078411			052087020230650+5809899				3
D036F045						069076020236440+5909899				3
D036F055						02022442N+6009099				3
D037F005			094104411			050192019205750+3401304				3
D037F015						032202019000740+3500099				3
D037F025			078082411			032170020000720+3700010				3
D037F035						032150019225700+3801599				3
D037F045			067059411			034144019236680+4003010				3
D037F055						040138018220670+4103099				3
D037F065			072082411			028085018231650+4300510				3
D037F076						030132018243520+5401599				3
D037F086				072085411		045130019239500+5507599				3
D037F100						036172020238400+6101099				3
D037F110			085078311			032180018245380+6201005				3
D038F005						042192019230730+3700599				3
D038F015			104094111			040105020235720+3802008				3
D038F025						030112020232700+3901599				3
D038F035			078078411			032185019215680+4100110				3
D038F045						028098018226660+4201599				3
D038F055			078082411			028124020240640+4406008				3
D038F065						033123019240630+4507599				3
D038F075						02023061N+4607999				3
D038F083						01923460N+4809599				3
D038F093			104090111			036139018215550+5100508				3
D038F103						029150020227540+5201599				3
D038F115		104104111				036164017235470+5706099				2
D038F125						031178014238460+5802099				2
D038F135			078082431			025175015232440+5803007				2
D038F145						021205014228420+5902599				2
D038F155			085090431			031195014225410+6002007				2
D038F165						056171014220390+6107599				2

TABLE 9-1

MISSION 1022-1

PAS NBR	FRMAREA1 NBRWWWAAASTQ	RESAREA2 WWWAAASTQ	RESAREA3 WWWAAASTQ	RESAREA4 WWWAAASTQ	RESAREA5 WWWAAASTQ	RES D MINMAX	D B+FMAX	D LIM LATELEC	SUN CLDULP
D039F005						01422446N+	5709899		2
D039F015					067072412078	15501322845N+	5808599		2
D039F025						03016401323443N+	5904099		2
D039F035				099090111		03817001221942N+	6000108		2
D039F045						02817901200040N+	6100099		2
D039F055			094104111			02722801223239N+	6203506		2
D039F065						03518201200037N+	6300099		2
D039F074			104085431			05116101200036N+	6400007		2
D040F005						01221069N+	4009999		2
D040F015						01221568N+	4109999		2
D040F020					078078411048	06801622267N+	4208599		2
D040F031						02813401821859N+	4805099		3
D040F041			104104111			02817601822657N+	5006009		3
D040F051						03215801821655N+	5107099		3
D040F061			094104111			03616801823354N+	5107510		3
D040F071						03015201823453N+	5308099		3
D040F081			104094111			03615201823251N+	5405010		3
D040F091						05316501823950N+	5508099		3
D040F101			094085111			04817001823248N+	5609010		3
D042F005						01523423N+	6006099		2
D042F015						01423222N+	6601[redacted]		
D042F025						01222821N+	6501[redacted]		
D042F035						04416801222219N+	6502[redacted]		
D042F039		072062422				05119001223019N+	6501599		2
D047F005						04119501423636N+	6307099		2
D047F012				085000211		04219001423535N+	6407005		2
D053F005						02817601822952N+	5405099		3
D053F015					094099111026	14001823851N+	5503099		3
D053F030						04019001924241N+	6102599		3
D053F040		099085111				04520501823640N+	6203006		2
D053F050						02617801422438N+	6202099		2
D053F060			085090111			02112601422236N+	6203502		2
D053F070						03212801422835N+	6203099		2
D053F080			104090111			02911801723533N+	6300502		3
D053F090						03017901722032N+	6301599		3
D053F100		099099111				03613601724530N+	6303003		3
D053F110						03011801923529N+	6403099		3
D053F120						08614001923827N+	6408599		3
D053F130			090099111			03213901923325N+	6405005		3
D053F140						03416301824624N+	6506099		3
D053F150			094090111			04315401823822N+	6508505		3
D053F160						01623521N+	6510099		2
D053F170						01423419N+	6610099		2
D053F179						01222018N+	6609099		2
D054F005						05411801321555N+	5109599		2
D054F015					085082111040	09801322054N+	5309099		2
D054F025						04813501823352N+	5408099		3
D054F041	094099111					07024201823240N+	6101505		3
D054F051						05615801422839N+	6205099		2
D054F061				070067411		06216001222637N+	6303506		2

TABLE 9-1

[redacted]

MISSION 1022-1

```
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIM  SUN

NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+MAXLATELECLOULP

0054F071                                                 041156012228 36N+6306099 2
0054F081                  067072411                      068180012230 34N+6407503 2
0054F091                                                 032210013194 33N+6502099 2
0054F101                  067078411                      034194012216 32N+6508001 2
0054F111                                                 038120010200 30N+6609099 2
0054F120                  072072411                      029162012226 29N+6708599 2
0055F005                                                       013222 58N+4810099 2
0055F015                                                 034054012196 57N+4909899 2
0055F025                  055063212                      028098012218 55N+5108599 2
0055F035                                                 031070012218 54N+5207099 2
0055F045                  070070112                      030082013227 52N+5307510 2
0055F055                                                 028098012227 51N+5408099 2
0055F065                  059060212                      034166012212 49N+5506508 2
0055F075                                                 040152012223 48N+5606599 2
0055F085                  054055212                      058182012212 46N+5706507 2
0055F095                                                 026140012152 45N+5801599 2
0055F105                  067057412                      032182012000 43N+5900008 2
0055F115                                                 044176012162 42N+6000199 2
0055F125                  061063212                      062168012227 40N+6100508 2
0055F135                                                 063155012000 39N+6200099 2
0055F149                        063063112                100178015194 37N+6[illegible]
0056F005                                                 030062018220 69N+4007[illegible]
0056F015                        104094111                030106018220 68N+4102[illegible]
0056F027                                                 028152018222 60N+4805099 3
0056F037                  104094111                      028128018220 59N+4905008 3
0056F047                                                 046104018238 57N+5006099 3
0056F057                  111104111                      034144018242 56N+5105008 3
0056F067                                                 036135018226 54N+5206099 3
0056F077                  094094111                      039125018232 53N+5406008 3
0056F087                                                 066132018236 51N+5508599 3
0056F097085094111                                        050150018240 50N+5608099 3
0056F107                                                 059169018232 48N+5705099 3
0056F117                  094104111                      048172018234 47N+5800208 3
0056F127                                                 048182018230 45N+5900199 3
0056F137                        078085111                040102018234 43N+6100599 3
0056F147                                                 090192014000 31N+6600099 1
0056F157                  085078431                      052140010000 30N+6600004 1
0056F167                                                 048135010000 28N+6700099 1
0056F173                  078072431                      073138010000 28N+6700004 1
0058F005                                                 064154010196 27N+6700599 1
0058F015                  085078431                      039132010208 26N+6703005 1
0058F025                                                 034148010193 24N+6706099 1
0058F032                  085067431                      058136010210 23N+6701504 1
0062F005                  090099111                      024101012202 25N+6805002 1
0062F015                                                 020211012213 24N+6801099 2
0063F006                  104111111                      018226012000 36N+6500003 2
8  F                                                                        N+-0
```

[redacted]

TABLE 9-1

MISSION 1022-1

PAS NBR	FRMAREA1 NBRWWWAAASTQ	RESAREA2 WWWAAASTQ	RESAREA3 WWWAAASTQ	RESAREA4 WWWAAASTQ	RESAREA5 WWWAAASTQ	RES Q MINMAXB	D FMAXLAT	D ELECLOUL	LIN P	SUN
D001A005	099104111					061140022230	65N+4309899			3
D002A005						02023272N+3810099				3
D002A010						148220020228	70N+3909899			3
D005A005	099094411					063198024230	81N+2908599			3
D005A015						095222022000	79N+3100299			3
D005A025		090085411				084227022000	77N+3200002			3
D005A035						055218022000	75N+3400099			3
D005A045		099104411				054218022000	73N+3600001			3
D005A055						047162022000	72N+3800099			3
D005A065		099094411				051135022000	70N+4000002			3
D005A080						057185021240	41N+5903599			3
D005A090	104104111					061144022238	40N+6005599			3
D006A005						052208022218	66N+4200199			3
D006A015		090090421				046138022214	65N+4300202			3
D006A025						049108021196	63N+4500299			3
D006A035		085090421				038120021228	61N+4601003			3
D006A042						038126022241	60N+4705099			3
D006A052		104104111				064174020234	54N+5208002			3
D006A062						054216020236	52N+5307099			3
D006A072						124172017230	42N+5809899			2
D006A082		072072411				055167014218	40N+5905003			2
D007A005						060157022240	56N+5004099			2
D007A020	104094111					102155023236	51N+5608099			2
D007A035						035180015000	46N+5600099			2
D007A045		118111111				030210015216	45N+5700103			2
D007A055						026224015212	43N+5800199			2
D007A065		090099431				030216014228	41N+5901503			2
D007A075						045186015000	40N+5900099			2
D007A085	094090111					046145013000	38N+6000003			2
D007A094						043205014000	36N+6100099			2
D008A005						01220059N+4810099				1
D008A015						040052010198	58N+4909899			1
D008A026		065067412				042134010170	49N+5404599			1
D008A036						070172012193	48N+5506599			2
D008A046		078072212				098168012214	46N+5608099			2
D008A056						071151010203	45N+5708599			1
D008A066						067124010195	43N+5707599			1
D008A076						080160010190	41N+5801099			1
D008A086		067065431				036162010200	40N+5901505			1
D008A094		082090111				048190012208	39N+6000106			1
A009A005						01900039N-2299999				3
D009A005						044120020233	61N+4503099			3
D009A015		104094111				070152020232	60N+4701005			3
D009A025						050142020234	58N+4805099			3
D009A035		094094111				046148020224	56N+4906005			3
D009A045						064157020232	55N+5006099			3
D009A055		099104111				042145020232	53N+5202005			3
D009A065						038190020234	51N+5301099			3
D009A075		104104111				060152020230	50N+5405005			3
D009A085						083158020234	48N+5508599			3

TABLE 9-2

MISSION 1022-1

PAS NBR	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D	D	D LIM	SUM
	NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP								
D0009A095			094094111			060194020233 46N+5606005			3
D0009A103						082164018232 45N+5700899			3
D0010A005						11718001300025N+6300099			2
D0010A015		082090431				071195013000 24N+6300004			2
D0010A025						110190012000 23N+6300099			2
D0010A032			085090431			118170013000 22N+6300003			2
D0011A008				082094421		096172012215 28N+6302099			2
D0011A025						059162010000 23N+6300099			1
D0011A033		055067421				062154010000 22N+6300099			1
D0016A005						01015537N+6102599			1
D0018A005						01019768N+4110099			1
D0018A015					094094421041	18601017666N+4209099			1
D0018A025						056090010190 65N+4407599			1
D0018A038						02022417N+6305099			3
D0018A047						02020016N+6205099			3
D0019A005						050206017222 71N+3802099			2
D0019A015			078085411			052198020220 69N+4000202			3
D0019A030						072154020222 62N+4607099			3
D0019A040					094094411070	14502022660N+4709899			3
D0019A050						057230020218 58N+4802099			3
D0019A060			094094111			046180020224 56N+5001004			3
D0019A070						045220020220 54N+5100203			3
D0020A005			085082411			056204020000 74N+3600001			3
D020A015						085175020196 72N+3703599			3
D0020A025			085090411			055128020230 70N+3901504			3
D0020A037						045172020232 50N+5401099			3
D0020A047			085118111			053140020228 48N+5507599			3
D0020A059						048148020000 14S+4300099			3
D0020A069			078067421			045162020000 16S+4200004			3
D0020A079						054192020000 18S+4000099			3
D0020A089			085104111			052125020000 20S+3900004			3
D0022A005				085094411		088187015205 82N+2806599			2
D0022A013						082201013218 81N+2907599			2
D0022A025					072070411056	18501521075N+3508099			2
D0022A035						055115013203 73N+3607599			2
D0022A045			072072411			053120015229 72N+3806599			2
D0022A055						050135021220 70N+3903599			3
D0022A065			065078411			050175020221 68N+4102506			3
D0022A075						042145020225 66N+4200099			3
D0022A085			082085411			045110020190 65N+4400506			3
D0022A095						042100020210 63N+4501099			3
D0022A105078075111						047125020238 57N+4907099			3
D0022A115						032135013220 56N+5108599			2
D0022A123072078421						042093013226 55N+5108599			2
D0022A133						01819254N+5201099			3
D0022A143			094067421			027102019225 54N+5201005			3
D0022A153						044126018210 05N+5701099			3
D0023A005						02022281N+2910099			3
D023A014						080182016212 80N+3009899			2
D0023A024			094104111			036194013220 50N+5404003			2

TABLE 9-2

```
MISSION 1022-1
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIM   SUN

NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP

D023A034                                                 040126013222491N+5506099 2
D023A044                104104111                        038154012218471N+5605007 2
D023A054                                                 043185012218461N+5702099 2
D023A064                094104111                        045162012218441N+5800507 2
D023A074                                                 043180012000431N+5800099 2
D023A084                090104111                        029143012222411N+5903003 2
D023A094                                                 034204012222401N+6008099 2
D023A104                085085431                        031218012214381N+6106004 2
D023A114                                                 042214012220361N+6204099 2
D023A124                099104111                        032150012224321N+6305003 2
D023A134                                                 038152012222311N+6306099 2
D023A144                082090112                        076172012225291N+6307003 2
D023A154                                                 050164012216281N+6407599 2
D023A164                090099111                        038144012218261N+6407003 2
D023A174                                                 045146012222251N+6400099 2
D024A005                                                 082188013000261N+6400099 2
D024A015                090099111                        110182012000251N+6400002 2
D025A005                104094111                        045149019223571N+4900503 3
D025A015                                                 055175021225561N+5102599 3
D025A025                094104111                        060172021231561N+5206506 3
D025A035                                                 058175022235531N+5303599 3
D025A045                        085090111                046145021228511N+5403005 3
D025A055                                                 045173021226501N+5502599 3
D025A072                099094111                        054140021233011N+5403504 3
D025A082                                                 050120022225021S+5304599 3
D025A092                085104111                        060130021236031S+5203006 3
D025A102                                                 040100021230051S+5102099 3
D025A112                094094431                        050115021233071S+5001006 3
D025A121                                                 040112021215081S+4900199 3
D026A005                                                 099194019000241N+6400099 3
D026A015                078082431                        106174013000231N+6400002 2
D026A025                                                 122174012000221N+6400099 2
D026A035                075082431                        071123010130201N+6400502 1
D027A005                                                 044174010000821N+2800099 1
D027A015                                        078082411044174010192811N+2909899 1
D028A005                                                 080198010000651N+4300099 1
D028A015                                                 104198010000641N+4400099 1
D028A025                                        067067432042220010000621N+4600099 1
D029A005                                                 056171019182201S+3900299 3
D029A015                000094211                        052132019000221S+3800009 3
D029A025                                                 050125019000241S+3600099 3
D029A035085085211                                        048110019000261S+3400009 3
D029A045                                                 045120019177281S+3300299 3
D029A055                                        085090111064114019155301S+3101010 3
D030A005                                                 066188014191741N+3500599 2
D030A015                078072431                        048184012000731N+3600008 2
D030A025                                                 049195012000711N+3800099 2
D030A031                085094431                        036194012000701N+3900008 2
D031A005                070085411                        044180013000701N+4000003 2
D031A015                                                 025184012000681N+4100099 2
```


TABLE 9-2

MISSION 1022-1

```
VAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIM  SUN

NBR NRRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDULP

D031A025                    063070411                    027156013000 66N+4200006 2
D031A035                                                 025062014195 65N+4400399 2
D031A048                    078078111                    033165014235 32N+6403001 2
D031A058                                                 030178014225 31N+6500599 2
D035A005          085072431                              032162013204 58N+4907099 2
D035A015                                                 080114020220 57N+5007599 3
D035A025                    090094411                    050198020174 55N+5100506 3
D035A035                                                 035212020227 54N+5202099 3
D035A045                    094085411                    038214020217 52N+5401506 3
D036A005                                                 048165020220 50N+5409099 3
D036A015085085421                                        042095020220 49N+5509099 3
D036A025                                                 054115020225 47N+5609099 3
D036A035090082421                                        058108020218 46N+5709599 3
D036A045                                                 065102019225 45N+5809599 3
D036A055                                                 062102021225 43N+5908099 3
D037A005                                                 135190021226 76N+3309899 3
D037A015                    090082431                    050148021205 75N+3400106 3
D037A025                                                 042188021000 73N+3600099 3
D037A035                    085078411                    036160020210 71N+3801006 3
D037A045                                                 044154020227 69N+4002599 3
D037A055                    082085431                    060130021227 68N+4103006 3
D037A065                                                 058169020231 66N+4306599 3
D037A076                    078090411                    048133020230 52N+5307005 3
D037A086                                                 041110019230 51N+5407099 3
D037A100                    085085111                    045152015233 41N+6006002 2
D037A110                                                 038155014221 39N+6100099 2
D038A005                    085078411                    047184013210 74N+3601503 2
D038A015                                                 050162019230 73N+3701099 3
D038A025                    104090411                    052145019232 71N+3901006 3
D038A035                                                 048152019222 69N+4000599 3
D038A045                    072085411                    040116019188 67N+4200107 3
D038A055                                                 043157019206 65N+4302099 3
D038A065                    078085411                    042150018230 64N+4502505 3
D038A075                                                 040158013226 62N+4603099 2
D038A093          078082311                              054132018206 60N+4804599 3
D038A103                                                 035098019226 55N+5200599 3
D038A113                    111111411                    033208013224 48N+5603501 2
D038A123                                                 047178012220 47N+5705099 2
D038A133                    094078411                    040173012224 45N+5802005 2
D038A143                                                 034172012216 43N+5901599 2
D038A153                    104104311                    041176012223 42N+6001005 2
D038A163                                                 045168012217 41N+6101099 2
D039A005                                                 032142011212 47N+5705099 2
D039A015                                                      01221646N+5810099 2
D039A025          085082112                              080190012210 44N+5903005 2
D039A035                                                 062178011202 43N+6000299 2
D039A045                    082085411                    093175011000 41N+6000005 2
D039A055                                                 041172012003 40N+6100099 2
D039A065                    094104111                    035171011214 38N+6200202 2
D039A074                                                 075174011000 37N+6300099 2
```


TABLE - 9-2

MISSION 1022-1

PAS NBR	FRMAREA1 NBRWWWAAASTQ	RESAREA2 WWWAAASTQ	RESAREA3 WWWAAASTQ	RESAREA4 WWWAAASTQ	RESAREA5 WWWAAASTQ	RES D MINMAX	D B+FMAX	D LAT	ELECLDOLP	SUN
D040A005								0122087	0N+3910099	2
D040A015	094111411							0340920	1220469N+4004099	2
D040A032								0421750	1621659N+4702099	3
D040A042		104094111						0381700	1921858N+4902005	3
D040A052								0441930	2123256N+5001099	3
D040A062		104104111						0441690	2224055N+5103006	3
D040A072								0401800	2224053N+5200099	3
D040A082		118125111						0441820	2224251N+5402010	3
D040A092								0621750	2224445N+5507099	3
D040A102		104099111						0851970	2224448N+5605007	3
D042A005								1321940	1623324N+6601099	2
D042A015								1301960	1524023N+6606099	2
D042A025								1112060	1523922N+6506099	2
D042A035		067063432						0722020	1423520N+6504003	2
D053A005		094099311						0421050	2023853N+5303002	3
D053A015								0601530	2222652N+5403599	3
D053A030		070063421						0651880	1523441N+6101599	2
D053A040								0461820	1523440N+6201599	2
D053A050	099104311							0281770	1423238N+6202099	2
D053A060								0391780	1422837N+6201099	2
D053A070				090085411				0481680	1422035N+6201599	2
D053A080								0361680	1600034N+6300099	2
D053A090		118094411						0381760	2223032N+6301002	3
D053A100								0661400	2223831N+6301599	3
D053A110		082094411						0561560	2223029N+6401503	3
D053A120								0351150	2224428N+6409899	3
D053A130		094085411						0701450	2223826N+6403599	3
D053A140								0521560	2224624N+6502599	3
D053A150		085085411						0711750	2224223N+6505599	2
D053A160								0561430	1623221N+6509099	2
D053A170									01523220N+6610099	1
D053A178									01120419N+6610099	1
D054A005								0421050	1423456N+5009899	2
D054A015								0661400	1423455N+5210099	2
D054A021					104118111			0711300	1422554N+5209599	2
D054A031								0491180	1422453N+5407599	2
D054A041		104104411						0321940	1423641N+6102501	2
D054A051								0601770	1423140N+6201599	2
D054A061								0791820	1423838N+6303099	2
D054A067				078085421				0811880	1423437N+6303599	2
D054A077								0682080	1323336N+6403099	2
D054A087		094104411						0742020	1323335N+6407599	2
D054A097								0322220	1422333N+6502099	2
D054A107		094085411						0472160	1423432N+6608501	2
D054A117								0721940	1423430N+6604599	2
D055A005									01422659N+4710099	2
D055A015									01422458N+4910099	2
D055A025	085094111							0561020	1422456N+5009899	2
D055A035								0421020	1423055N+5108099	2
D055A045		094104111						0321060	1422353N+5208004	2

TABLE 9-2

~~TOP SECRET~~ [redacted]

MISSION 1022-1

```
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIM   SUN
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP
D055A055                                                 030130013226524+5309599 2
D055A065                    099104111                    048158013226504+5407006 2
D055A075                                                 036155013232494+5504099 2
D055A085                    078082431                    062189013229474+5607009 2
D055A095                                                 050194012206464+5804099 2
D055A105                    072072411                    037137010000444+5900099 1
D055A115                                                 052185014000434+6000099 2
D055A125          104104111                              038200014200414+6100205 2
D055A135                                                 098192014222404+6201099 2
D055A145                    072078411                    136172014000394+6300004 2
D056A005094072433                                        042202020232704+3908099 3
D056A015                                                 045138022236694+4007599 3
D056A026                    085070111                    041148021231614+4603507 3
D056A036                                                 045168021235604+4804099 3
D056A046                    082072111                    046142021243584+4904010 3
D056A056                                                 055164021241574+5003099 3
D056A066                    094090111                    070157021247554+5106099 3
D056A076                                                 059178021240544+5204099 3
D056A086                    078070112                    071143021242524+5407099 3
D056A096                                                 099189022242514+5508599 3
D056A106                    085085112                    083166021245494+5[redacted]
D056A116                                                 051169018243484+5[redacted]
D056A126                    082078111                    035138014214464+5[redacted]
D056A136                                                 024130012219444+6300599 2
D056A145                                                 140196013000324+6500099 1
D056A155085090111                                        105192015000314+6600010 2
D056A165                                                 135204015000304+6600099 2
D056A172                    072065411                    096202014000294+6700009 2
D058A005                                                 072152010210274+6704099 1
D058A015                                                 078085431053150010206264+6705003 1
D058A025                                                 067136010209254+6705099 1
D058A032                    085090431                    050158010206244+6708003 1
D062A005                    059067311                    050186013234264+6802501 1
D062A015                                                 040164012227254+6802599 1
D063A005                    104104111                    034190011232374+6400302 1
8   F                                                                    N+-0
```

~~TOP SECRET~~ [redacted]

TABLE 9-2

[redacted]

MISSION 1022-2

PAS FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D D D LIM SUN
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP					
D067F005					0311150180007 1N+3700099 3
D067F015		067072431			0391150182007 0N+3800110 3
D067F025					0271740181726 8N+4000199 3
D067F035		094085411			0301950182026 7N+4100309 3
D067F045					0182364 5N+5910099 3
D067F055078082411					0571250162354 4N+6009899 2
D069F005		099104411			0361650122178 0N+2907099 2
D069F015					0201900122157 9N+3003599 2
D069F025		082090411			0331810192007 4N+3500503 3
D069F035					0401360182327 3N+3602099 3
D069F045			078070411		0290880192367 1N+3806099 3
D069F055					0421990192337 0N+3908599 3
D069F065094104111					0280970182305 6N+5101099 3
D069F075					0281550192185 5N+5200599 3
D069F085		094094411			0251340192275 3N+5301505 3
D069F095					0301250192395 2N+5402099 3
D069F108		082078421			0421670142224 1N+6200503 2
D069F118					0371540132344 0N+6302099 2
D069F128078085111					0251620132303 8N+6306099 2
D069F138					0231420132323 7N+6408599 2
D069F148		067072411			0221010132283 5N+6500099 2
D070F005					0851300112257 2N+3710099 2
D070F015					0112057 1N+3810099 2
D070F025				075070411	0301200152226 9N+4006599 3
D070F035					0361400182306 7N+4103099 3
D070F045				078082411	0471600172296 6N+4304005 3
D070F055					0281200122266 4N+4407099 2
D070F065				067085411	0220840112246 2N+4607099 2
D070F075					0400720132286 1N+4109599 2
D070F085			072085411		0261100172273 8N+5101005 3
D070F095					0351400182253 9N+5201099 3
D070F105	104094111				0321650182243 9N+5300505 3
D070F115					0381350182383 9N+5402599 3
D070F125				082078431	0481350172354 0N+5605005 2
D070F135					0551500122274 0N+5709599 2
D070F145			082082431		0381550122254 0N+5803599 2
D070F155					0411300122174 1N+5900199 2
D070F163				085078431	0281520122184 1N+6002099 2
D071F005					0122205 8N+4810099 2
D071F015		078072112			0361050132285 7N+5009899 2
D071F025					0401500172305 5N+3107099 3
D071F035		104094111			0421750172365 4N+5206008 3
D071F045					0381200172325 2N+5305099 3
D071F055		094094111			0461400172365 1N+5406508 3
D071F065					0281450132224 9N+5501099 2
D071F075		094094111			0291180131164 8N+5701507 2
D071F085					0341780120004 6N+5800099 2
D071F095		078082211			0681640120004 5N+5900005 2
D071F105					0821900130004 3N+6000099 2
A072F005					0120003 9N-2499999 2

~~TOP SECRET~~ [redacted]

TABLE 9-3

MISSION 1022-2

PAS NBR	FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES WWWAAASTQ	D WWWAAASTQ	D WWWAAASTQ	D WWWAAASTQ	LIM WWWAAASTQ	SUM MINMAXB+FMAXLATELECLDOLP
D075F005						01222468N+4110099 2
D075F015						01019566N+4210099 1
D075F025	085072421					087178012222659N+4407010 2
D079F005						01321636N+6509599 2
D079F010						01322036N+6509899 2
D083F005						067118018210719N+3709899 3
D083F015	085067421					033098017000709N+3900007 3
D083F028						026130018000499N+5600099 3
D083F038		094090111				028115018230489N+5700599 3
D083F048						029130017210469N+5900199 3
D083F058	094085111					033110018223459N+6002099 3
D085F005						055085019215569N+5109899 3
D085F015						036072013231559N+5209899 2
D085F025				078085431		046135014228549N+5309599 2
D085F035						029140013220439N+6003099 2
D085F045	072072431					026151014226429N+6106004 2
D085F055						026165012226409N+6206099 2
D085F065	070067431					023150013227399N+6301502 2
D085F075						028225014218379N+6402099 2
D085F085	085085421					035185014220369N+6401003 3
D085F095						026160014230339N+6505099 3
D085F105	078082431					040145015242359N+6608099 2
D085F115						040229019235319N+6708099 3
D085F125	078078431					092228019245309N+6709599 3
D085F135						055108020240289N+6809099 3
D086F005						041146020238509N+5505099 3
D086F015	111104111					042161020000499N+5600006 3
D086F025						023106014214479N+5800199 2
D086F035	094094111					061178014000469N+5900005 2
D086F045						024202014222449N+6000199 2
D086F055		090094111				038151014234439N+6102005 2
D086F065						022153014235419N+6203599 2
D086F075		104094111				020150014235409N+6304505 2
D086F085						032220014228389N+6404099 2
D087F005	094090411					028150020230639N+4505003 3
D087F015						025158020232629N+4602599 3
D087F025	078085111					026153020225609N+4701505 3
D087F035						028125020233599N+4902099 3
D087F045	085094111					029170020215579N+5001505 3
D087F055						036146020232569N+5102099 3
D087F064	085090111					042150020232559N+5204006 3
D087F074						070196014220499N+5703599 2
D087F084	067059421					029170014214479N+5801005 2
D088F005	094104111					023102012210529N+5402005 2
D088F015						036144013218519N+5607599 2
D088F025		085090111				036123017228499N+5700705 3
D088F035						041139019232489N+5801099 3
D088F045	094094111					031135018222469N+5901505 3
D088F055						055155019209449N+6000599 3
D088F065		111104111				024112019227439N+6201005 3

TABLE 9-3

MISSION 1022-2

PAS NBR	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES D	D	D LIM	SUV
	NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP								
D088F071						033140017000 42N+6300099 3			
D094F005			085085111			026180014232 32N+6801001 2			
D094F015						024184014234 30N+6901599 2			
D097F005				078082431		038232020000 68N+4000005 3			
D097F015						041223020225 67N+4104099 3			
D097F025				067072411		048152019224 65N+4305005 3			
D097F030						054125020228 65N+4309099 3			
D098F005						089190018182 75N+3300599 3			
D098F015			078082411			040192013000 74N+3400007 2			
D098F025						044200017000 72N+3600099 3			
D098F035			078078411			026186018000 71N+3800008 3			
D098F045						032078019000 49N+4000099 3			
D099F005		072078411				032113019232 53N+5305599 3			
D099F015						040085019240 52N+5505599 3			
D099F025			082078411			029118018222 50N+5601006 3			
D099F035						033155018230 49N+5703599 3			
D099F045						019240 47N+5810099 3			
D099F055	065070412					058120019230 46N+5909899 3			
D099F065						040125019214 44N+6008599 3			
D099F075						018221 42N+6110099 3			
D099F082						018220 [redacted]			
D100F005			063075411			029078019229 59N+ [redacted]			
D100F015						029100019228 58N+ [redacted]			
D100F025			094094411			034110020235 56N+5002005 3			
D100F035						029138018237 55N+5202099 3			
D100F045			059067421			033265019234 53N+5302005 3			
D100F055						028112020235 52N+5402099 3			
D100F065					094078111027122018236 51N+5601505 3				
D100F075						028104019232 49N+7502599 3			
D100F088						018238 40N+6410099 3			
D100F093			082094111			040114016231 39N+7409599 2			
D100F101						033137013231 38N+6509099 2			
D101F005					075094411046158018224 73N+3604599 3				
D101F015						042088019230 72N+3709099 3			
D101F025					070067411033146019218 70N+3903507 3				
D101F035						040138019228 68N+4005599 3			
D101F053					085090411035126019236 56N+5103007 3				
D101F063						034112019234 54N+5202599 3			
D101F073					085085421034148019228 53N+5401507 3				
D101F083						028118019227 51N+5101099 3			
D101F095		082085431				060187014000 40N+6300001 2			
D101F105						099152014000 39N+6400099 2			
D101F115			075082411			036178012212 37N+6500501 2			
D101F125						030122013225 36N+6601599 2			
D101F135			078085411			036220012228 34N+6702501 2			
D101F145						024232013225 33N+6702599 2			
D101F155			094085411			020180013225 31N+6801002 2			
D101F165						023228013228 30N+6902599 2			
D101F171			075085431			034214013226 29N+7003502 2			
D102F005						029110014224 51N+5508099 2			

TOP SECRET [redacted]

TABLE -9-3

[redacted]

MISSION 1022-2

PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D D D LIM SUN						
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLOOLP						
D102F015		094094111			034140012223501N+5607504	2
D102F025					030120013224481N+5708099	2
D102F035		094078211			032146012222461N+3806005	2
D102F045					034163012219451N+6005099	2
D102F051		072072421			032175012000441N+6000005	2
D103F005					01522069N+3910099	2
D103F015		078082421			047102020222681N+4005005	3
D103F025					031097020212661N+4202599	3
D103F035075085111					032151020221641N+4301505	3
D103F045					029106020220631N+4503599	3
D103F055	085072111				028140020232611N+4601505	3
D103F067					041152020232481N+5801099	3
D103F077		094090111			040152015220471N+5900505	2
D103F087					030134014174451N+6000199	2
D103F097		104090111			028120014202431N+6100205	2
D103F107					032136014228421N+6300599	2
D104F005			070078412		045062013228481N+5709999	2
D104F015					039165020232471N+5901099	3
D104F025	094094111				034150020130451N+6000103	3
D104F035					034160020000441N+6100099	3
D104F045082085211					033152020230[redacted]	
D104F055					034178020000501N+6[redacted]	
D104F065		090085111			037162020218391N+6[redacted]	
D104F072					038156020220381N+6[redacted]	
D110F005			075082431		032176015228361N+6603002	3
D110F015					030174013220351N+6701599	2
D110F025		078072421			057132012238291N+7000502	2
D110F035					033188012132271N+7101099	2
D110F045					01218026N+7101099	2
D115F005	082078411				033172013168751N+3300299	2
D115F015					096178018000741N+3400099	3
D115F025	078075411				052136019000721N+3600003	3
D115F035					030110019235701N+3700599	3
D115F045			094094411		036185019190691N+3901003	3
D115F055					032130020225671N+4001099	3
D115F065	090085411				034137019214651N+4200203	3
D115F075					025123019236641N+4301099	3
D115F085					01823752N+5510099	3
D115F095					01222050N+5610099	2
D115F109					01223244N+6109999	2
D115F119				078075212068130015208431N+6209599		2
D115F129					01220441N+6310099	2
D115F139					01222439N+6410099	2
D115F148					035107012228381N+6508099	2
D116F005					036096018230531N+5406099	3
D116F015		094104111			042100019234521N+5507504	3
D116F025					030152019236501N+5605099	3
D116F033	078082411				024087016226491N+5709099	3
D116F043					036126012178421N+6200199	3
D116F053		104090111			022180018187411N+6300104	2

~~TOP SECRET~~ [redacted]

TABLE 9-3

MISSION 1022-2

PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D D D LIM SUM

NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP

```
D116F063                                                  035175018219 39N+6300599 2
D116F073                  090099111                       032152018216 37N+6403004 2
D116F083                                                  022144014230 36N+6503099 2
D116F093                            094099111             045165019000 34N+6500006 3
D116F103                                                  032151020231 33N+6601099 3
D116F113                  104094111                       030139019232 31N+6602003 3
D116F123                                                  035145019226 29N+6703099 3
D116F133                  104104111                       035163020229 28N+6802505 3
D116F143                                                  034111020236 26N+6802099 3
D116F153                  104094111                       036144019215 25N+6902507 3
D116F163                                                  044125019231 23N+6903099 3
D116F173                  099104111                       040186019236 21N+7004008 3
D116F183                                                  064182020204 20N+7101599 3
D116F193                  094104111                       040184019240 18N+7104009 3
D116F202                                                  045160019163 17N+7201599 3
D118F005                                                  017216 73N+3510099 3
D118F014                            082078411             087130019216 72N+3609999 3
D118F024                                                  050095018222 58N+4907099 3
D118F034                            070075411             042080018227 57N+5007505 3
D118F044                                                  047100018230 55N+5100599 3
D118F054            094104111                             041100018232 54N+5200599 3
D118F064                                                  054122019235 52N+5300599 3
D118F074            090094111                             049202017228 51N+5400599 3
D118F084                                                  056185019170 49N+5600299 3
D118F094                            085082411             076194018000 47N+5800005 3
D118F104                                                  048175018000 46N+5900099 3
D118F114                  085082411                       067187013000 44N+6000005 2
D118F124                                                  050158012000 43N+6200099 2
D118F134085090411                                         032160011000 41N+6300005 2
D118F144                                                  055172011000 40N+6400099 2
D118F154                            078085112             070184012155 38N+6602099 2
D118F164                                                  039222012000 36N+6700099 2
D119F005                  094090111                       030088017230 58N+4903003 3
D119F015                                                  038104019227 57N+5001099 3
D119F025                  072085111                       040112019224 55N+5102005 3
D119F035                                                  066172018235 54N+5309599 3
D119F045                                                  018238 52N+5410099 3
D119F049                                  094085111090152018236 51N+5509099 3
D119F059                                                  060136018230 50N+5608599 3
D119F069                  094094111                       052168018230 48N+5701005 3
D119F079                                                  043134018234 47N+5901099 3
D119F089                  082094111                       039145018234 45N+6000505 3
D119F099                                                  030135019230 44N+6200599 3
D125F005                            085090111             029142020226 48N+5801001 3
D125F015                                                  031160020222 47N+5901099 3
D125F027                            085085111             040188019238 31N+7103501 3
D125F036                                                  037162019236 29N+7104099 3
D126F005                  090094111                       028192018238 41N+6301002 3
 126F014                                                  030168018208 40N+6400199 3
D131F005                            072065412             050109018222 52N+5508599 3
```


TABLE 9-3

[redacted]

MISSION 1022-2

```
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIM  SUN
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP

D131F015                                                  042100018226S1N+5607099 3
D131F025                                090094411         033090017235S0N+5705503 3
D131F035                                                  033131019215S8N+5801099 3
D131F045094094111                                         027160017213S7N+6001003 3
D131F055                                                  027174017200S5N+6101099 3
D131F065                                                  062110018240085+5702099 3
D131F073                                                      01823710S+5502099 3
D132F005                                                  027093018237S9N+4803099 3
D132F015                    094104111                     030082016220S8N+4903505 3
D132F025                                                  029087019230S6N+5003099 3
D132F035                    094104111                     027108017217S5N+5201505 3
D132F045                                                  029103018233S3N+5300599 3
D132F055                                                  065070112075130018232S1N+5508099 3
D132F065                                                      01823450N+5610099 3
D132F075                    104104111                     024115018235S2N+7002502 3
D132F085                                                  028145017235S1N+7102599 3
D132F095                    111104111                     028144017238S9N+7101008 3
D132F105                                                  030152017238S8N+7102099 3
D132F115                    090094111                     037160018233.26N+7204507 3
D132F125                                                  037158018231[redacted]
D132F135          094090211                               033170018222[redacted]
D132F145                    090099111                     043139018236[redacted]
D132F155                                                  038110017240[redacted]
D134F005                                                      0152143BN+5110099 2
D134F015                                                      01422237N+5010099 2
D134F025                    099094111                     043110018226S5N+5105005 3
D134F035                                                  042115017215S4N+5301599 3
D134F045                    099094111                     040105018231S2N+5404005 3
D134F055                                                  035152018226S0N+5600599 3
D134F065                                090090111         038151018234S9N+5707006 3
D135F005          072075111                               064162019230S3N+5407002 3
D135F015                                                  062133019234S2N+5509099 3
D135F025                    099094111                     054147019228S0N+5608099 3
D135F035                                                  045163019236S9N+5702599 2
D135F045          094099111                               037145019212S7N+5902099 2
D135F055                                                  073184019220S5N+6004099 2
D135F065                    085082411                     036122014231S4N+6108099 2
D135F082                                                  040163013225S5N+6701599 2
D135F092078085411                                         045178013234S4N+6602002 2
D135F096                                                  040162013237S4N+6501599 2
8   F                                                                     N+=0
```

[redacted]

TABLE 9-3

MISSION 1022-2

PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D D D LIM SUM						
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP						
D067A005	085099411				055172020000 72N+3700099	3
D067A015					041138020000 71N+3100099	3
D067A025		082078421			041130020202 69N+4000105	2
D067A034					038160020145 68N+4100199	2
D067A044					01523646N+5910099	2
D067A054					01322945N+6010099	2
D069A005	075070421				075182012210 81N+2809599	2
D069A015					122186012228 80N+2909599	2
D069A025		085078411			037195013000 75N+3400004	2
D069A035					048160020210 74N+3500599	3
D069A045		090085411			051135020227 72N+3701504	3
D069A054					068126020234 71N+3906099	3
D069A064		078082411			036118020224 57N+5001504	3
D069A074					033132020241 56N+5101099	3
D069A084			090090111		036120021237 54N+5202004	3
D069A094					038145020228 53N+5302599	3
D069A106				078082421	042175017239 42N+6101504	2
D069A116					041178013230 40N+6201099	2
D069A124			075082421		050172012226 39N+6302004	2
D069A134					030198013230 37N+6306099	2
D069A144				085090411	025145012238 36N+6400599	1
D069A149					033155013225 35N+6506099	1
D070A005					01323273N+3610099	2
D070A015					01321872N+3710099	2
D070A017	067078411				031182013215 71N+3709099	3
D070A027					036105014216 70N+3909099	2
D070A037		072078421			037136015233 68N+4103505	2
D070A047					050167021224 66N+4203099	3
D070A057		065072421			094194020234 65N+4407599	3
D070A067					092175020241 63N+4508599	3
D070A077		063059411			066130020239 61N+4709599	3
D070A087					043156020238 56N+5102599	3
D070A097		075094111			042145020225 54N+5201505	3
D070A107					048118020215 53N+5301099	3
D070A117		094104111			050195020245 51N+5401005	3
D070A127					077186021240 50N+5506099	3
D070A137	072078421				100180020232 46N+5709099	3
D070A147					098177020239 47N+5804599	3
D070A157		094090111			065165017212 45N+5901005	2
D071A005			085094411		057122013224 59N+4809599	2
D071A015					047135012222 58N+4909099	2
D071A025		094094111			031143012226 56N+5005005	2
D071A035					032126012220 55N+5105099	2
D071A045	094104111				040140012240 53N+5305006	2
D071A055					035120012215 52N+5402099	2
D071A065		085082111			053156013235 50N+5508099	2
D071A075					040123012221 49N+5605099	2
D071A085		094078431			042186012222 47N+5800205	2
D071A095					090178013000 46N+5900099	2
D071A105		065072421			062128010000 44N+6000005	1

TOP SECRET [redacted]

TABLE 9-4

~~TOP SECRET~~ [redacted]

MISSION 1022-2

```
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES D  D  D LIN  SUN
NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLDOLP
D088A045                                                 037150020222 47N+5902099 3
D088A055                  094104111                      042155020220 45N+6002006 3
D088A065                                                 043145014221 44N+6101099 2
D088A070                  104099111                      040149013220 43N+6100504 2
D094A005                  085090431                      028145014229 33N+6705501 2
D094A015                                                 036186012236 31N+6803099 2
D094A017                  085099431                      046184012236 31N+6902503 2
D097A005                                                 032104014000 69N+3900099 2
D097A015                  094085411                      024220014212 68N+4000506 2
D097A025                                                 037193013222 66N+4208099 2
D097A030                  085085411                      036120013214 65N+4208007 2
D098A005                  082085411                      024170012000 76N+3200099 2
D098A015                                                 029178013000 75N+3300099 2
D098A025                            090078411            042190013200 73N+3502003 2
D098A035                                                 048200018000 71N+3700099 3
D098A047        078070411                                050106020000 69N+3900003 3
D099A005082082411                                        061138020238 54N+5309599 3
D099A015                                                 044130020238 53N+5404099 3
D099A025                  085085431                      045142018235 1N+5500505 3
D099A035                                                 044179020240 50N+5602099 3
D099A045                                                 020234[redacted]
D099A055                                                 020238[redacted]
D099A065085078212                                        059115020218 45N+6006599 1
D099A075                                                 020224 43N+6109099 3
D099A085                                                 020228 42N+6310099 3
D100A005                                                 036103020232 60N+4703099 3
D100A015                            104104111            042130020230 59N+4802503 3
D100A025                                                 036108020242 57N+5902099 3
D100A035                  078078111                      048130020232 56N+5106099 3
D100A045                                                 034170020235 54N+5202099 3
D100A055                  090099431                      038106020234 52N+5303503 3
D100A065                                                 049145020235 1N+5507099 3
D100A075                            099094111            033142020240 49N+5602503 3
D100A088                                                 140173015236 41N+6309099 2
D100A098                                                 046110012232 39N+6409899 2
D101A005                  118104411                      048198020214 74N+3501003 3
D101A015                                                 045142020220 73N+3606599 3
D101A025                  085099411                      058134020226 71N+3806005 3
D101A035                                                 065112020234 69N+3907599 3
D101A043        078085411                                065210020231 68N+4107599 3
D101A053                                                 080152020229 57N+5007099 3
D101A063                  085094111                      073150020234 55N+5107005 3
D101A073                                                 050130020236 54N+5302099 3
D101A083                  085099411                      044134020228 52N+5401005 3
D101A095                                                 080170022000 41N+6200099 2
D101A105        063075411                                094182012198 40N+6300505 2
D101A115                                                 042172012204 38N+6400599 2
D101A125                  094099411                      022176010190 37N+6500502 1
 101A135                                                 025196010202 35N+6603099 1
D101A145                  072078411                      024175010210 34N+6702501 1
```

~~TOP SECRET~~ [redacted]

TABLE 8-4

MISSION 1022-2

PAS NBR	FRMAREA1 NBRWWWAAAS	RESAREA2 TQWWWAAAS	RESAREA3 TQWWWAAAS	RESAREA4 TQWWWAAAS	RESAREA5 TQWWWAAAS	RES TQWWWAAAS	D MINMAXB	D +FMAX	D LIM CATELEC	SUM LOULP
D101A155							0282160	320232N	+6804099	1
D101A165		104078411					0331430	1223131N	+6902503	2
D101A171							0362320	1223230N	+7005099	2
D102A005	104085111						0421080	1221852N	+5502001	2
D102A015							0521300	1222551N	+5603599	2
D102A025		067072411					0451420	1222647N	+5703501	2
D102A035							0501620	1222447N	+5803099	2
D102A045			085090211				0471800	1222446N	+6002501	2
D102A051							0512080	1222445N	+6002099	2
D103A005								1420570N	+3810099	2
D103A015								2123069N	+3910099	3
D103A025		078078421					0450900	2022067N	+4105006	3
D103A035							0461250	2022465N	+4207099	3
D103A045		104111111					0321340	2017764N	+4401007	3
D103A055							0441640	2021762N	+4503599	3
D103A066		094094111					0621970	2023049N	+5704502	3
D103A076							0551660	1722748N	+5801599	2
D103A086		099104111					0361420	1322046N	+5902004	2
D103A096							0421700	1300045N	+6000099	2
D103A106		104104111					0351200	1322043N	+6200503	2
D103A112							0451050	1422947N	[redacted]	
D104A005								1223046N	[redacted]	
D104A015		094104111					0521460	1322843N	[redacted]	
D104A025							0441640	1622246N	+5900299	2
D104A035		094094111					0521450	2022645N	+6000105	3
D104A045							0381800	2000043N	+6100099	3
D104A055		099099111					0501530	2022241N	+6200205	3
D104A065							0521740	2023554N	+6400199	3
D104A072		104085111					0501820	2000039N	+6400005	3
D110A005						085078431	0562040	1624237N	+6603001	2
D110A015							0381780	1322836N	+6701099	2
D110A025			082082421				0661600	1300030N	+7000099	2
D110A035							0611760	1322528N	+7101099	2
D110A045	078085411						0681840	1323226N	+7100701	2
D115A005		094094411					0361620	1420776N	+3200503	2
D115A015							0391670	1200075N	+3300099	2
D115A025		078075421					0381160	1400073N	+3500006	2
D115A035							0421350	2018171N	+3600199	3
D115A045		072078421					0601280	2022970N	+3806007	3
D115A055							0381070	2024168N	+3900399	3
D115A065		085067421					0422090	2022466N	+4100505	3
D115A075							0541720	2023865N	+4301099	3
D115A085						059067412	0981440	2022853N	+5409599	3
D115A095								1622251N	+5510099	3
D115A107		082075212					0270680	1019245N	+6107599	1
D115A117							0481200	1020744N	+6209599	1
D115A127								1218442N	+6310099	1
D115A137								1321440N	+6410099	2
D115A147								1321739N	+6610099	2
D116A005	072082311						0461030	1723354N	+5307599	3

TABLE 9-4

[redacted]

MISSION 1022-2

PAS	FRMAREA1	RESAREA2	RESAREA3	RESAREA4	RESAREA5	RES	D	D	LTH	SUM
NBR	NBRWWAAASTQWWAAASTQWWAAASTQWWAAASTQWWAAASTQWWAAASTQMIWMAXB+FMAXLATELECLDOLP									
D116A015										049094020237S3N+5409099 3
D116A025		111118111								040173019239S1N+5505503 3
D116A033										038180021235S0N+5604099 3
D116A043			104078421							044178014215S3N+6200505 2
D116A053										044155014215S2N+6300599 2
D116A063			094085421							075162013000S0N+6300005 2
D116A073										040172013221S8N+6401599 2
D116A083			082085431							034165013227S7N+6501005 2
D116A093										028158013227S5N+6501099 2
D116A103			094094411							033150020220S4N+6601005 3
D116A113										037138020230S2N+6601099 3
D116A123			082078411							056158020230S0N+6701005 3
D116A133										042134021242S9N+6802099 3
D116A143			104118411							052125019243S7N+6802006 3
D116A153										050130021238S6N+6902599 3
D116A163			099118111							041153020225S4N+6902005 3
D116A173										045178020234S2N+7002099 3
D116A183			104104111							065180018224S1N+7100505 3
D116A193										026170014210S9N+7100503 2
D116A202				078075211						[redacted]
D118A005										[redacted]
D118A015										[redacted]
118A025					104099111					[redacted]
D118A035										047165020225S8N+5008599 [redacted]
D118A045			090085112							065137019232S6N+5109005 [redacted]
D118A055										063130021241S5N+5209099 3
D118A065			104104111							052152017225S3N+5408005 3
D118A075										032139013225S1N+5507599 2
D118A085			094094111							040150013205S0N+5601004 2
D118A095										045163012000S8N+5700099 2
D118A105			072078411							070180013000S7N+5900005 2
D118A115										037180013000S5N+6000099 2
D118A125			078094411							025146011000S4N+6100003 2
D118A135										080125011000S2N+6200099 1
D118A145		104099111								035135011000S0N+6400004 1
D118A155										070130011000S9N+6500099 1
D118A165	078082411									055128011000S7N+6600004 1
D119A005		082075411								050106018227S9N+4904001 3
D119A015										050174020229S8N+5002099 3
D119A025			094099111							042156020226S6N+5102001 3
D119A035										040095014235S5N+5205599 2
D119A045										067100012198S3N+5409999 1
D119A055	085090111									039078011202S1N+5509099 1
D119A065										030080012203S0N+5605999 2
D119A075					104099111					036146014215S8N+5801501 2
D119A085										032118014232S7N+5900599 2
D119A095			099094111							036110014240S5N+6000503 2
D119A103										030134017235S4N+6100599 2
125A005			099104211							050128024237S9N+5700502 3
D125A015										046158020230S8N+5801599 1

~~TOP SECRET~~ [redacted]

TABLE 9-4

MISSION 1022-2
PAS FRMAREA1 RESAREA2 RESAREA3 RESAREA4 RESAREA5 RES 0 0 0 LIM SUN

NBR NBRWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQWWWAAASTQMINMAXB+FMAXLATELECLOOL

D125A026		094104111		037140013234321N+7002002 2
D125A037		099104211		039152014230301N+7102005 2
D126A005		085082111		072162014240411N+6301002 2
D126A015		085085211		024200014000401N+6500003 2
D131A005				01220753N+5410099 1
D131A015		072075411		021051011218521N+5508004 1
D131A025				040055014224501N+5609099 2
D131A035		094094111		039036018220491N+5703004 3
D131A045				042132020238471N+5902099 3
D131A055		104104111		041150021236451N+6002505 3
D131A066				057120021249071S+5801099 3
D132A005				044125022232601N+4806099 3
D132A015			104099111	039102022242591N+4905005 3
D132A025				042114022235571N+5003099 3
D132A035		104104111		044140022232561N+5101504 3
D132A045				045177022248541N+5301599 3
D132A055	094099111			075144022242521N+5407099 3
D132A065				090162022237511N+5509099 3
D132A075		094099111		046172022238331N+6902005 3
D132A085				038210022238321N+7001099 3
D132A095		094094111		032162022238[illegible]
D132A105				046150022249[illegible]
D132A115		094094111		050156020238[illegible]
D132A125				036130014237251N+7207099 2
D132A135		094094111		024132022240231N+7305005 2
D132A145				026112014238221N+7301599 2
D132A155		104094111		026112014236201N+7405006 2
D134A005				068166014222591N+4909899 2
D134A015				01120558N+5010099 1
D134A025				01824556N+5110099 3
D134A035		085090111		064128022228551N+5202002 3
D134A045				068186021246531N+5402599 3
D134A055099090111				038115015234511N+5501002 2
D134A065				047154014237501N+5601099 2
D135A005		104094111		030144013230541N+5305099 2
D135A015				01324253N+5409899 2
D135A025		104104111		065135013235511N+5509599 2
D135A035				044137013218501N+5706599 2
D135A045		078094111		033125012232481N+5804004 2
D135A055				037122013205481N+6008099 2
D135A065094090111				055163013225451N+6109599 2
D135A082				030164010241061N+6703599 2
D135A092		085094411		049167013236041N+6602506 2
D135A102				055160013242031N+6402599 2
D135A112		085072111		071105013243011S+6405006 2
D136A005		072078422		098162011000281N+7306005 1
D136A015				100164011000271N+7499999 1
D136A024070075412				065165010000251N+7499907 1
F				N+-0

TABLE 9-4

The diffuse density measurements made by AFSPPF were computer sorted at A/P to permit analysis of the density ranges encountered at the three processing levels. A study of sorting techniques showed that no absolute method was available to separate the density values as the accuracy of the Processing History published by [redacted] appears rather low and processing transition phases are not accounted for. The sorting technique selected uses the base plus fog density values where measurements up to 0.09 density are considered as having received Primary processing, 0.10 to 0.17 as Intermediate and above 0.17 density as Full. The percentage of original negative that was processed at each level, based on the computer sort, is tabulated below with the predicted and reported processing percentages.

Mission	Camera		Primary	Intermediate	Full
1022-1	FWD	Predicted	0.0	36.0	64.0
		Reported	8.0	36.0	56.0
		Computed	0.0	42.5	57.5
	AFT	Predicted	0.0	89.2	10.8
		Reported	6.8	41.8	51.4
		Computed	0.0	52.6	47.4
1022-2	FWD	Predicted	0.0	8.3	91.7
		Reported	0.5	37.0	62.5
		Computed	0.0	42.6	57.4
	AFT	Predicted	0.0	100.0	0.0
		Reported	10.0	44.0	46.0
		Computed	0.0	53.5	46.5

The correlation of the reported and computed percentages at the three processing levels is very good for both missions and is more consistent than the usual mission values.

The tabulations of density frequency distributions for Mission 1022-1 are shown in Tables 9-5 through 9-8. The graphical presentation of the density distribution are computer plotted in Figures 9-1 through 9-9 for the Fwd camera of Mission 1022-1 and Figures 9-10 through 9-18 for the Aft camera. Mission 1022-2 distributions for the Fwd camera are shown in Figures 9-19 through 9-27 and the Aft camera in Figures 9-28 through 9-36.

MISSION • 1022-1 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.01	0	0	0	0	0	0	0	0	0	0	0	0
0.02	0	0	0	0	0	0	0	0	0	0	0	0
0.03	0	0	0	0	0	0	0	0	0	0	0	0
0.04	0	0	0	0	0	0	0	0	0	0	0	0
0.05	0	0	0	0	0	0	0	0	0	0	0	0
0.06	0	0	0	0	0	0	0	0	0	0	0	0
0.07	0	0	0	0	0	0	0	0	0	0	0	0
0.08	0	0	0	0	0	0	0	0	0	0	0	0
0.09	0	0	0	0	0	0	0	0	0	0	0	0
0.10	0	0	0	0	0	0	0	0	0	0	0	0
0.11	0	0	0	0	0	0	0	0	0	0	0	0
0.12	0	0	0	0	0	0	0	0	0	0	0	0
0.13	0	0	0	0	0	0	0	0	0	0	0	0
0.14	0	0	0	0	0	0	0	0	0	0	0	0
0.15	0	0	0	0	0	0	0	0	0	0	0	0
0.16	0	0	0	0	0	0	0	0	0	0	0	0
0.17	0	0	0	0	0	0	0	0	0	0	0	0
0.18	0	0	0	2	0	0	0	0	0	2	0	0
0.19	0	0	0	2	0	0	0	0	0	2	0	0
0.20	0	0	0	2	0	0	0	0	0	2	0	0
0.21	0	0	0	2	0	0	0	0	0	2	0	0
0.22	0	0	0	2	0	0	0	0	0	2	0	0
0.23	0	0	0	3	0	0	0	0	0	3	0	0
0.24	0	0	0	3	0	0	0	0	0	3	0	0
0.25	0	0	0	1	0	0	0	0	0	1	0	0
0.26	0	0	0	5	0	0	2	0	0	7	0	0
0.27	0	0	0	2	0	0	0	0	0	2	0	0
0.28	0	0	0	5	0	0	11	0	0	16	0	0
0.29	0	0	0	2	0	0	4	0	0	6	0	0
0.30	0	0	0	5	0	0	9	0	0	14	0	0
0.31	0	0	0	4	0	0	1	0	0	5	0	0
0.32	0	0	0	5	0	0	13	0	0	18	0	0
0.33	0	0	0	1	0	0	5	0	0	6	0	0
0.34	0	0	0	6	0	0	9	0	0	15	0	0
0.35	0	0	0	2	0	0	4	0	0	6	0	0
0.36	0	0	0	3	0	0	11	0	0	14	0	0
0.37	0	0	0	1	0	0	2	0	0	3	0	0
0.38	0	0	0	3	0	0	4	0	0	7	0	0
0.39	0	0	0	1	0	0	2	0	0	3	0	0
0.40	0	0	0	2	0	0	10	0	0	12	0	0
0.41	0	0	0	2	0	0	1	0	0	3	0	0
0.42	0	0	0	1	0	0	5	0	0	6	0	0
0.43	0	0	0	1	0	0	3	0	0	4	0	0
0.44	0	0	0	2	0	0	3	0	0	5	0	0
0.45	0	0	0	0	0	0	5	0	0	5	0	0
0.46	0	0	0	1	0	0	6	0	0	7	0	0
0.47	0	0	0	0	0	0	0	0	0	0	0	0
0.48	0	0	0	2	0	0	7	0	0	9	0	0
0.49	0	0	0	0	0	0	0	0	0	0	0	0
0.50	0	0	0	1	0	0	8	0	0	9	0	0
SUBTOTAL	0	0	0	67	0	0	125	0	0	192	0	0

TABLE 9-5

MISSION • 1022-1 • INSTRUMENT • FRND • 10-01-65 • DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.51	0	0	0	2	0	0	0	0	0	2	0	0
0.52	0	0	0	2	0	0	1	0	0	3	0	0
0.53	0	0	0	1	0	0	2	0	0	3	0	0
0.54	0	0	0	3	1	0	1	0	0	4	1	0
0.55	0	0	0	0	0	0	2	0	0	2	0	0
0.56	0	0	0	2	0	0	3	0	0	5	0	0
0.57	0	0	0	1	0	0	0	0	0	1	0	0
0.58	0	0	0	4	0	0	1	0	0	5	0	0
0.59	0	0	0	0	0	0	0	0	0	0	0	0
0.60	0	0	0	3	0	0	3	0	0	6	0	0
0.61	0	0	0	1	0	0	0	0	0	1	0	0
0.62	0	0	0	2	0	0	1	0	0	3	1	0
0.63	0	0	0	2	0	0	1	0	0	3	0	0
0.64	0	0	0	1	0	0	1	0	0	2	1	0
0.65	0	0	0	0	0	0	0	0	0	0	0	0
0.66	0	0	0	1	0	0	0	0	0	1	0	0
0.67	0	0	0	0	0	0	0	0	0	0	0	0
0.68	0	0	0	2	1	0	0	0	0	2	1	0
0.69	0	0	0	0	0	0	1	0	0	1	0	0
0.70	0	0	0	0	1	0	1	0	0	1	1	0
0.71	0	0	0	1	0	0	0	0	0	1	0	0
0.72	0	0	0	1	0	0	0	0	0	1	0	0
0.73	0	0	0	1	0	0	0	0	0	1	0	0
0.74	0	0	0	0	0	0	0	0	0	0	0	0
0.75	0	0	0	2	0	0	1	0	0	3	0	0
0.76	0	0	0	0	1	0	0	3	0	0	4	0
0.77	0	0	0	0	0	0	0	0	0	0	0	0
0.78	0	0	0	1	0	0	0	1	0	1	0	0
0.79	0	0	0	0	0	0	1	0	0	1	0	0
0.80	0	0	0	0	0	0	2	0	0	2	0	0
0.81	0	0	0	0	0	0	0	0	0	0	0	0
0.82	0	0	0	2	1	0	0	1	0	2	2	0
0.83	0	0	0	0	0	0	0	0	0	0	0	0
0.84	0	0	0	1	0	0	1	1	0	2	1	0
0.85	0	0	0	0	0	0	0	0	0	0	0	0
0.86	0	0	0	0	0	0	2	0	0	2	0	0
0.87	0	0	0	0	0	0	0	1	0	0	1	0
0.88	0	0	0	1	0	0	0	2	0	1	2	0
0.89	0	0	0	0	0	0	1	0	0	1	0	0
0.90	0	0	0	1	0	0	0	0	0	1	0	0
0.91	0	0	0	0	0	0	0	0	0	0	0	0
0.92	0	0	0	0	0	0	0	0	0	0	0	0
0.93	0	0	0	0	1	0	0	0	0	0	1	0
0.94	0	0	0	0	0	0	0	0	0	0	0	0
0.95	0	0	0	1	0	0	0	1	0	1	1	0
0.96	0	0	0	0	0	0	0	1	0	0	1	0
0.97	0	0	0	0	0	0	0	0	0	0	0	0
0.98	0	0	0	0	3	0	0	1	0	0	4	0
0.99	0	0	0	0	0	0	0	0	0	0	0	0
1.00	0	0	0	1	0	0	1	0	0	2	0	0
SUBTOTAL	0	0	0	41	10	0	28	14	0	69	24	0

TABLE 9-5

MISSION • 1022-1 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.01	0	0	0	0	1	0	0	0	0	0	1	0
1.02	0	0	0	0	0	0	0	1	0	0	1	0
1.03	0	0	0	0	0	0	0	0	0	0	1	0
1.04	0	0	0	0	0	0	0	1	0	0	1	0
1.05	0	0	0	0	2	0	0	1	0	0	3	0
1.06	0	0	0	0	0	0	0	1	0	0	1	0
1.07	0	0	0	1	0	0	0	0	0	0	1	0
1.08	0	0	0	0	0	0	0	2	0	0	2	0
1.09	0	0	0	0	0	0	0	0	0	0	2	0
1.10	0	0	0	0	0	0	0	2	0	0	2	0
1.11	0	0	0	0	0	0	0	1	0	0	1	0
1.12	0	0	0	0	0	0	0	1	0	0	1	0
1.13	0	0	0	0	0	0	0	3	0	0	3	0
1.14	0	0	0	0	0	0	0	2	0	0	2	0
1.15	0	0	0	0	0	0	0	1	0	0	1	0
1.16	0	0	0	0	0	0	0	1	0	0	1	0
1.17	0	0	0	0	1	0	0	3	0	0	4	0
1.18	0	0	0	0	3	0	0	2	0	0	5	0
1.19	0	0	0	0	1	0	0	0	0	0	1	0
1.20	0	0	0	0	0	0	0	3	0	0	3	0
1.21	0	0	0	0	0	0	0	0	0	0	0	0
1.22	0	0	0	0	0	0	0	1	0	0	1	0
1.23	0	0	0	0	1	0	0	2	0	0	3	0
1.24	0	0	0	0	0	0	0	2	0	0	2	0
1.25	0	0	0	0	0	0	0	0	0	0	0	0
1.26	0	0	0	0	0	0	0	0	0	0	0	0
1.27	0	0	0	0	0	0	0	0	0	0	0	0
1.28	0	0	0	0	0	0	0	0	0	0	0	0
1.29	0	0	0	0	0	0	0	0	0	0	0	0
1.30	0	0	0	0	0	0	0	0	0	0	0	0
1.31	0	0	0	0	0	0	0	0	0	0	0	0
1.32	0	0	0	0	0	0	0	0	0	0	0	0
1.33	0	0	0	0	0	0	0	0	0	0	0	0
1.34	0	0	0	0	0	0	0	0	0	0	0	0
1.35	0	0	0	0	0	0	0	0	0	0	0	0
1.36	0	0	0	0	0	0	0	0	0	0	0	0
1.37	0	0	0	0	0	0	0	0	0	0	0	0
1.38	0	0	0	0	0	0	0	0	0	0	0	0
1.39	0	0	0	0	0	0	0	0	0	0	0	0
1.40	0	0	0	0	0	0	0	0	0	0	0	0
1.41	0	0	0	0	0	0	0	0	0	0	0	0
1.42	0	0	0	0	0	0	0	0	0	0	0	0
1.43	0	0	0	0	0	0	0	0	0	0	0	0
1.44	0	0	0	0	0	0	0	0	0	0	0	0
1.45	0	0	0	0	0	0	0	0	0	0	0	0
1.46	0	0	0	0	0	0	0	0	0	0	0	0
1.47	0	0	0	0	0	0	0	0	0	0	0	0
1.48	0	0	0	0	0	0	0	0	0	0	0	0
1.49	0	0	0	0	0	0	0	0	0	0	0	0
1.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	5	25	0	0	56	3	5	81	3

TABLE 9-5

~~TOP SECRET~~ [redacted]

MISSION • 1022-1 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.51	0	0	0	0	0	0	0	1	0	0	1	0
1.52	0	0	0	0	1	0	0	9	0	0	10	0
1.53	0	0	0	0	0	0	0	3	0	0	7	0
1.54	0	0	0	0	4	0	0	2	0	0	5	0
1.55	0	0	0	0	3	0	0	0	0	0	1	0
1.56	0	0	0	0	1	0	0	0	0	0	0	0
1.57	0	0	0	0	0	0	0	1	0	0	2	0
1.58	0	0	0	0	1	0	0	0	0	0	0	0
1.59	0	0	0	0	0	0	0	3	0	0	4	0
1.60	0	0	0	0	1	0	0	1	0	0	2	0
1.61	0	0	0	0	1	0	0	2	0	0	3	0
1.62	0	0	0	0	1	0	0	3	0	0	7	0
1.63	0	0	0	0	4	0	0	1	0	0	2	0
1.64	0	0	0	0	1	0	0	0	0	0	3	0
1.65	0	0	0	0	3	0	0	0	0	0	0	0
1.66	0	0	0	0	0	0	0	0	0	0	0	0
1.67	0	0	0	0	2	0	0	1	0	0	1	0
1.68	0	0	0	0	1	0	0	0	0	0	0	0
1.69	0	0	0	0	6	0	0	0	0	0	0	0
1.70	0	0	0	0	1	0	0	0	0	0	0	0
1.71	0	0	0	0	0	0	0	0	0	0	0	0
1.72	0	0	0	0	0	0	0	0	0	0	0	0
1.73	0	0	0	0	0	0	0	0	0	0	0	0
1.74	0	0	0	0	0	0	0	0	0	0	0	0
1.75	0	0	0	0	2	0	0	0	0	0	0	0
1.76	0	0	0	0	0	0	0	2	0	0	2	0
1.77	0	0	0	0	2	0	0	0	0	0	4	0
1.78	0	0	0	0	0	0	0	0	0	0	0	0
1.79	0	0	0	0	4	0	0	0	0	0	4	0
1.80	0	0	0	0	2	0	0	0	0	0	2	0
1.81	0	0	0	0	5	0	0	1	0	0	6	0
1.82	0	0	0	0	0	0	0	0	0	0	0	0
1.83	0	0	0	0	3	0	0	7	0	0	10	0
1.84	0	0	0	0	0	0	0	1	0	0	1	0
1.85	0	0	0	0	0	0	0	1	0	0	1	0
1.86	0	0	0	0	1	0	0	1	0	0	2	0
1.87	0	0	0	0	1	0	0	0	0	0	1	0
1.88	0	0	0	0	0	0	0	0	0	0	0	0
1.89	0	0	0	0	0	0	0	2	0	0	4	0
1.90	0	0	0	0	2	0	0	2	0	0	4	0
1.91	0	0	0	0	2	0	0	2	0	0	4	0
1.92	0	0	0	0	2	0	0	2	0	0	4	0
1.93	0	0	0	0	1	2	0	0	0	0	1	2
1.94	0	0	0	0	1	2	0	0	0	0	1	2
1.95	0	0	0	0	3	2	0	0	0	0	3	2
1.96	0	0	0	0	2	3	0	1	0	0	3	3
1.97	0	0	0	0	1	0	0	0	0	0	1	0
1.98	0	0	0	0	0	0	0	0	0	0	0	0
1.99	0	0	0	0	1	0	0	1	0	0	2	0
2.00	0	0	0	0	1	4	0	1	0	0	2	4
SUBTOTAL	0	0	0	0	64	14	0	61	8	0	125	22

~~TOP SECRET~~ [redacted]

TABLE 9 - 5

[redacted]

MISSION • 1022-1 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DIST •

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.01	0	0	0	0	0	0	0	0	0	0	0	0
2.02	0	0	0	0	1	3	0	2	1	0	3	4
2.03	0	0	0	0	0	1	0	0	0	0	0	1
2.04	0	0	0	0	1	1	0	0	0	0	1	1
2.05	0	0	0	0	1	1	0	0	2	0	1	3
2.06	0	0	0	0	1	1	0	0	2	0	1	3
2.07	0	0	0	0	1	0	0	0	0	0	1	0
2.08	0	0	0	0	0	3	0	0	2	0	0	3
2.09	0	0	0	0	0	3	0	0	0	0	0	3
2.10	0	0	0	0	2	3	0	0	1	0	2	4
2.11	0	0	0	0	1	0	3	0	0	0	1	3
2.12	0	0	0	0	0	3	0	0	1	0	0	3
2.13	0	0	0	0	0	1	0	0	0	0	0	1
2.14	0	0	0	0	1	0	4	0	0	0	1	4
2.15	0	0	0	0	1	0	4	0	3	0	1	7
2.16	0	0	0	0	0	1	0	0	0	0	0	1
2.17	0	0	0	0	0	0	5	0	0	0	0	5
2.18	0	0	0	0	0	0	5	0	1	0	0	6
2.19	0	0	0	0	0	0	4	0	0	0	0	4
2.20	0	0	0	0	0	0	4	0	0	0	0	4
2.21	0	0	0	0	0	1	0	0	0	0	0	1
2.22	0	0	0	0	0	0	5	0	0	0	0	5
2.23	0	0	0	0	0	0	3	0	0	0	0	3
2.24	0	0	0	0	0	0	4	0	0	0	0	4
2.25	0	0	0	0	0	0	2	0	0	0	0	2
2.26	0	0	0	0	0	1	3	0	1	0	0	4
2.27	0	0	0	0	0	0	3	0	0	0	0	3
2.28	0	0	0	0	1	0	0	0	0	0	1	0
2.29	0	0	0	0	0	0	0	0	0	0	0	0
2.30	0	0	0	0	0	0	0	0	0	0	0	0
2.31	0	0	0	0	0	0	0	0	0	0	0	0
2.32	0	0	0	0	0	0	0	0	0	0	0	0
2.33	0	0	0	0	0	0	0	0	0	0	0	0
2.34	0	0	0	0	0	0	0	0	0	0	0	0
2.35	0	0	0	0	0	0	0	0	0	0	0	0
2.36	0	0	0	0	0	0	0	0	0	0	0	0
2.37	0	0	0	0	0	0	0	0	0	0	0	0
2.38	0	0	0	0	0	0	0	0	0	0	0	0
2.39	0	0	0	0	0	0	0	0	0	0	0	0
2.40	0	0	0	0	0	0	0	0	0	0	0	0
2.41	0	0	0	0	0	0	0	0	0	0	0	0
2.42	0	0	0	0	0	0	0	0	0	0	0	0
2.43	0	0	0	0	0	0	0	0	0	0	0	0
2.44	0	0	0	0	0	0	0	0	0	0	0	0
2.45	0	0	0	0	0	0	0	0	0	0	0	0
2.46	0	0	0	0	0	0	0	0	0	0	0	0
2.47	0	0	0	0	0	0	0	0	0	0	0	0
2.48	0	0	0	0	0	0	0	0	0	0	0	0
2.49	0	0	0	0	0	0	0	0	0	0	0	0
2.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	14	89	0	22	132	0	36	221

[redacted]

TABLE 9-5

MISSION • 1022-1 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.51	0	0	0	0	0	0	0	0	1	0	0	1
2.52	0	0	0	0	0	0	0	0	0	0	0	0
2.53	0	0	0	0	0	0	0	0	0	0	0	0
2.54	0	0	0	0	0	0	0	0	0	0	0	0
2.55	0	0	0	0	0	1	0	0	1	0	0	2
2.56	0	0	0	0	0	0	0	0	0	0	0	0
2.57	0	0	0	0	0	0	0	0	0	0	0	0
2.58	0	0	0	0	0	0	0	0	0	0	0	0
2.59	0	0	0	0	0	0	0	0	0	0	0	0
2.60	0	0	0	0	0	0	0	0	0	0	0	0
2.61	0	0	0	0	0	0	0	0	0	0	0	0
2.62	0	0	0	0	0	0	0	0	0	0	0	0
2.63	0	0	0	0	0	0	0	0	0	0	0	0
2.64	0	0	0	0	0	0	0	0	0	0	0	0
2.65	0	0	0	0	0	0	0	0	0	0	0	0
2.66	0	0	0	0	0	0	0	0	0	0	0	0
2.67	0	0	0	0	0	0	0	0	0	0	0	0
2.68	0	0	0	0	0	0	0	0	0	0	0	0
2.69	0	0	0	0	0	0	0	0	0	0	0	0
2.70	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	0	1	0	0	2	0	0	3
TOTAL	0	0	0	113	113	104	153	153	145	266	266	249

MISSION 1022-1 INSTR - FRWD 10-01-65 PROCESSING AND EXPOSURE ANALYSI

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	113	4 PC	45 PC	44 PC	6 PC	1 PC
FULL	153	50 PC	0 PC	49 PC	1 PC	0 PC
ALL LEVELS	266	30 PC	19 PC	47 PC	3 PC	0 PC

PROCESS LEVEL	BASE + FOG	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0.01-0.09	0.01-0.13	0.14-0.39	0.40-0.90	----------	0.91 AND UP
INTERMED	0.10-0.17	0.01-0.20	0.21-0.39	0.40-0.90	0.91-1.34	1.35 AND UP
FULL	0.18 AND UP	0.01-0.39	----------	0.40-0.90	0.91-1.69	1.70 AND UP

TABLE 9-5

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 0.49 • MEDIAN • 0.40 • STD DEV • 0.25 • RANGE • 0.18 TO 1.49 WITH 113 SAMPLES



FIGURE 9-1

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 1.61 • MEDIAN • 1.68 • STD DEV • 0.38 • RANGE • 0.54 TO 2.36 WITH 113 SAMPLES



FIGURE 9-2

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • INTERMEDIATE

ARITH MEAN • 2.19 • MEDIAN • 2.24 • STD DEV • 0.17 • RANGE • 1.52 TO 2.55 WITH 104 SAMPLES



FIGURE 9-3

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • FULL

ARITH MEAN • 0.43 • MEDIAN • 0.39 • STD DEV • 0.14 • RANGE • 0.26 TO 1.00 WITH 153 SAMPLES



FIGURE 9-4

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • FULL

ARITH MEAN • 1.54 • MEDIAN • 1.52 • STD DEV • 0.39 • RANGE • 0.62 TO 2.42 WITH 153 SAMPLES



FIGURE 9-5

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • FULL

ARITH MEAN • 2.28 • MEDIAN • 2.33 • STD DEV • 0.19 • RANGE • 1.32 TO 2.55 WITH 145 SAMPLES



FIGURE 9-6

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 0.45 • MEDIAN • 0.40 • STD DEV • 0.20 • RANGE • 0.18 TO 1.49 WITH 266 SAMPLES



FIGURE 9-1

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 1.57 • MEDIAN • 1.60 • STD DEV • 0.39 • RANGE • 0.54 TO 2.42 WITH 266 SAMPLES



FIGURE 6-8

MISSION • 1022-1 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • ALL LEVELS

ARITH MEAN • 2.24 • MEDIAN • 2.29 • STD DEV • 0.19 • RANGE • 1.32 TO 2.55 WITH 249 SAMPLES



FIGURE 9-8

[redacted]

MISSION • 1022-1 • INSTRUMENT • AFT 10-01-62 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.01	0	0	0	0	0	0	0	0	0	0	0	0
0.02	0	0	0	0	0	0	0	0	0	0	0	0
0.03	0	0	0	0	0	0	0	0	0	0	0	0
0.04	0	0	0	0	0	0	0	0	0	0	0	0
0.05	0	0	0	0	0	0	0	0	0	0	0	0
0.06	0	0	0	0	0	0	0	0	0	0	0	0
0.07	0	0	0	0	0	0	0	0	0	0	0	0
0.08	0	0	0	0	0	0	0	0	0	0	0	0
0.09	0	0	0	0	0	0	0	0	0	0	0	0
0.10	0	0	0	0	0	0	0	0	0	0	0	0
0.11	0	0	0	0	0	0	0	0	0	0	0	0
0.12	0	0	0	0	0	0	0	0	0	0	0	0
0.13	0	0	0	0	0	0	0	0	0	0	0	0
0.14	0	0	0	0	0	0	0	0	0	0	0	0
0.15	0	0	0	0	0	0	0	0	0	0	0	0
0.16	0	0	0	0	0	0	0	0	0	0	0	0
0.17	0	0	0	0	0	0	0	0	0	0	0	0
0.18	0	0	0	0	0	0	0	0	0	0	0	0
0.19	0	0	0	0	0	0	0	0	0	0	0	0
0.20	0	0	0	0	0	0	0	0	0	0	0	0
0.21	0	0	0	0	0	0	0	0	0	0	0	0
0.22	0	0	0	0	0	0	0	0	0	0	0	0
0.23	0	0	0	0	0	0	0	0	0	0	0	0
0.24	0	0	0	1	0	0	0	0	0	1	0	0
0.25	0	0	0	2	0	0	0	0	0	2	0	0
0.26	0	0	0	1	0	0	0	0	0	1	0	0
0.27	0	0	0	1	0	0	1	0	0	2	0	0
0.28	0	0	0	1	0	0	0	0	0	1	0	0
0.29	0	0	0	1	0	0	0	0	0	1	0	0
0.30	0	0	0	4	0	0	0	0	0	4	0	0
0.31	0	0	0	1	0	0	0	0	0	1	0	0
0.32	0	0	0	7	0	0	0	0	0	7	0	0
0.33	0	0	0	2	0	0	0	0	0	2	0	0
0.34	0	0	0	4	0	0	0	0	0	4	0	0
0.35	0	0	0	3	0	0	3	0	0	6	0	0
0.36	0	0	0	5	0	0	1	0	0	6	0	0
0.37	0	0	0	1	0	0	0	0	0	1	0	0
0.38	0	0	0	6	0	0	6	0	0	12	0	0
0.39	0	0	0	5	0	0	4	0	0	9	0	0
0.40	0	0	0	3	0	0	2	0	0	5	0	0
0.41	0	0	0	7	0	0	8	0	0	15	0	0
0.42	0	0	0	3	0	0	1	0	0	4	0	0
0.43	0	0	0	3	0	0	6	0	0	9	0	0
0.44	0	0	0	4	0	0	9	0	0	13	0	0
0.45	0	0	0	3	0	0	5	0	0	8	0	0
0.46	0	0	0	4	0	0	5	0	0	9	0	0
0.47	0	0	0	2	0	0	1	0	0	3	0	0
0.48	0	0	0	5	0	0	9	0	0	14	0	0
0.49	0	0	0	2	0	0	3	0	0	5	0	0
0.50	0	0	0	5	0	0	9	0	0	14	0	0
SUBTOTAL	0	0	0	82	0	0	63	0	0	145	0	0

TABLE 9-6

MISSION • 1022-1 • INSTRUMENT • AFT 10-01-63 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.51	0	0	0	0	0	0	2	0	0	2	0	0
0.52	0	0	0	0	1	0	6	0	0	7	1	0
0.53	0	0	0	1	2	0	1	0	0	3	1	0
0.54	0	0	0	2	0	0	6	0	0	6	0	0
0.55	0	0	0	2	4	0	4	0	0	6	7	0
0.56	0	0	0	4	0	0	3	0	0	7	2	0
0.57	0	0	0	0	0	0	2	0	0	2	3	0
0.58	0	0	0	0	1	0	1	0	0	2	8	0
0.59	0	0	0	0	1	0	7	0	0	8	2	0
0.60	0	0	0	1	0	0	2	0	0	5	1	0
0.61	0	0	0	0	1	0	2	0	0	3	0	0
0.62	0	0	0	3	0	0	1	0	0	4	1	0
0.63	0	0	0	1	0	0	3	0	0	4	1	0
0.64	0	0	0	0	0	0	1	0	0	1	3	0
0.65	0	0	0	1	2	0	1	0	0	3	2	0
0.66	0	0	0	2	1	0	0	0	0	3	2	0
0.67	0	0	0	0	0	0	0	0	0	1	0	0
0.68	0	0	0	1	0	0	0	0	0	1	0	0
0.69	0	0	0	0	0	0	4	0	0	5	0	0
0.70	0	0	0	1	4	0	2	0	0	6	4	0
0.71	0	0	0	3	0	0	1	0	0	4	0	0
0.72	0	0	0	1	1	0	0	0	0	1	1	0
0.73	0	0	0	1	1	0	0	0	0	1	1	0
0.74	0	0	0	0	0	0	0	0	0	0	0	0
0.75	0	0	0	0	0	0	0	0	0	0	0	0
0.76	0	0	0	0	0	0	0	0	0	0	0	0
0.77	0	0	0	0	0	0	0	0	0	0	0	0
0.78	0	0	0	0	0	0	0	0	0	0	0	0
0.79	0	0	0	0	0	0	0	0	0	0	0	0
0.80	0	0	0	1	4	0	1	0	0	1	5	0
0.81	0	0	0	1	2	0	1	0	0	1	3	0
0.82	0	0	0	0	1	0	1	0	0	2	1	0
0.83	0	0	0	2	0	0	1	0	0	3	1	0
0.84	0	0	0	0	0	0	2	0	0	2	0	0
0.85	0	0	0	0	0	0	1	0	0	1	2	0
0.86	0	0	0	0	0	0	2	0	0	2	0	0
0.87	0	0	0	0	0	0	0	0	0	0	0	0
0.88	0	0	0	1	0	0	0	0	0	1	0	0
0.89	0	0	0	0	0	0	0	0	0	0	0	0
0.90	0	0	0	0	1	0	0	0	0	1	0	0
0.91	0	0	0	0	0	0	0	0	0	0	0	0
0.92	0	0	0	0	1	0	0	0	0	1	0	0
0.93	0	0	0	0	0	0	0	0	0	0	0	0
0.94	0	0	0	1	0	0	0	0	0	1	0	0
0.95	0	0	0	0	0	0	1	0	0	1	0	0
0.96	0	0	0	2	0	0	0	0	0	2	0	0
0.97	0	0	0	0	0	0	0	0	0	0	0	0
0.98	0	0	0	2	0	0	0	1	0	2	0	0
0.99	0	0	0	0	0	0	2	0	0	2	0	0
1.00	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	45	5	0	62	4	0	107	9	0

[redacted]

TABLE 9-6

MISSION • 1022-1 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.01	0	0	0	0	0	0	0	0	0	0	0	0
1.02	0	0	0	0	2	0	1	3	0	1	5	0
1.03	0	0	0	1	0	0	0	0	0	0	0	0
1.04	0	0	0	1	1	0	0	1	0	1	2	0
1.05	0	0	0	1	1	0	0	0	0	1	1	0
1.06	0	0	0	1	0	0	0	0	0	1	0	0
1.07	0	0	0	0	0	0	0	2	0	0	2	0
1.08	0	0	0	0	0	0	0	0	0	0	0	0
1.09	0	0	0	0	0	0	0	3	0	0	3	0
1.10	0	0	0	2	0	0	0	0	0	2	0	0
1.11	0	0	0	1	0	0	0	1	0	1	0	0
1.12	0	0	0	0	0	0	0	0	0	0	0	0
1.13	0	0	0	0	0	0	0	2	0	0	2	0
1.14	0	0	0	0	0	0	0	3	0	0	3	0
1.15	0	0	0	0	1	0	0	1	0	0	1	0
1.16	0	0	0	0	0	0	0	0	0	0	0	0
1.17	0	0	0	1	0	0	0	0	0	1	0	0
1.18	0	0	0	0	1	0	0	0	0	0	1	0
1.19	0	0	0	0	0	0	0	0	0	0	0	0
1.20	0	0	0	0	1	0	0	4	0	0	5	0
1.21	0	0	0	0	0	0	0	0	0	0	0	0
1.22	0	0	0	1	0	0	0	0	0	1	0	0
1.23	0	0	0	0	1	0	0	0	0	0	1	0
1.24	0	0	0	0	0	0	0	0	0	0	0	0
1.25	0	0	0	0	1	0	0	3	0	0	3	0
1.26	0	0	0	0	0	0	0	2	0	0	2	0
1.27	0	0	0	0	0	0	0	0	0	0	0	0
1.28	0	0	0	0	0	0	0	1	0	0	1	0
1.29	0	0	0	0	0	0	0	0	0	0	0	0
1.30	0	0	0	0	0	0	0	0	0	0	0	0
1.31	0	0	0	0	0	0	0	0	0	0	0	0
1.32	0	0	0	0	0	0	0	0	0	0	0	0
1.33	0	0	0	0	0	0	0	0	0	0	0	0
1.34	0	0	0	0	0	0	0	0	0	0	0	0
1.35	0	0	0	0	0	0	0	0	0	0	0	0
1.36	0	0	0	0	0	0	0	0	0	0	0	0
1.37	0	0	0	0	0	0	0	0	0	0	0	0
1.38	0	0	0	0	0	0	0	0	0	0	0	0
1.39	0	0	0	0	0	0	0	0	0	0	0	0
1.40	0	0	0	0	0	0	0	0	0	0	0	0
1.41	0	0	0	0	0	0	0	0	0	0	0	0
1.42	0	0	0	0	0	0	0	0	0	0	0	0
1.43	0	0	0	0	0	0	0	0	0	0	0	0
1.44	0	0	0	0	0	0	0	0	0	0	0	0
1.45	0	0	0	0	0	0	0	0	0	0	0	0
1.46	0	0	0	0	0	0	0	0	0	0	0	0
1.47	0	0	0	0	0	0	0	0	0	0	0	0
1.48	0	0	0	0	0	0	0	0	0	0	0	0
1.49	0	0	0	0	0	0	0	0	0	0	0	0
1.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	15	28	1	3	55	0	18	83	1

TABLE 9-6

MISSION • 1022-1 • INSTRUMENT • AFT 10-01-69 DENSITY FREQ DIST

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.51	0	0	0	0	1	0	0	0	0	0	1	0
1.52	0	0	0	0	3	0	0	3	0	0	6	0
1.53	0	0	0	0	0	0	0	1	0	0	1	0
1.54	0	0	0	0	2	0	0	2	0	0	4	0
1.55	0	0	0	0	2	0	0	1	0	0	3	0
1.56	0	0	0	0	1	0	0	2	0	0	3	0
1.57	0	0	0	0	0	0	0	1	0	0	1	0
1.58	0	0	0	0	3	0	0	0	0	0	3	0
1.59	0	0	0	0	1	0	0	3	0	0	4	0
1.60	0	0	0	0	0	0	0	1	0	0	1	0
1.61	0	0	0	0	4	0	0	0	0	0	4	0
1.62	0	0	0	0	0	0	0	2	0	0	2	0
1.63	0	0	0	0	2	0	0	0	0	0	2	0
1.64	0	0	0	0	1	0	0	1	0	0	2	0
1.65	0	0	0	0	0	0	0	0	0	0	0	0
1.66	0	0	0	0	1	0	0	0	0	0	1	0
1.67	0	0	0	0	3	0	0	0	0	0	3	0
1.68	0	0	0	0	0	0	0	1	0	0	1	0
1.69	0	0	0	0	1	0	0	1	0	0	2	0
1.70	0	0	0	0	1	0	0	1	0	0	2	0
1.71	0	0	0	0	1	0	0	1	0	0	2	0
1.72	0	0	0	0	1	0	0	2	0	0	3	0
1.73	0	0	0	0	1	0	0	1	0	0	2	0
1.74	0	0	0	0	1	0	0	1	0	0	2	0
1.75	0	0	0	0	1	0	0	1	0	0	2	0
1.76	0	0	0	0	0	0	0	1	0	0	1	0
1.77	0	0	0	0	1	0	0	0	0	0	1	0
1.78	0	0	0	0	0	0	0	0	0	0	0	0
1.79	0	0	0	0	0	0	0	0	0	0	0	0
1.80	0	0	0	0	0	0	0	0	0	0	0	0
1.81	0	0	0	0	0	0	0	0	0	0	0	0
1.82	0	0	0	0	0	0	0	0	0	0	0	0
1.83	0	0	0	0	0	0	0	0	0	0	0	0
1.84	0	0	0	0	0	0	0	0	0	0	0	0
1.85	0	0	0	0	0	0	0	0	0	0	0	0
1.86	0	0	0	0	0	0	0	0	0	0	0	0
1.87	0	0	0	0	0	0	0	0	0	0	0	0
1.88	0	0	0	0	0	0	0	0	0	0	0	0
1.89	0	0	0	0	0	0	0	0	0	0	0	0
1.90	0	0	0	0	0	0	0	0	0	0	0	0
1.91	0	0	0	0	0	0	0	0	0	0	0	0
1.92	0	0	0	0	0	0	0	0	0	0	0	0
1.93	0	0	0	0	0	0	0	0	0	0	0	0
1.94	0	0	0	0	0	0	0	0	0	0	0	0
1.95	0	0	0	0	0	0	0	0	0	0	0	0
1.96	0	0	0	0	0	0	0	0	0	0	0	0
1.97	0	0	0	0	0	0	0	0	0	0	0	0
1.98	0	0	0	0	0	0	0	0	0	0	0	0
1.99	0	0	0	0	0	0	0	0	0	0	0	0
2.00	0	0	0	0	1	0	0	0	0	0	1	0
SUBTOTAL	0	0	0	0	90	15	0	56	10	0	146	25

TABLE 9-6

TOP SECRET [redacted]

MISSION • 1022-1 • INSTRUMENT • AFT • 10-01-69 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.01	0	0	0	0	1	0	0	0	0	0	1	0
2.02	0	0	0	0	3	0	0	1	0	0	1	0
2.03	0	0	0	0	0	2	0	0	0	0	4	0
2.04	0	0	0	0	2	1	0	0	0	0	3	1
2.05	0	0	0	0	1	2	0	0	1	0	2	2
2.06	0	0	0	0	2	0	0	0	2	0	0	3
2.07	0	0	0	0	0	2	0	0	0	0	3	0
2.08	0	0	0	0	2	0	0	0	3	0	0	3
2.09	0	0	0	0	0	1	0	0	0	0	3	0
2.10	0	0	0	0	1	0	0	0	3	0	0	3
2.11	0	0	0	0	0	0	0	0	0	0	2	0
2.12	0	0	0	0	0	1	0	0	1	0	1	1
2.13	0	0	0	0	0	0	0	0	0	0	1	0
2.14	0	0	0	0	1	0	0	0	1	0	1	1
2.15	0	0	0	0	0	0	0	0	0	0	0	0
2.16	0	0	0	0	0	1	0	0	0	0	0	1
2.17	0	0	0	0	0	0	0	0	0	0	0	0
2.18	0	0	0	0	0	0	0	0	0	0	0	0
2.19	0	0	0	0	0	0	0	0	0	0	0	0
2.20	0	0	0	0	0	0	0	0	0	0	0	0
2.21	0	0	0	0	0	0	0	0	0	0	0	0
2.22	0	0	0	0	0	0	0	0	0	0	0	0
2.23	0	0	0	0	0	0	0	0	0	0	0	0
2.24	0	0	0	0	0	0	0	0	0	0	0	0
2.25	0	0	0	0	0	0	0	0	0	0	0	0
2.26	0	0	0	0	0	0	0	0	0	0	0	0
2.27	0	0	0	0	0	0	0	0	0	0	0	0
2.28	0	0	0	0	0	0	0	0	0	0	0	0
2.29	0	0	0	0	0	0	0	0	0	0	0	0
2.30	0	0	0	0	0	0	0	0	0	0	0	0
2.31	0	0	0	0	0	0	0	0	0	0	0	0
2.32	0	0	0	0	0	0	0	0	0	0	0	0
2.33	0	0	0	0	0	0	0	0	0	0	0	0
2.34	0	0	0	0	0	0	0	0	0	0	0	0
2.35	0	0	0	0	0	0	0	0	0	0	0	0
2.36	0	0	0	0	0	0	0	0	0	0	0	0
2.37	0	0	0	0	0	0	0	0	0	0	0	0
2.38	0	0	0	0	0	0	0	0	0	0	0	0
2.39	0	0	0	0	0	0	0	0	0	0	0	0
2.40	0	0	0	0	0	0	0	0	0	0	0	0
2.41	0	0	0	0	0	0	0	0	0	0	0	0
2.42	0	0	0	0	0	0	0	0	0	0	0	0
2.43	0	0	0	0	0	0	0	0	0	0	0	0
2.44	0	0	0	0	0	0	0	0	0	0	0	0
2.45	0	0	0	0	0	0	0	0	0	0	0	0
2.46	0	0	0	0	0	0	0	0	0	0	0	0
2.47	0	0	0	0	0	0	0	0	0	0	0	0
2.48	0	0	0	0	0	0	0	0	0	0	0	0
2.49	0	0	0	0	0	0	0	0	0	0	0	0
2.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	19	99	0	13	107	0	32	206

TOP SECRET [redacted]

TABLE 9-6

MISSION • 1022-1 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.51	0	0	0	0	0	0	0	0	0	0	0	0
2.52	0	0	0	0	0	0	0	0	0	0	0	0
2.53	0	0	0	0	0	0	0	0	0	0	0	0
2.54	0	0	0	0	0	0	0	0	0	0	0	0
2.55	0	0	0	0	0	0	0	0	0	0	0	0
2.56	0	0	0	0	0	0	0	0	0	0	0	0
2.57	0	0	0	0	0	0	0	0	0	0	0	0
2.58	0	0	0	0	0	0	0	0	0	0	0	0
2.59	0	0	0	0	0	0	0	0	0	0	0	0
2.60	0	0	0	0	0	0	0	0	0	0	0	0
2.61	0	0	0	0	0	0	0	0	0	0	0	0
2.62	0	0	0	0	0	0	0	0	0	0	0	0
2.63	0	0	0	0	0	0	0	0	0	0	0	0
2.64	0	0	0	0	0	0	0	0	0	0	0	0
2.65	0	0	0	0	0	0	0	0	0	0	0	0
2.66	0	0	0	0	0	0	0	0	0	0	0	0
2.67	0	0	0	0	0	0	0	0	0	0	0	0
2.68	0	0	0	0	0	0	0	0	0	0	0	0
2.69	0	0	0	0	0	0	0	0	0	0	0	0
2.70	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	142	142	115	128	128	117	270	270	232

MISSION 1022-1 INSTR - AFT 10-01-65 PROCESSING AND EXPOSURE [redacted]

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	142	0 PC	28 PC	58 PC	12 PC	2 PC
FULL	128	9 PC	0 PC	87 PC	5 PC	0 PC
ALL LEVELS	270	4 PC	15 PC	71 PC	9 PC	1 PC

PROCESS LEVEL	BASE + FOG	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0.01-0.09	0.01-0.13	0.14-0.39	0.40-0.90	---------	0.91 AND UP
INTERMED	0.10-0.17	0.01-0.20	0.21-0.39	0.40-0.90	0.91-1.34	1.35 AND UP
FULL	0.18 AND UP	0.01-0.39	---------	0.40-0.90	0.91-1.69	1.70 AND UP

TABLE 9-6

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 0.58 • MEDIAN • 0.48 • STD DEV • 0.28 • RANGE • 0.24 TO 1.40 WITH 142 SAMPLES



FIGURE

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 1.69 • MEDIAN • 1.74 • STD DEV • 0.32 • RANGE • 0.52 TO 2.24 WITH 142 SAMPLES



FIGURE 6-1

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • INTERMEDIATE

ARITH MEAN • 2.17 • MEDIAN • 2.20 • STD DEV • 0.17 • RANGE • 1.30 TO 2.40 WITH 115 SAMPLES



FIGURE 9-12

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • FULL

ARITH MEAN • 0.55 • MEDIAN • 0.51 • STD DEV • 0.18 • RANGE • 0.27 TO 1.48 WITH 128 SAMPLES



FIGURE

[redacted]

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • FULL

ARITH MEAN • 1.56 • MEDIAN • 1.54 • STD DEV • 0.33 • RANGE • 0.95 TO 2.30 WITH 128 SAMPLES



FREQUENCY • NUMBER OF POINTS •

FIGURE

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • FULL

ARITH MEAN • 2.26 • MEDIAN • 2.30 • STD DEV • 0.16 • RANGE • 1.55 TO 2.47 WITH 117 SAMPLES



FIGURE 9

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 0.57 • MEDIAN • 0.50 • STD DEV • 0.24 • RANGE • 0.24 TO 1.48 WITH 270 SAMPLES



FIGURE 9-1

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 1.63 • MEDIAN • 1.68 • STD DEV • 0.33 • RANGE • 0.52 TO 2.30 WITH 270 SAMPLES



FIGURE 9-17

MISSION • 1022-1 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • ALL LEVEL

ARITH MEAN • 2.21 • MEDIAN • 2.25 • STD DEV • 0.17 • RANGE • 1.30 TO 2.47 WITH 232 SAMPLES



FIGURE 9-1

MISSION • 1022-2 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.01	0	0	0	0	0	0	0	0	0	0	0	0
0.02	0	0	0	0	0	0	0	0	0	0	0	0
0.03	0	0	0	0	0	0	0	0	0	0	0	0
0.04	0	0	0	0	0	0	0	0	0	0	0	0
0.05	0	0	0	0	0	0	0	0	0	0	0	0
0.06	0	0	0	0	0	0	0	0	0	0	0	0
0.07	0	0	0	0	0	0	0	0	0	0	0	0
0.08	0	0	0	0	0	0	0	0	0	0	0	0
0.09	0	0	0	0	0	0	0	0	0	0	0	0
0.10	0	0	0	0	0	0	0	0	0	0	0	0
0.11	0	0	0	0	0	0	0	0	0	0	0	0
0.12	0	0	0	0	0	0	0	0	0	0	0	0
0.13	0	0	0	0	0	0	0	0	0	0	0	0
0.14	0	0	0	0	0	0	0	0	0	0	0	0
0.15	0	0	0	0	0	0	0	0	0	0	0	0
0.16	0	0	0	0	0	0	0	0	0	0	0	0
0.17	0	0	0	0	0	0	0	0	0	0	0	0
0.18	0	0	0	0	0	0	0	0	0	0	0	0
0.19	0	0	0	0	0	0	0	0	0	0	0	0
0.20	0	0	0	3	0	0	0	0	0	3	0	0
0.21	0	0	0	0	0	0	0	0	0	0	0	0
0.22	0	0	0	4	0	0	1	0	0	5	0	0
0.23	0	0	0	5	0	0	0	0	0	5	0	0
0.24	0	0	0	4	0	0	2	0	0	6	0	0
0.25	0	0	0	1	0	0	3	0	0	4	0	0
0.26	0	0	0	5	0	0	3	0	0	8	0	0
0.27	0	0	0	3	0	0	3	0	0	6	0	0
0.28	0	0	0	7	0	0	10	0	0	17	0	0
0.29	0	0	0	5	0	0	10	0	0	15	0	0
0.30	0	0	0	7	0	0	8	0	0	15	0	0
0.31	0	0	0	0	0	0	4	0	0	4	0	0
0.32	0	0	0	6	0	0	7	0	0	13	0	0
0.33	0	0	0	6	0	0	8	0	0	14	0	0
0.34	0	0	0	4	0	0	8	0	0	12	0	0
0.35	0	0	0	2	0	0	6	0	0	8	0	0
0.36	0	0	0	9	0	0	5	0	0	14	0	0
0.37	0	0	0	1	0	0	5	0	0	6	0	0
0.38	0	0	0	4	0	0	5	0	0	9	0	0
0.39	0	0	0	1	0	0	3	0	0	4	0	0
0.40	0	0	0	8	0	0	10	0	0	18	0	0
0.41	0	0	0	1	0	0	5	0	0	6	0	0
0.42	0	0	0	3	0	0	7	0	0	10	0	0
0.43	0	0	0	0	0	0	3	0	0	3	0	0
0.44	0	0	0	1	0	0	1	0	0	2	0	0
0.45	0	0	0	2	0	0	3	0	0	5	0	0
0.46	0	0	0	2	0	0	1	0	0	3	0	0
0.47	0	0	0	1	0	0	2	0	0	3	0	0
0.48	0	0	0	1	0	0	2	0	0	3	0	0
0.49	0	0	0	1	0	0	0	0	0	1	0	0
0.50	0	0	0	1	0	0	2	0	0	3	0	0
SUBTOTAL	0	0	0	98	0	0	127	0	0	225	0	0

TABLE 9-7

MISSION • 1022-2 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.51	0	0	0	0	0	0	0	0	0	0	0	0
0.52	0	0	0	0	0	0	2	0	0	2	0	0
0.53	0	0	0	0	0	0	0	0	0	0	0	0
0.54	0	0	0	0	0	0	3	0	0	3	0	0
0.55	0	0	0	0	0	0	1	0	0	1	0	0
0.56	0	0	0	0	0	0	0	0	0	0	0	0
0.57	0	0	0	0	0	0	1	0	0	1	0	0
0.58	0	0	0	0	0	0	0	0	0	0	0	0
0.59	0	0	0	0	0	0	2	0	0	2	0	0
0.60	0	0	0	0	0	0	0	0	0	0	0	0
0.61	0	0	0	0	0	0	2	0	0	2	0	0
0.62	0	0	0	0	0	0	0	0	0	0	0	0
0.63	0	0	0	0	0	0	1	0	0	1	0	0
0.64	0	0	0	0	0	0	0	0	0	0	0	0
0.65	0	0	0	0	0	0	1	0	0	1	0	0
0.66	0	0	0	0	0	0	0	0	0	0	0	0
0.67	0	0	0	0	0	0	2	0	0	2	0	0
0.68	0	0	0	0	0	0	0	0	0	0	0	0
0.69	0	0	0	0	0	0	2	0	0	2	0	0
0.70	0	0	0	0	0	0	0	0	0	0	0	0
0.71	0	0	0	0	0	0	1	0	0	1	0	0
0.72	0	0	0	0	0	0	0	0	0	0	0	0
0.73	0	0	0	0	0	0	1	0	0	1	0	0
0.74	0	0	0	0	0	0	0	0	0	0	0	0
0.75	0	0	0	0	0	0	1	0	0	1	0	0
0.76	0	0	0	0	0	0	0	0	0	0	0	0
0.77	0	0	0	0	0	0	1	0	0	1	0	0
0.78	0	0	0	0	0	0	0	0	0	0	0	0
0.79	0	0	0	0	0	0	1	0	0	1	0	0
0.80	0	0	0	0	0	0	0	0	0	0	0	0
0.81	0	0	0	0	0	0	1	0	0	1	0	0
0.82	0	0	0	0	0	0	0	0	0	0	0	0
0.83	0	0	0	0	0	0	1	0	0	1	0	0
0.84	0	0	0	0	0	0	0	0	0	0	0	0
0.85	0	0	0	0	0	0	1	0	0	1	0	0
0.86	0	0	0	0	0	0	0	0	0	0	0	0
0.87	0	0	0	0	0	0	1	0	0	1	0	0
0.88	0	0	0	0	0	0	0	0	0	0	0	0
0.89	0	0	0	0	0	0	1	0	0	1	0	0
0.90	0	0	0	0	0	0	0	0	0	0	0	0
0.91	0	0	0	0	0	0	1	0	0	1	0	0
0.92	0	0	0	0	0	0	0	0	0	0	0	0
0.93	0	0	0	0	0	0	1	0	0	1	0	0
0.94	0	0	0	0	0	0	0	0	0	0	0	0
0.95	0	0	0	0	0	0	1	0	0	1	0	0
0.96	0	0	0	0	0	0	0	0	0	0	0	0
0.97	0	0	0	0	0	0	1	0	0	1	0	0
0.98	0	0	0	0	0	0	0	0	0	0	0	0
0.99	0	0	0	0	0	0	1	0	0	1	0	0
1.00	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	15	8	0	25	19	0	40	27	0

TABLE 9-7

MISSION • 1022-2 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.01	0	0	0	0	1	0	0	0	0	0	1	0
1.02	0	0	0	0	1	0	0	1	0	0	1	0
1.03	0	0	0	0	1	0	0	1	0	0	1	0
1.04	0	0	0	0	1	0	0	2	0	0	2	0
1.05	0	0	0	0	1	0	0	1	0	0	2	0
1.06	0	0	0	0	1	0	0	1	0	0	2	0
1.07	0	0	0	0	1	0	0	1	0	0	2	0
1.08	0	0	0	0	1	0	0	1	0	0	1	0
1.09	0	0	0	0	1	0	0	1	0	0	1	0
1.10	0	0	0	0	1	0	0	1	0	0	1	0
1.11	0	0	0	0	1	0	0	1	0	0	1	0
1.12	0	0	0	0	1	0	0	1	0	0	1	0
1.13	0	0	0	0	1	0	0	1	0	0	1	0
1.14	0	0	0	0	1	0	0	1	0	0	1	0
1.15	0	0	0	0	1	0	0	1	0	0	1	0
1.16	0	0	0	0	1	0	0	1	0	0	1	0
1.17	0	0	0	0	1	0	0	1	0	0	1	0
1.18	0	0	0	0	1	0	0	1	0	0	1	0
1.19	0	0	0	0	1	0	0	1	0	0	1	0
1.20	0	0	0	0	1	0	0	1	0	0	1	0
1.21	0	0	0	0	1	0	0	1	0	0	1	0
1.22	0	0	0	0	1	0	0	1	0	0	1	0
1.23	0	0	0	0	1	0	0	1	0	0	1	0
1.24	0	0	0	0	1	0	0	1	0	0	1	0
1.25	0	0	0	0	1	0	0	1	0	0	1	0
1.26	0	0	0	0	1	0	0	1	0	0	1	0
1.27	0	0	0	0	1	0	0	1	0	0	1	0
1.28	0	0	0	0	1	0	0	1	0	0	1	0
1.29	0	0	0	0	1	0	0	1	0	0	1	0
1.30	0	0	0	0	1	0	0	1	0	0	1	0
1.31	0	0	0	0	1	0	0	1	0	0	1	0
1.32	0	0	0	0	1	0	0	1	0	0	1	0
1.33	0	0	0	0	1	0	0	1	0	0	1	0
1.34	0	0	0	0	1	0	0	1	0	0	1	0
1.35	0	0	0	0	1	0	0	1	0	0	1	0
1.36	0	0	0	0	1	0	0	1	0	0	1	0
1.37	0	0	0	0	1	0	0	1	0	0	1	0
1.38	0	0	0	0	1	0	0	1	0	0	1	0
1.39	0	0	0	0	1	0	0	1	0	0	1	0
1.40	0	0	0	0	1	0	0	1	0	0	1	0
1.41	0	0	0	0	1	0	0	1	0	0	1	0
1.42	0	0	0	0	1	0	0	1	0	0	1	0
1.43	0	0	0	0	1	0	0	1	0	0	1	0
1.44	0	0	0	0	1	0	0	1	0	0	1	0
1.45	0	0	0	0	1	0	0	1	0	0	1	0
1.46	0	0	0	0	1	0	0	1	0	0	1	0
1.47	0	0	0	0	1	0	0	1	0	0	1	0
1.48	0	0	0	0	1	0	0	1	0	0	1	0
1.49	0	0	0	0	1	0	0	1	0	0	1	0
1.50	0	0	0	0	1	0	0	1	0	0	1	0
SUBTOTAL	0	0	0	0	48	2	0	72	1	0	120	3

TOP SECRET [redacted]

TABLE 9-7

MISSION • 1022-2 • INSTRUMENT • FRWD 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.51	0	0	0	0	2	0	0	3	0	0	5	0
1.52	0	0	0	0	4	0	0	7	0	0	11	0
1.53	0	0	0	0	1	0	0	1	0	0	2	0
1.54	0	0	0	0	1	0	0	0	0	0	1	0
1.55	0	0	0	0	1	0	0	3	0	0	4	0
1.56	0	0	0	0	0	0	0	1	0	0	1	0
1.57	0	0	0	0	1	0	0	0	0	0	1	0
1.58	0	0	0	0	0	0	0	3	0	0	3	0
1.59	0	0	0	0	1	0	0	0	0	0	1	0
1.60	0	0	0	0	0	0	0	1	0	0	1	0
1.61	0	0	0	0	4	0	0	0	0	0	4	0
1.62	0	0	0	0	0	0	0	3	0	0	3	0
1.63	0	0	0	0	2	0	0	0	0	0	2	0
1.64	0	0	0	0	2	0	0	1	0	0	3	0
1.65	0	0	0	0	1	0	0	0	0	0	1	0
1.66	0	0	0	0	2	0	0	0	0	0	2	0
1.67	0	0	0	0	0	0	0	1	0	0	1	0
1.68	0	0	0	0	1	0	0	0	0	0	1	0
1.69	0	0	0	0	0	0	0	1	0	0	1	0
1.70	0	0	0	0	2	0	0	0	0	0	2	0
1.71	0	0	0	0	0	0	0	1	0	0	1	0
1.72	0	0	0	0	2	0	0	0	0	0	2	0
1.73	0	0	0	0	2	0	0	1	0	0	3	0
1.74	0	0	0	0	1	0	0	0	0	0	1	0
1.75	0	0	0	0	2	0	0	0	0	0	2	0
1.76	0	0	0	0	1	0	0	0	0	0	1	0
1.77	0	0	0	0	0	0	0	1	0	0	1	0
1.78	0	0	0	0	1	0	0	0	0	0	1	0
1.79	0	0	0	0	0	0	0	1	0	0	1	0
1.80	0	0	0	0	1	0	0	0	0	0	1	0
1.81	0	0	0	0	0	0	0	1	0	0	1	0
1.82	0	0	0	0	1	0	0	0	0	0	1	0
1.83	0	0	0	0	0	0	0	1	0	0	1	0
1.84	0	0	0	0	1	0	0	0	0	0	1	0
1.85	0	0	0	0	0	0	0	1	0	0	1	0
1.86	0	0	0	0	1	0	0	0	0	0	1	0
1.87	0	0	0	0	0	0	0	1	0	0	1	0
1.88	0	0	0	0	1	0	0	0	0	0	1	0
1.89	0	0	0	0	0	0	0	1	0	0	1	0
1.90	0	0	0	0	1	0	0	0	0	0	1	0
1.91	0	0	0	0	0	0	0	1	0	0	1	0
1.92	0	0	0	0	1	0	0	0	0	0	1	0
1.93	0	0	0	0	0	0	0	1	0	0	1	0
1.94	0	0	0	0	1	0	0	0	0	0	1	0
1.95	0	0	0	0	0	0	0	1	0	0	1	0
1.96	0	0	0	0	1	0	0	0	0	0	1	0
1.97	0	0	0	0	0	0	0	1	0	0	1	0
1.98	0	0	0	0	1	0	0	0	0	0	1	0
1.99	0	0	0	0	0	0	0	1	0	0	1	0
2.00	0	0	0	0	1	0	0	0	0	0	1	0
SUBTOTAL	0	0	0	0	48	7	0	56	8	0	104	15

TABLE 9-7

MISSION • 1022-2 • INSTRUMENT • FRWD 10-01-65 • DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.01	0	0	0	0	0	0	0	0	0	0	0	0
2.02	0	0	0	0	0	0	0	0	0	0	0	0
2.03	0	0	0	0	0	0	0	0	0	0	0	0
2.04	0	0	0	0	0	0	0	0	0	0	0	0
2.05	0	0	0	0	0	0	0	0	0	0	0	0
2.06	0	0	0	0	0	0	0	0	0	0	0	0
2.07	0	0	0	0	0	0	0	0	0	0	0	0
2.08	0	0	0	0	0	0	0	0	0	0	0	0
2.09	0	0	0	0	0	0	0	0	0	0	0	0
2.10	0	0	0	0	0	0	0	0	0	0	0	0
2.11	0	0	0	0	0	0	0	0	0	0	0	0
2.12	0	0	0	0	0	0	0	0	0	0	0	0
2.13	0	0	0	0	0	0	0	0	0	0	0	0
2.14	0	0	0	0	0	0	0	0	0	0	0	0
2.15	0	0	0	0	0	0	0	0	0	0	0	0
2.16	0	0	0	0	0	0	0	0	0	0	0	0
2.17	0	0	0	0	0	0	0	0	0	0	0	0
2.18	0	0	0	0	0	0	0	0	0	0	0	0
2.19	0	0	0	0	0	0	0	0	0	0	0	0
2.20	0	0	0	0	0	0	0	0	0	0	0	0
2.21	0	0	0	0	0	0	0	0	0	0	0	0
2.22	0	0	0	0	0	0	0	0	0	0	0	0
2.23	0	0	0	0	0	0	0	0	0	0	0	0
2.24	0	0	0	0	0	0	0	0	0	0	0	0
2.25	0	0	0	0	0	0	0	0	0	0	0	0
2.26	0	0	0	0	0	0	0	0	0	0	0	0
2.27	0	0	0	0	0	0	0	0	0	0	0	0
2.28	0	0	0	0	0	0	0	0	0	0	0	0
2.29	0	0	0	0	0	0	0	0	0	0	0	0
2.30	0	0	0	0	0	0	0	0	0	0	0	0
2.31	0	0	0	0	0	0	0	0	0	0	0	0
2.32	0	0	0	0	0	0	0	0	0	0	0	0
2.33	0	0	0	0	0	0	0	0	0	0	0	0
2.34	0	0	0	0	0	0	0	0	0	0	0	0
2.35	0	0	0	0	0	0	0	0	0	0	0	0
2.36	0	0	0	0	0	0	0	0	0	0	0	0
2.37	0	0	0	0	0	0	0	0	0	0	0	0
2.38	0	0	0	0	0	0	0	0	0	0	0	0
2.39	0	0	0	0	0	0	0	0	0	0	0	0
2.40	0	0	0	0	0	0	0	0	0	0	0	0
2.41	0	0	0	0	0	0	0	0	0	0	0	0
2.42	0	0	0	0	0	0	0	0	0	0	0	0
2.43	0	0	0	0	0	0	0	0	0	0	0	0
2.44	0	0	0	0	0	0	0	0	0	0	0	0
2.45	0	0	0	0	0	0	0	0	0	0	0	0
2.46	0	0	0	0	0	0	0	0	0	0	0	0
2.47	0	0	0	0	0	0	0	0	0	0	0	0
2.48	0	0	0	0	0	0	0	0	0	0	0	0
2.49	0	0	0	0	0	0	0	0	0	0	0	0
2.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	9	103	0	4	139	0	13	242

TABLE 9-7

~~TOP SECRET~~ [redacted]

MISSION • 1022-2 • INSTRUPENT • FRWD 10-01-65 • DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.51	0	0	0	0	0	0	0	0	0	0	0	0
2.52	0	0	0	0	0	0	0	0	0	0	0	0
2.53	0	0	0	0	0	0	0	0	0	0	0	0
2.54	0	0	0	0	0	0	0	0	0	0	0	0
2.55	0	0	0	0	0	0	0	0	0	0	0	0
2.56	0	0	0	0	0	0	0	0	0	0	0	0
2.57	0	0	0	0	0	0	0	0	0	0	0	0
2.58	0	0	0	0	0	0	0	0	0	0	0	0
2.59	0	0	0	0	0	0	0	0	0	0	0	0
2.60	0	0	0	0	0	0	0	0	0	0	0	0
2.61	0	0	0	0	0	0	0	0	0	0	0	0
2.62	0	0	0	0	0	0	0	0	0	0	0	0
2.63	0	0	0	0	0	0	0	0	0	0	0	0
2.64	0	0	0	0	0	0	0	0	0	0	0	0
2.65	0	0	0	0	0	0	0	1	0	0	1	0
2.66	0	0	0	0	0	0	0	0	0	0	0	0
2.67	0	0	0	0	0	0	0	0	0	0	0	0
2.68	0	0	0	0	0	0	0	0	0	0	0	0
2.69	0	0	0	0	0	0	0	0	0	0	0	0
2.70	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	0	0	0	1	0	0	1	0
TOTAL	0	0	0	113	113	112	152	152	148	265	265	260

MISSION 1022-2 INSTR - FRWD 10-01-65 PROCESSING AND EXPOSURE [illegible]

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	113	3 PC	65 PC	31 PC	1 PC	0 PC
FULL	152	60 PC	0 PC	39 PC	1 PC	0 PC
ALL LEVELS	265	35 PC	28 PC	35 PC	1 PC	0 PC

PROCESS LEVEL	BASE + FOG	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0.01-0.09	0.01-0.13	0.14-0.39	0.40-0.90	----------	0.91 AND U
INTERMED	0.10-0.17	0.01-0.20	0.21-0.39	0.40-0.90	0.91-1.34	1.35 AND U
FULL	0.18 AND UP	0.01-0.39	----------	0.40-0.90	0.91-1.69	1.70 AND U

~~TOP SECRET~~ [redacted]

TABLE 9-7

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF C MIN • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 0.38 • MEDIAN • 0.34 • STD DEV • 0.15 • RANGE • 0.20 TO 0.99 WITH 113 SAMPLES



FIGURE

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 1.50 • MEDIAN • 1.51 • STD DEV • 0.36 • RANGE • 0.62 TO 2.32 WITH 113 SAMPLES



SITY •

FIGURE

[redacted]

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • INTERMEDIATE

ARITH MEAN • 2.20 • MEDIAN • 2.25 • STD DEV • 0.19 • RANGE • 1.16 TO 2.42 WITH 112 SAMPLES



FIGURE 8-

[redacted]

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MIN • TERRAIN • PROCE ING • FULL

ARITH MEAN • 0.40 • MEDIAN • 0.36 • STD DEV • 0.14 • RANGE • 0.22 TO 0.96 WI 152 SAMPLES



FIGURE 9

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • FULL

ARITH MEAN • 1.41 • MEDIAN • 1.40 • STD DEV • 0.34 • RANGE • 0.78 TO 2.65 WITH 152 SAMPLES



FIGURE 9-2

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • FULL

ARITH MEAN • 2.25 • MEDIAN • 2.30 • STD DEV • 0.16 • RANGE • 1.30 TO 2.45 WITH 148 SAMPLES



FIGURE 9-24

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 0.39 • MEDIAN • 0.35 • STD DEV • 0.15 • RANGE • 0.20 TO 0.99 WITH 265 SAMPLES



FIGURE 9

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 1.45 • MEDIAN • 1.45 • STD DEV • 0.35 • RANGE • 0.62 TO 2.65 WITH 265 SAMPLES



FIGURE 9-

MISSION • 1022-2 • INSTR • FRWD • 10-01-65 PLOT OF U MAX • CLOUD • PROCESSING • ALL LEVELS

ARITH MEAN • 2.23 • MEDIAN • 2.28 • STD DEV • 0.17 • RANGE • 1.16 TO 2.45 WITH 260 SAMPLES



FIGURE 9-27

MISSION • 1022-2 • INSTRUMENT • AFT • 10-01-69 • DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.01	0	0	0	0	0	0	0	0	0	0	0	0
0.02	0	0	0	0	0	0	0	0	0	0	0	0
0.03	0	0	0	0	0	0	0	0	0	0	0	0
0.04	0	0	0	0	0	0	0	0	0	0	0	0
0.05	0	0	0	0	0	0	0	0	0	0	0	0
0.06	0	0	0	0	0	0	0	0	0	0	0	0
0.07	0	0	0	0	0	0	0	0	0	0	0	0
0.08	0	0	0	0	0	0	0	0	0	0	0	0
0.09	0	0	0	0	0	0	0	0	0	0	0	0
0.10	0	0	0	0	0	0	0	0	0	0	0	0
0.11	0	0	0	0	0	0	0	0	0	0	0	0
0.12	0	0	0	0	0	0	0	0	0	0	0	0
0.13	0	0	0	0	0	0	0	0	0	0	0	0
0.14	0	0	0	0	0	0	0	0	0	0	0	0
0.15	0	0	0	0	0	0	0	0	0	0	0	0
0.16	0	0	0	0	0	0	0	0	0	0	0	0
0.17	0	0	0	0	0	0	0	0	0	0	0	0
0.18	0	0	0	0	0	0	0	0	0	0	0	0
0.19	0	0	0	0	0	0	0	0	0	0	0	0
0.20	0	0	0	0	0	0	0	0	0	0	0	0
0.21	0	0	0	1	0	0	0	0	0	1	0	0
0.22	0	0	0	1	0	0	0	0	0	1	0	0
0.23	0	0	0	0	0	0	1	0	0	1	0	0
0.24	0	0	0	5	0	0	0	0	0	6	0	0
0.25	0	0	0	3	0	0	0	0	0	3	0	0
0.26	0	0	0	4	0	0	0	0	0	4	0	0
0.27	0	0	0	2	0	0	0	0	0	2	0	0
0.28	0	0	0	3	0	0	0	0	0	3	0	0
0.29	0	0	0	1	0	0	0	0	0	1	0	0
0.30	0	0	0	6	0	0	1	0	0	7	0	0
0.31	0	0	0	4	0	0	0	0	0	4	0	0
0.32	0	0	0	5	0	0	1	0	0	6	0	0
0.33	0	0	0	4	0	0	3	0	0	7	0	0
0.34	0	0	0	2	0	0	2	0	0	4	0	0
0.35	0	0	0	4	0	0	1	0	0	5	0	0
0.36	0	0	0	9	0	0	5	0	0	14	0	0
0.37	0	0	0	6	0	0	4	0	0	10	0	0
0.38	0	0	0	4	0	0	8	0	0	12	0	0
0.39	0	0	0	3	0	0	2	0	0	5	0	0
0.40	0	0	0	11	0	0	2	0	0	13	0	0
0.41	0	0	0	2	0	0	6	0	0	8	0	0
0.42	0	0	0	8	0	0	9	0	0	17	0	0
0.43	0	0	0	1	0	0	1	0	0	2	0	0
0.44	0	0	0	4	0	0	6	0	0	10	0	0
0.45	0	0	0	5	0	0	6	0	0	11	0	0
0.46	0	0	0	3	0	0	4	0	0	7	0	0
0.47	0	0	0	1	0	0	5	0	0	6	0	0
0.48	0	0	0	1	0	0	2	0	0	3	0	0
0.49	0	0	0	4	1	0	12	0	0	16	1	0
0.50	0	0	0	110	1	0	82	0	0	192	1	0
SUBTOTAL												

TABLE 9-8

~~TOP SECRET~~ [redacted]

MISSION • 1022-2 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
0.51	0	0	0	1	1	0	2	0	0	3	1	0
0.52	0	0	0	3	0	0	3	0	0	6	1	0
0.53	0	0	0	1	0	0	0	0	0	1	0	0
0.54	0	0	0	0	0	0	2	0	0	2	0	0
0.55	0	0	0	5	1	0	2	0	0	7	1	0
0.56	0	0	0	1	0	0	1	0	0	2	0	0
0.57	0	0	0	1	0	0	1	0	0	2	0	0
0.58	0	0	0	1	0	0	2	0	0	3	0	0
0.59	0	0	0	0	0	0	1	0	0	1	0	0
0.60	0	0	0	1	0	0	1	0	0	2	0	0
0.61	0	0	0	0	0	0	1	0	0	1	0	0
0.62	0	0	0	1	0	0	1	0	0	2	0	0
0.63	0	0	0	0	0	0	2	0	0	2	0	0
0.64	0	0	0	3	0	0	4	0	0	7	0	0
0.65	0	0	0	1	0	0	1	0	0	2	0	0
0.66	0	0	0	1	0	0	2	0	0	3	0	0
0.67	0	0	0	2	0	0	2	0	0	4	0	0
0.68	0	0	0	2	0	0	2	0	0	4	0	0
0.69	0	0	0	1	0	0	0	0	0	1	0	0
0.70	0	0	0	2	0	0	1	0	0	3	0	0
0.71	0	0	0	1	0	0	1	0	0	2	0	0
0.72	0	0	0	1	0	0	1	0	0	2	0	0
0.73	0	0	0	0	0	0	1	0	0	1	0	0
0.74	0	0	0	2	0	0	1	0	0	3	0	0
0.75	0	0	0	0	0	0	1	0	0	1	0	0
0.76	0	0	0	0	0	0	0	0	0	0	0	0
0.77	0	0	0	0	0	0	1	0	0	1	0	0
0.78	0	0	0	0	0	0	0	0	0	0	0	0
0.79	0	0	0	0	0	0	0	0	0	0	0	0
0.80	0	0	0	1	0	0	2	0	0	3	0	0
0.81	0	0	0	0	0	0	0	0	0	0	0	0
0.82	0	0	0	0	0	0	1	0	0	1	0	0
0.83	0	0	0	0	0	0	0	0	0	0	0	0
0.84	0	0	0	0	0	0	0	0	0	0	0	0
0.85	0	0	0	0	0	0	0	0	0	0	0	0
0.86	0	0	0	0	0	0	0	0	0	0	0	0
0.87	0	0	0	0	0	0	0	0	0	0	0	0
0.88	0	0	0	0	0	0	0	0	0	0	0	0
0.89	0	0	0	0	0	0	0	0	0	0	0	0
0.90	0	0	0	0	0	0	1	0	0	1	0	0
0.91	0	0	0	0	0	0	0	0	0	0	0	0
0.92	0	0	0	0	0	0	1	0	0	2	0	0
0.93	0	0	0	0	0	0	1	0	0	1	0	0
0.94	0	0	0	0	0	0	1	0	0	1	0	0
0.95	0	0	0	0	0	0	0	0	0	0	0	0
0.96	0	0	0	0	0	0	1	0	0	1	0	0
0.97	0	0	0	0	0	0	0	0	0	0	0	0
0.98	0	0	0	0	0	0	2	0	0	2	0	0
0.99	0	0	0	1	0	0	0	0	0	1	0	0
1.00	0	0	0	1	0	0	1	0	0	2	0	0
SUBTOTAL	0	0	0	33	7	0	44	5	0	77	12	0

~~TOP SECRET~~ [redacted]

TABLE 9-8

MISSION • 1022-2 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	PULL MIN	PULL MAX	PULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.01	0	0	0	0	0	0	0	0	0	0	0	0
1.02	0	0	0	0	0	0	0	1	0	0	1	0
1.03	0	0	0	0	1	0	0	1	0	0	2	0
1.04	0	0	0	0	3	0	0	9	0	0	1	0
1.05	0	0	0	0	0	0	0	3	0	0	3	0
1.06	0	0	0	0	1	0	0	1	0	0	3	0
1.07	0	0	0	0	0	0	0	1	0	0	1	0
1.08	0	0	0	0	2	0	0	0	0	0	2	0
1.09	0	0	0	0	0	0	0	1	0	0	3	0
1.10	0	0	0	0	2	0	0	0	0	0	3	0
1.11	0	0	0	0	0	0	0	1	0	0	3	0
1.12	0	0	0	0	2	0	0	1	0	0	3	0
1.13	0	0	0	0	0	0	0	1	0	0	3	0
1.14	0	0	0	0	1	0	0	1	0	0	2	0
1.15	0	0	0	0	1	0	0	1	0	0	1	0
1.16	0	0	0	0	0	0	0	0	0	0	0	0
1.17	0	0	0	0	1	0	0	0	0	0	1	0
1.18	0	0	0	0	0	0	0	2	0	0	3	0
1.19	0	0	0	0	4	0	0	2	0	0	6	0
1.20	0	0	0	0	0	0	0	2	0	0	6	0
1.21	0	0	0	0	2	0	0	0	0	0	2	0
1.22	0	0	0	1	1	0	0	0	0	1	1	0
1.23	0	0	0	0	0	0	0	0	0	0	0	0
1.24	0	0	0	0	2	0	0	0	0	0	2	0
1.25	0	0	0	0	0	0	0	5	0	0	7	0
1.26	0	0	0	0	1	0	0	0	0	0	1	0
1.27	0	0	0	0	2	0	0	3	0	0	5	0
1.28	0	0	0	0	0	0	0	0	0	0	0	0
1.29	0	0	0	0	3	0	0	9	0	0	12	0
1.30	0	0	0	0	0	0	0	0	0	1	0	0
1.31	0	0	0	0	1	0	0	3	0	0	3	0
1.32	0	0	0	0	0	0	0	0	0	0	0	0
1.33	0	0	0	0	1	0	0	4	0	0	5	0
1.34	0	0	0	0	4	0	0	3	0	0	7	0
1.35	0	0	0	0	1	0	0	0	0	0	1	0
1.36	0	0	0	0	1	0	0	1	0	0	2	0
1.37	0	0	0	0	1	0	0	3	0	0	4	0
1.38	0	0	0	0	1	0	0	0	0	0	1	0
1.39	0	0	0	0	1	0	0	3	0	0	4	0
1.40	0	0	0	0	3	0	0	0	0	0	3	0
1.41	0	0	0	0	0	0	0	1	0	0	1	0
1.42	0	0	0	0	2	0	0	0	0	0	2	0
1.43	0	0	0	0	1	0	0	3	0	0	4	0
1.44	0	0	0	0	2	0	0	1	0	0	3	0
1.45	0	0	0	0	2	0	0	2	0	0	4	0
1.46	0	0	0	0	4	0	0	2	0	0	6	0
1.47	0	0	0	0	0	0	0	0	0	0	0	0
1.48	0	0	0	0	0	0	0	0	0	0	0	0
1.49	0	0	0	0	1	0	0	0	0	0	1	0
1.50	0	0	0	0	1	0	0	0	0	0	1	0
SUBTOTAL	0	0	0	2	54	0	0	65	1	2	119	1

TABLE 9-8

MISSION • 1022-2 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
1.51	0	0	0	0	0	0	0	1	0	0	1	0
1.52	0	0	0	0	2	0	0	1	0	0	3	0
1.53	0	0	0	0	0	0	0	2	0	0	2	0
1.54	0	0	0	0	1	0	0	2	0	0	5	0
1.55	0	0	0	0	2	0	0	3	0	0	5	0
1.56	0	0	0	0	0	0	0	3	0	0	0	0
1.57	0	0	0	0	1	0	0	2	0	0	4	0
1.58	0	0	0	0	0	0	0	2	0	0	1	0
1.59	0	0	0	0	2	0	0	1	0	0	2	0
1.60	0	0	0	0	1	0	0	2	0	0	7	0
1.61	0	0	0	0	5	0	0	1	0	0	2	0
1.62	0	0	0	0	3	0	0	2	0	0	5	0
1.63	0	0	0	0	3	0	0	2	0	0	2	0
1.64	0	0	0	0	2	0	0	0	0	0	4	0
1.65	0	0	0	0	3	0	0	1	0	0	1	0
1.66	0	0	0	0	1	0	0	2	0	0	4	0
1.67	0	0	0	0	4	0	0	1	0	0	5	0
1.68	0	0	0	0	0	0	0	2	0	0	2	0
1.69	0	0	0	0	3	0	0	0	0	0	3	0
1.70	0	0	0	0	1	0	0	1	0	0	2	0
1.71	0	0	0	0	1	0	0	0	0	0	1	0
1.72	0	0	0	0	5	0	0	0	0	0	5	0
1.73	0	0	0	0	3	0	0	0	0	0	3	0
1.74	0	0	0	0	0	0	0	0	0	0	0	0
1.75	0	0	0	0	5	0	0	0	0	0	5	0
1.76	0	0	0	0	3	0	0	0	0	0	3	0
1.77	0	0	0	0	0	0	0	0	0	0	0	0
1.78	0	0	0	0	4	0	0	0	0	0	4	0
1.79	0	0	0	0	0	0	0	0	0	0	0	0
1.80	0	0	0	0	3	0	0	0	0	0	3	0
1.81	0	0	0	0	1	0	0	0	0	0	1	0
1.82	0	0	0	0	3	0	0	0	0	0	3	0
1.83	0	0	0	0	1	0	0	0	0	0	1	0
1.84	0	0	0	0	2	0	0	0	0	0	2	0
1.85	0	0	0	0	0	0	0	0	0	0	0	0
1.86	0	0	0	0	1	0	0	0	0	0	1	0
1.87	0	0	0	0	0	0	0	0	0	0	0	0
1.88	0	0	0	0	1	0	0	0	0	0	1	0
1.89	0	0	0	0	0	0	0	0	0	0	0	0
1.90	0	0	0	0	1	0	0	0	0	0	1	0
1.91	0	0	0	0	0	0	0	0	0	0	0	0
1.92	0	0	0	0	0	0	0	0	0	0	0	0
1.93	0	0	0	0	0	0	0	0	0	0	0	0
1.94	0	0	0	0	0	0	0	0	0	0	0	0
1.95	0	0	0	0	0	0	0	0	0	0	0	0
1.96	0	0	0	0	0	0	0	0	0	0	0	0
1.97	0	0	0	0	0	0	0	0	0	0	0	0
1.98	0	0	0	0	0	0	0	0	0	0	0	0
1.99	0	0	0	0	0	0	0	0	0	0	0	0
2.00	0	0	0	0	2	1	0	0	0	0	2	1
SUBTOTAL	0	0	0	0	76	11	0	52	2	0	128	13

TABLE 9-8

MISSION • 1022-2 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.01	0	0	0	0	0	0	0	0	0	0	0	0
2.02	0	0	0	0	0	0	0	0	0	0	0	0
2.03	0	0	0	0	0	1	0	0	2	0	0	5
2.04	0	0	0	0	0	1	0	0	1	0	0	3
2.05	0	0	0	0	0	2	0	0	0	0	0	7
2.06	0	0	0	0	0	0	0	0	0	0	0	0
2.07	0	0	0	0	0	1	0	0	0	0	0	3
2.08	0	0	0	0	0	0	0	0	0	0	0	0
2.09	0	0	0	0	0	0	0	0	1	0	0	4
2.10	0	0	0	0	0	0	0	0	0	0	0	0
2.11	0	0	0	0	0	0	0	0	0	0	0	2
2.12	0	0	0	0	0	0	0	0	0	0	0	2
2.13	0	0	0	0	0	0	0	0	1	0	0	3
2.14	0	0	0	0	0	0	0	0	0	0	0	0
2.15	0	0	0	0	0	1	0	0	2	0	0	7
2.16	0	0	0	0	0	1	0	0	0	0	0	1
2.17	0	0	0	0	0	0	0	0	1	0	0	2
2.18	0	0	0	0	0	0	0	0	0	0	0	0
2.19	0	0	0	0	0	1	0	0	1	0	0	5
2.20	0	0	0	0	0	1	0	0	0	0	0	1
2.21	0	0	0	0	0	0	0	0	0	0	0	0
2.22	0	0	0	0	0	0	0	0	0	0	0	1
2.23	0	0	0	0	0	0	0	0	0	0	0	0
2.24	0	0	0	0	0	0	0	0	0	0	0	1
2.25	0	0	0	0	0	0	0	0	0	0	0	0
2.26	0	0	0	0	0	0	0	0	0	0	0	0
2.27	0	0	0	0	0	0	0	0	0	0	0	0
2.28	0	0	0	0	0	0	0	0	0	0	0	0
2.29	0	0	0	0	0	0	0	0	0	0	0	0
2.30	0	0	0	0	0	1	0	0	0	0	0	1
2.31	0	0	0	0	0	0	0	0	0	0	0	0
2.32	0	0	0	0	0	1	0	0	1	0	0	1
2.33	0	0	0	0	0	0	0	0	0	0	0	0
2.34	0	0	0	0	0	0	0	0	0	0	0	0
2.35	0	0	0	0	0	0	0	0	0	0	0	0
2.36	0	0	0	0	0	0	0	0	0	0	0	0
2.37	0	0	0	0	0	0	0	0	0	0	0	0
2.38	0	0	0	0	0	0	0	0	0	0	0	0
2.39	0	0	0	0	0	0	0	0	0	0	0	0
2.40	0	0	0	0	0	0	0	0	0	0	0	0
2.41	0	0	0	0	0	0	0	0	0	0	0	0
2.42	0	0	0	0	0	0	0	0	0	0	0	0
2.43	0	0	0	0	0	0	0	0	0	0	0	0
2.44	0	0	0	0	0	0	0	0	0	0	0	0
2.45	0	0	0	0	0	0	0	0	0	0	0	0
2.46	0	0	0	0	0	0	0	0	0	0	0	0
2.47	0	0	0	0	0	0	0	0	0	0	0	0
2.48	0	0	0	0	0	0	0	0	0	0	0	0
2.49	0	0	0	0	0	0	0	0	0	0	0	0
2.50	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	7	128	0	4	121	0	11	249

TABLE 9-8

MISSION • 1022-2 • INSTRUMENT • AFT 10-01-65 DENSITY FREQ DISTR

DENSITY VALUE	PRIMARY MIN	PRIMARY MAX	PRIMARY LIM	INTERMEDIATE MIN	INTERMEDIATE MAX	INTERMEDIATE LIM	FULL MIN	FULL MAX	FULL LIM	ALL LEVELS MIN	ALL LEVELS MAX	ALL LEVELS LIM
2.51	0	0	0	0	0	0	0	0	0	0	0	0
2.52	0	0	0	0	0	0	0	0	0	0	0	0
2.53	0	0	0	0	0	0	0	0	0	0	0	0
2.54	0	0	0	0	0	0	0	0	0	0	0	0
2.55	0	0	0	0	0	0	0	0	0	0	0	0
2.56	0	0	0	0	0	0	0	0	0	0	0	0
2.57	0	0	0	0	0	0	0	0	0	0	0	0
2.58	0	0	0	0	0	0	0	0	0	0	0	0
2.59	0	0	0	0	0	0	0	0	0	0	0	0
2.60	0	0	0	0	0	0	0	0	0	0	0	0
2.61	0	0	0	0	0	0	0	0	0	0	0	0
2.62	0	0	0	0	0	0	0	0	0	0	0	0
2.63	0	0	0	0	0	0	0	0	0	0	0	0
2.64	0	0	0	0	0	0	0	0	0	0	0	0
2.65	0	0	0	0	0	0	0	0	0	0	0	0
2.66	0	0	0	0	0	0	0	0	0	0	0	0
2.67	0	0	0	0	0	0	0	0	0	0	0	0
2.68	0	0	0	0	0	0	0	0	0	0	0	0
2.69	0	0	0	0	0	0	0	0	0	0	0	0
2.70	0	0	0	0	0	0	0	0	0	0	0	0
SUBTOTAL	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	145	145	139	126	126	124	271	271	263

MISSION 1022-2 INSTR - AFT 10-01-65 PROCESSING AND EXPOSURE ANALYSIS

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	145	0 PC	46 PC	50 PC	3 PC	1 PC
FULL	126	22 PC	0 PC	73 PC	5 PC	0 PC
ALL LEVELS	271	10 PC	25 PC	61 PC	4 PC	0 PC

PROCESS LEVEL	BASE + FOG	UNDER EXPOSED	UNDER PROCESSED	CURRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0.01-0.09	0.01-0.13	0.14-0.39	0.40-0.90	---------	0.91 AND UP
INTERMED	0.10-0.17	0.01-0.20	0.21-0.39	0.40-0.90	0.91-1.34	1.35 AND UP
FULL	0.18 AND UP	0.01-0.39	---------	0.40-0.90	0.91-1.69	1.70 AND UP

TABLE 9-8

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 0.45 • MEDIAN • 0.40 • STD DEV • 0.19 • RANGE • 0.21 TO 1.40 WITH 145 SAMPLES



FIGURE 9-28

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • INTERMEDIATE

ARITH MEAN • 1.53 • MEDIAN • 1.61 • STD DEV • 0.34 • RANGE • 0.50 TO 2.32 WITH 145 SAMPLES



FIGURE 9

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • INTERMEDIATE

ARITH MEAN • 2.22 • MEDIAN • 2.24 • STD DEV • 0.14 • RANGE • 1.73 TO 2.43 WITH 139 SAMPLES



FIGURE 9-

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • FULL

ARITH MEAN • 0.51 • MEDIAN • 0.48 • STD DEV • 0.16 • RANGE • 0.24 TO 1.00 WITH 126 SAMPLES



FIGURE D-11

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • FULL

ARITH MEAN • 1.48 • MEDIAN • 1.46 • STD DEV • 0.29 • RANGE • 0.75 TO 2.32 WITH 126 SAMPLES



FIGURE 9-32

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • FULL

ARITH MEAN • 2.30 • MEDIAN • 2.32 • STD DEV • 0.14 • RANGE • 1.45 TO 2.49 WITH 124 SAMPLES



FIGURE 9-33

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MIN • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 0.48 • MEDIAN • 0.44 • STD DEV • 0.18 • RANGE • 0.21 TO 1.40 WITH 271 SAMPLES



FIGURE 9-34

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • TERRAIN • PROCESSING • ALL LEVELS

ARITH MEAN • 1.51 • MEDIAN • 1.52 • STD DEV • 0.32 • RANGE • 0.50 TO 2.32 WITH 271 SAMPLES



FIGURE 9-35

MISSION • 1022-2 • INSTR • AFT • 10-01-65 PLOT OF D MAX • CLOUD • PROCESSING • ALL LEVELS

ARITH MEAN • 2.25 • MEDIAN • 2.28 • STD DEV • 0.14 • RANGE • 1.45 TO 2.49 WITH 263 SAMPLES



FIGURE 9-36

Table 9-9 shows the distribution of the minimum terrain density measurements that are within and outside of the desired control range of 0.40 to 0.90 density. The percentage of values below 0.30 density are tabulated below:

Mission	Camera	
1022-1	FWD	15.4
	AFT	2.9
1022-2	FWD	26.1
	AFT	7.7
Average		12.9

Analysis of the density data has shown some significant departures from the normal values observed from recent missions. The terrain and cloud maximum density values are within the nominal experience range however the terrain minimum density values are considerably lower particularly in the Fwd camera film.

The same slit width and filter combinations have been used on all panoramic cameras since Mission 1014. Missions 1014, 1015 an 1016 have not been used as a basis of comparison as they were all conducted within one month of the winter solstice and are not considered representative. Mission 1021 is not considered representative as it was a nose-forward mapping mission and was operated in an abnormal latitude band.

The data shows that approximately 22% of all the film was underprocessed and 20% was underexposed based on the criteria that all minimum density values should be 0.40 or greater. The percentage of underprocessed film is somewhat higher than experienced since Mission 1017, as can be seen in Table 18-3. The percentage of underexposed film, based on the 0.40 D criteria, is significantly higher than experienced since Mission 1017 and represents a marked increase over Mission 1020.

It is not likely that this major change was caused by improper calibration of the densitometers used to make the density measurements. The close agreement of the reported and computed processing percentages shows that the base plus fog measurements were correct. These values are within the same calibration range as the minimum density values hence it can be concluded that the measurements are correct.

Both Missions 1020 and 1022 were launched at essentially the same time of day and operated in similar bands of solar elevation and azimuth. As seen in Table 18-3, Mission 1020 density measurements indicate essentially no underexposure and approximately 18% underprocessing. The Mission 1020 density measurements show that the percentage of values below 0.30 density is approximately 3% which is within the normal experienced range. Mission 1022 shows an average of 12.9% of D min values below 0.3 density.

The predicted full processing level for the Fwd looking camera is in general a greater percentage than for the Aft camera. This bias condition will give rise to borderline D min values. Statistically the Fwd camera is inevitably going to produce more underexposed (.40 D min) frames than the Aft camera.

A further study is underway to evaluate the reported underexposure in relation to information content and the 0.40 D min density criteria. The present camera exposure has produced a high rating for information content.

MISSION 1022-1 INSTR - FRWD 10-01-65 PROCESSING AND EXPOSURE ANALYSIS

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	113	4 PC	45 PC	44 PC	6 PC	1 PC
FULL	153	50 PC	0 PC	49 PC	1 PC	0 PC
ALL LEVELS	266	30 PC	19 PC	47 PC	3 PC	0 PC

MISSION 1022-1 INSTR - AFT 10-01-65 PROCESSING AND EXPOSURE ANALYSIS

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	142	0 PC	28 PC	58 PC	12 PC	2 PC
FULL	128	9 PC	0 PC	87 PC	5 PC	0 PC
ALL LEVELS	270	4 PC	15 PC	71 PC	9 PC	1 PC

MISSION 1022-2 INSTR - FRWD 10-01-65 PROCESSING AND EXPOSURE ANALYSIS

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	113	3 PC	65 PC	31 PC	1 PC	0 PC
FULL	152	60 PC	0 PC	39 PC	1 PC	0 PC
ALL LEVELS	265	35 PC	28 PC	35 PC	1 PC	0 PC

MISSION 1022-2 INSTR - AFT 10-01-65 PROCESSING AND EXPOSURE ANALYSIS

PROCESS LEVEL	SAMPLE SIZE	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0	0 PC	0 PC	0 PC	0 PC	0 PC
INTERMEDIATE	145	0 PC	46 PC	50 PC	3 PC	1 PC
FULL	126	22 PC	0 PC	73 PC	5 PC	0 PC
ALL LEVELS	271	10 PC	25 PC	61 PC	4 PC	0 PC

PROCESS LEVEL	BASE + FOG	UNDER EXPOSED	UNDER PROCESSED	CORRECT EXP+PROC	OVER PROCESSED	OVER EXPOSED
PRIMARY	0.01-0.09	0.01-0.13	0.14-0.39	0.40-0.90	----------	0.91 AND UP
INTERMED	0.10-0.17	0.01-0.20	0.21-0.39	0.40-0.90	0.91-1.34	1.35 AND UP
FULL	0.18 AND UP	0.01-0.39	----------	0.40-0.90	0.91-1.69	1.70 AND UP

SECTION 10

PERFORMANCE MEASUREMENTS

The photography acquired during Missions 1022-1 and 1022-2 received an MIP rating of 85. A summary is tabulated below of the average visual RES values and MTF/AIM resolution values measured by AFSPPF and the MTF/AIM resolution values by [redacted] The microdensitometer slit used by both organizations was 1 micron wide and 80 microns long.

Mission	Camera	Visual RES	AFSPPF	[redacted]
1022-1	FWD	82	66	78
1022-1	AFT	88	83	100
1022-2	FWD	86	68	74
1022-2	AFT	87	92	99

The details of the measurement and computing techniques, targets measured and target locations are fully reported in the evaluation report published by AFSPPF and are therefore not included in this report.

SECTION 11

OBSERVED DATA

There were nine descending passes available for evaluation over U.S. territory. The best detail was comparable to the best of previous missions.

Pass D-1 over Alaska had 90% cloud cover and contained no cultural features.

Pass D-31 included targets at Fort Huachuca. The permanent targets were imaged near the end of the format in the Aft camera at a ground resolution of 20 feet along and cross track. The portable targets indicated a 16 and 12 foot along track resolution for the fore and aft cameras respectively. The cross track targets were not set up in time.

Pass D-47 showed that the Pahrump targets were not being maintained and the area is being used for storage.

Pass D-63 covered the San Francisco Bay area on a clear day. The suspension cables on the Bay Bridge (36" diameter) could be seen. At Travis AFB and NAS Moffett aircraft nacelles were prominent. A 12 inch, aluminum painted water pipe, crossing a 30 foot ditch was measured as 6 feet and a 42 inch pipe crossing Nimitz Freeway measured out as 9 feet. The Aft photography had finer detail and better contrast than the Fwd.

Pass D-94 covered the portable targets in the Fort Huachuca area. The Fwd camera recorded ground resolutions of 12 foot along track and 16 foot cross track. The Aft looking camera recorded the best resolutions of any Corona system with 8 foot along and cross track. This medium contrast target had a reported bar reflectance of 4% and background of 37%. The calculated image resolution was 131 lines per millimeter.

Pass D-110 over the fixed targets at Indian Springs, the resolution was 8 foot in the Aft camera and 12 foot in the Fwd camera.

Pass D-125 imaged the portable targets near Waco, Texas in the center of the format. The largest target (16 foot) was not resolved along track, but it was across track in the Fwd camera. The Slave camera resolved 16 foot and 12 foot ground resolution along and cross track respectively.

Pass D-126 was over northern California. The meteorological conditions were good for photography and both pan cameras produced equally excellent imagery. At Susanville cars and trucks were sharply defined.

[redacted]

SECTION 12

MISSION 1022-1 STELLAR-INDEX CAMERA

A. COMPONENT ASSIGNMENT

Component	Serial Number
Camera	D 65
Index Reseau	77
Stellar Reseau	70

B. CAMERA DATA AND FLIGHT SETTINGS

Stellar Camera:	
Lens	85mm f/1.8
Exposure Time	2 seconds
Filter Type	None
Film Type	Eastman Type 3401
Index Camera:	
Lens	38mm f/4.5
Exposure Time	1/500 second
Filter Type	Wratten 21
Film Type	Eastman Type 3400

C. POST FLIGHT EVALUATION

This camera produced 389 frames of Stellar photography and 392 frames of Index photography. In general, the photography from both Stellar and Index cameras was satisfactory throughout Mission 1022-1.

Approximately 40% of each stellar format was affected by flare, however, there were satisfactory star images in such areas. At least 25 stars were imaged in any one stellar format. The fiducial marks bloomed throughout the mission but were usable. There was also fogging along both edges of the film intermittently throughout the mission. More than one-quarter of the formats contained elongated star images. Past analytical and empirical investigation has shown similar elongated star images to be related to dynamic unbalance of the pan instruments during the two second exposure.

The last 100 frames (approximately) of stellar film contain small emulsion cracks from edge to edge, and the last eight frames are severely fogged. These defects are characteristic of the current system configuration. The former defect is apparently due to the film having a set from dry and brittle emulsion near the supply spool hub and being moved over small radius rollers. The latter defect is often accompanied by abrasions and static discharge marks, which indicate that damage occurs from whipping of the loose end of the film at the takeup spool.

The index film showed a minor static discharge along the serial number edge for approximately 30 frames during the mission. Four defects were associated with the end of the roll of film: (1) the last 10 inches were severely fogged, (2) the last 25 frames have static discharge markings, (3) the last 25 frames have small emulsion cracks, and (4) the last four frames are severely abraded. The causes for these four defects are the same as those described in the preceding paragraph for the stellar film, except that the extent of static discharge suggests that contact with the film chute also produces static markings.

SECTION 13

MISSION 1022-2 STELLAR-INDEX CAMERA

A. COMPONENT ASSIGNMENT

Component	Serial Number
Camera	D 24
Index Reseau	24
Stellar Reseau	24

B. CAMERA DATA AND FLIGHT SETTINGS

Stellar Camera:

Lens	85mm f/1.8
Exposure Time	2 seconds
Filter Type	None
Film Type	Eastman Type 3401

Index Camera:

Lens	39mm f/4.5
Exposure Time	1/500 second
Filter Type	Wratten 21
Film Type	Eastman Type 3400

C. POST FLIGHT EVALUATION

This camera produced 404 frames of Stellar photograph and 442 frames of Index photography. In general, the photography from both Stellar and Index cameras was satisfactory throughout Mission 1022-2.

Approximately 50% of each stellar format was affected by flare, however, there were satisfactory star images in such areas. Fifteen to twenty stars were imaged in any one stellar format. The fiducials bloomed throughout the mission but were usable. Three defects affecting the film but not degrading the operational value were noted. Edge fog appeared intermittently along the camera number edge throughout the mission. A plus density streak parallel

to the film edge and located between the format and the correlation light appeared continuously from before the first frame through frame 279. This streak was accompanied by an abrasion and a small amount of static discharge. The cause has not been identified although it is similar to a previous manufacturing defect. Finally, there were static discharges that appeared intermittently between frames, and originating near the bottom edge of the film. These marks appear to be the result of platen pressure.

Two defects are noted that are associated with the end of the film. These are edge-to-edge emulsion cracks in the last 125 frames, and abrasions in the last fifteen frames. The causes of these defects are discussed in the previous section on Stellar-Index Camera #D-65.

The elongated star images that appeared during Mission 1022-1, were also observed during Mission 1022-2.

The index film showed a number of minor defects which, in general, did not degrade the operational value of the product. Edge static was noted intermittently throughout the mission along the camera number edge. A plus density streak and abrasion located parallel to the film edge and between the format and the correlation lamp appeared for approximately the first half of the mission. A thin wavering minus density streak appeared across approximately the last fifty frames. Specific causes of these defects have not been determined.

The correlation lamp position showed crescent-shaped images due to a displacement of the lamp holder away from the reseau plate. The crescent image is formed by internally reflected light and thus affects all exposures. The correlation lamp provided only slight additional illumination, so that it was difficult to determine when this lamp was on. It has been determined that the lamp holder in this unit was an old style which is no longer used. Since there is only one more camera in inventory equipped with such a lamp holder, and since the newer lamp holder is considered much less likely to shift position, no corrective action is recommended.

A small spot, apparently due to static discharge, occurred randomly on 28 frames throughout the mission. The spots showed only slight variations in shape and location in the format. While a cause has not been determined, it appears possible that the spot was generated in the chute after the film was exposed in the camera.

Although the resolution of the index film appeared good, the quality was degraded by Newton Rings. While Newton Rings have frequently been detected in index photography, they have not been as prominent as in this

mission. Since the reseau plate was thoroughly cleaned at the time of payload loading, it appears unlikely that there was an oil film on the surface. There is no evidence that the rings are caused by dirt particles. Unless the conditions observed in this one instrument continue in other systems, no action is recommended.

The Index camera contained film and was operated after both the pan camera and stellar unit had run out of film. Nine frames were exposed after pass D-137, which was the last reported in the Advanced Projects performance estimate. It was later determined that these nine frames were exposed on pass D-142.

The stellar and index films of both missions contained identifying markings of the film manufacturer along the film edge. It has been a policy of the program that such commercial markings are not to appear on flight film. The presence of such markings has no effect on flight performance and is reported solely as a deviation from established policy.

SECTION 14

VEHICLE ATTITUDE

The vehicle attitude errors for Mission 1022 were derived from the reduction of the Stellar camera photography. This attitude data is supplied to A/P by NPIC.

The attitude errors for each frame and the attitude control rates are calculated at the A/P computer facility. The computer also plots the frequency distribution of the rates and errors. Figures 14-1 through 14-6 show these distributions for Mission 1022-1 and Figures 14-7 through 14-12 for Mission 1022-2.

The summary table below lists the maximum attitude errors and rates that were experienced during 90% of the photographic operations, excluding the first six frames of each operation, and the total range of the errors and rates.

	Mission 1022-1		Mission 1022-2	
Value	90%	Range	90%	Range
Pitch Error (^{o})	0.47	-0.75 to +0.75	0.40	-0.68 to +0.58
Roll Error (^{o})	0.51	-0.88 to +0.32	0.51	-0.90 to +0.22
Yaw Error (^{o})	0.89	-1.10 to +1.15	0.90	-1.20 to +0.85
Pitch Rate (^{o}/hr)	28.3	-60 to +65	29.4	-45 to +100
Roll Rate (^{o}/hr)	27.1	-90 to +90	27.3	-80 to +100
Yaw Rate (^{o}/hr)	23.8	-32 to +56	31.0	-38 to +50

The performance of the attitude control system is comparable to the control systems used on recent missions. The panoramic photography was not degraded by the attitude control system.

In order to evaluate the dynamic effects of stereo-suppress mode operations, roll and pitch data was measured from horizon photos by NPIC. This data is shown in Figure 14-13. It is seen that roll rates of the order of 100 degrees/hour are induced by the single pan instrument starts and stops. This condition is typical of that observed in the past with mono operations.

A careful examination was made of the panoramic frames exposed during the stereo-suppress operations. No degradations that could be attributed to this mode of operation were detected.


Y = PITCH ANGLE ERROR, DEGREES
X = PERCENT (Y)
15.00
14.00
13.00
12.00
11.00
10.00
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
0.00
-1.50
-1.00
-0.50
0.00
0.50
1.00
1.50
2.

FIGURE 14-1

J-22 A BUCKET - FWD INSTR [redacted] FRAMES 1-6 OF EACH OF [redacted] OMITTED 90 PERCENT [redacted] 0.

[redacted] ROLL ANGLE ERROR - DEGREES [redacted] PERCENT



FIGURE 14-2

J-22 A BUCKET - FWD INSTR. - FRAMES 1-6 OF EACH GP OMITTED - 90 PERCENT = 0.

Y - YAW ANGLE ERROR - DEGREES [redacted] FREQUENCY - PERCENT [redacted]



FIGURE 14-3

J-22 A BUCKET - FWD INSTR - FRAMES 1-6 DE-RATE UP OMITTED - 90 PERCENT [illegible]

Y - PITCH RATE ERROR - DEG/HOUR IX, VERSUS FREQUENCY - PERCENT [illegible]



FIGURE 14-4

J-22 A BUCKET - END INSIA [illegible] FRAMES 1-6 OF EACH [illegible] OMITTED = 90 PERCENT [illegible]

V = ROLL RATE ERROR - DEG/HOUR [illegible] FREQUENCY = PERCENT [illegible]



FIGURE 14-5

J-22 A BUCKET - FWD INSTR FRAMES 1-6 OF EACH OP OMITTED 90 PERCENT = 23

Y, YAW RATE ERROR - DEG/HOUR [redacted]



FIGURE 14-6

J-22 B BUCKET - FWD INSTR - FRAMES 1-6 OF EACH OF UNITED - 90 PERCENT = 0.5

Y PITCH ANGLE ERROR - DEGREES (+) VERTICAL FREQUENCY - PERCENT



FIGURE 14-7

J-22 B BUCKET = END INSTR [illegible] FRAMES 1-6 OF EACH [illegible] OMITTED = 90 PERCENT

[illegible] Y = ROLL ANGLE ERROR [illegible] CIRCLES (X) [illegible] = PERCENT



FIGURE 14-8


Y - YAW ANGLE ERROR - DEGREES
7.50
7.00
6.50
6.00
5.50
5.00
4.50
4.00
3.50
3.00
2.50
2.00
1.50
1.00
0.50
0.00
-2.00
-1.50
-1.00
-0.50
0.00
0.50
1.00

FIGURE 14-9


Y = PITCH RATE ERROR, DEG/HOUR
30.00
28.00
26.00
24.00
22.00
20.00
18.00
16.00
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
-150.00
-100.00
-50.00
0.00
50.00
100.00
150.00
200.0

FIGURE 14-10

J-22 B BUCKET - FWD INSTR FRAMES 1-6 OF EACH OF UNITTED 90 PERCENT

Y - ROLL RATE ERROR DEG/HOUR



FIGURE 14-11

J-22 B BUCKET - FWD INSTR FRAMES 1-6 OF EACH 0[illegible] UNITTED - 90 PERCENT - 91

Y YAW RATE ERROR - DEG/HOUR [illegible]



FIGURE 14-12

K&E 10 X 10 TO THE INCH 359-5
KEUFFEL & ESSER CO. MADE IN U.S.A.

ROLL & PITCH IN STEREO-SUPPRESS MODE - Mission 1022

Roll and pitch values indicated by Master & Slave Horizon Cameras are plotted for Stereo-Suppress sequences. Abscissa scale is 0.1 inch per panoramic frame. Slave camera frames are plotted to time closest to that of Master camera exposure. Ordinate scale is 0.1 inch per 5 minutes of arc. Ordinate values have not been adjusted for instrument alignment bias.



FIGURE [redacted]

SECTION 15

IMAGE SMEAR ANALYSIS

The frame correlation tape supplied to A/P by NPIC contains the binary time word of each frame of photography. A computer program has been assembled at A/P which calculates the exposure time of each frame and compares the camera cycle rate with the ephemeris to calculate the V/h mismatch. This data is combined with the vehicle attitude error and rate values of each frame and the crab error caused by earth rotation at the latitude of each frame. The program outputs the total along track and cross track IMC error and the limit of ground resolution that can be acquired by a camera regardless of focal length and system capabilities.

The computer rejects the first six frames of all operations as the large V/h error induced by camera start-up is not representative of the overall system operations. The frequency distribution of the V/h error and resolution limits are computer plotted and are shown in Figures 15-1 through 15-12.

The summary, Table 15-1, presents the maximum V/h ratio error and resolution limits that existed during 90% of the photographic operations and the total range of values during all operations that were computed.

The range data for the along and across track resolution limits is excessively broad. Passes D-29, D-131 and D-135 were located in quadrant 3, which is an area where the V/h program can not match the orbital V/h, as a consequence the resolution capability is decreased.

The variation between the forward and aft camera data is a result of the slower exposure time in the forward camera to compensate for filter and slit width differences between instruments.

MISSION 1022
V/h RATIO AND RESOLUTION LIMITS

VALUE	UNITS	CAMERA	Mission 1022-1 90%	Mission 1022-1 Range	Mission 1022-2 90%	Mission 1022-2 Range
V/h Ratio Error	%	FWD	3.49	-5.0 to +6.0	2.56	-2.8 to +5.6
		AFT	3.02	-5.4 to +5.2	1.79	-2.8 to +3.2
Along Track Resolution Limit	Feet	FWD	9.83	0.5 to 17.5	8.04	0.2 to 15.1
		AFT	6.21	0.2 to 11.2	4.89	0.2 to 8.0
Cross Track Resolution Limit	Feet	FWD	8.62	0.2 to 10.6	8.43	0.2 to 14
		AFT	6.07	0.2 to 7.4	5.94	0.4 to 10

TABLE 15-1

J-22 A BUCKET - FWD INSIR [redacted] FRAMES 1-6 OF EACH UP OMITTED 90 PERCENT = 3.

[redacted] V/H RATIO ERROR, PERCENT [redacted] PERCENT

FIGURE 15-1

MISSION 1022AI ~~TOP SECRET~~ [redacted]


V - ALONG TRACK RESOLUTION LIMIT - FEET
FREQUENCY - PERCENT
15.00
14.00
13.00
12.00
11.00
10.00
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
0.00
-10.00
-5.00
0.00
5.00
10.00
15.00
20.00
25.0

FIGURE 15-7

J-22 A BUCKET - FWD INSTR FRAMES 1-6 OF EACH DF OMITTED 90 PERCENT

Y CROSS TRACK RESOLUTION UNITS



FIGURE 15-3

MISSION 1022A1 TOP SECRET

V/H RATIO ERROR - PERCENT (X) VERSUS FREQUENCY - PERCENT (Y)



FIGURE 18

J-22 A BUCKET - AFT INSTR FRAMES 1-6 OF EACH UP OMITTED 90 PERCENT = 6.2

Y ALONG TRACK RESOLUTION LIMIT - FEET (X) VERSUS FREQUENCY - PERCENT (Y



FIGURE 15-5

J-22 A BUCKET - AFT INSTR FRAMES 1-6 OF EACH OP OMITTED 90 PERCENT = 6.0

Y CROSS TRACK RESOLUTION LIMIT - FEET (X) VERSUS FREQUENCY - PERCENT (Y



FIGURE 15-6

J-22 B BUCKET - FWD INSTR FRAMES 1-6 OF EACH OP OMITTED 90 PERCENT = 2.5

Y V/H RATIO ERROR - PERCENT (X) VERSUS FREQUENCY - PERCENT (Y)



FIGURE 15-7

J-22 B BUCKET - FWD INSTR FRAMES 1-6 OF EACH OP OMITTED 90 PERCENT = 8.0

Y ALONG TRACK RESOLUTION LIMIT - FEET (X) VERSUS FREQUENCY - PERCENT (Y)



FIGURE 15-8

J-22 B BUCKET - FWD INSTR FRAMES 1-6 OF EACH OP OMITTED 90 PERCENT = 8.4



FIGURE 15-9

J-22 B BUCKET - AFT INSTR - FRAMES 1-6 OF EACH OF OMITTED 90 PERCENT = 1.7

Y V/H RATIO ERROR - PERCENT (X) VERSUS FREQUENCY - PERCENT (Y)



FIGURE 15-10

J-22 B BUCKET - AFT INSTR - FRAMES 1-6 OF EACH DP UNLITTED - 90 PERCENT

Y ALONG TRACK RESOLUTION LIMIT - FEET (X) VERSUS FREQUENCY - PERCENT (Y



FIGURE 15-11

J-22 A BUCKET - AFT INSTR FRAMES 1-6 OF EACH UP UNITTED 90 PERCENT = 5.9

Y CROSS TRACK RESOLUTION LIMIT - FEET (X) VERSUS FREQUENCY - PERCENT (Y



FIGURE 15-12

SECTION 16

RADIATION DOSAGE

Each recovery system flown on a Corona mission contains a sealed packet of Eastman Type 3401 and Royal X Pan emulsions to determine the total radiation received at the take-up cassette. Both film types have been irradiated by LMSC at various levels and the base plus fog densities recorded after controlled processing.

Following recovery the film dosimeter packets are removed at A/P and processed with a pre-flight sample of the same film type and sensitometric control film. The resulting base plus fog density measurement of the dosimeter strips is used to ascertain the total radiation level. The table below presents the base plus fog readings for the dosimeter strips and the radiation level equivalents.

	Mission 1022-1	
	B + F	
Emulsion	Density	Radiation
Type 3401	0.18	.63R
Royal X Pan	0.21	.30R
	Mission 1022-2	
Type 3401	0.21	.90R
Royal X Pan	0.25	.40R

The mean total radiation seen by the take-up cassettes during both missions was approximately 0.3 roentgens. This level is essentially the same as received furing recent missions and is below the level that will degrade the panoramic photography.

SECTION 17

SYSTEM RELIABILITY

Reliability calculations for the payload are based on a sample beginning with M-7. Hence both the major part of the Mural Program and the "J" Program are covered in the calculation. For certain auxiliaries, i.e., the stellar-index camera and the horizon cameras, the sample size is changed to recognize incorporation of modified equipment or new designs where reliability was one of the principal reasons for the modification. However, for primary mission function, the sample size is consistent with reliability reporting for the vehicle.

The reliability estimates of this section deal exclusively with the payload. Failures to achieve orbit or vehicle induced failures are thereby excluded. Recoveries before a complete mission has been completed are considered as full missions providing that early termination was caused by reasons not connected with payload operation. Film quality is not considered in the reliability estimate calculation. Hence, only electrical and mechanical functioning are considered.

The reliability estimate is also divided into primary and secondary functions. The primary functions are operation of the panoramic cameras, main camera door operation, operation of the payload clock, and recovery operations. The secondary mission functions are horizon camera operation excluding catastrophic open shutter failure mode, auxiliary data recording, and stellar-index camera operation.

Panoramic Camera Reliability

Sample Size - 112 opportunities to operate.
One failure - S/I Programmer on system J-19
Assume - 3000 cycles per camera per mission.
Estimated Reliability = 98.5% at 50% confidence level.

Main Camera Door Reliability

Sample Size - 40 vehicles x 2 doors = 80 opportunities to operate.
Estimated Reliability = 99.2% at 50% confidence level.

Payload Command & Control Reliability

Sample Size - 5784 hours operation
1 failure
Estimated Reliability = 97.3% at 50% confidence level.

Payload Clock Reliability

Sample Size - 5784 hours operation
No failures
Estimated Reliability = 98.9% at 50% confidence level.

Estimated Reliability of Payload Functioning on orbit: 96.9% at 50% confidence level.

Recovery System Reliability

45 opportunities to recover
1 failure - improper separation due to water seal - cutter failure.
Estimated Reliability = 96.3% at 50% confidence level.

Stellar-Index Camera Reliability

Sample begins with J-5
Sample size = 11,550 cycles
Number of failures = 2
Estimated Reliability = 90.7% at 50% confidence level.

Horizon Camera Reliability

Sample includes J5A and up
Sample Size = 73,400 cycles
Estimated Reliability of Single Camera = 98.0% at 50% confidence level
Estimated Reliability of Four Horizon Cameras at a Parallel Redundant System = 99.9% at 50% confidence level

SECTION 18

SUMMARY DATA

The comparison of the operating parameters and the performance achieved by previous missions has been difficult due to the large volume of data that results from each mission. Some of the pertinent characteristics from prior missions have been summarized in Tables 18-1 through 18-4.

The summary data was started with Mission 1004 as the J-05 camera system was the first to incorporate the major modifications of the titanium drum and scan arm, four roller scan head and Corona J capabilities. Only those missions that culminated in the recovery of some photography have been listed, therefore Missions 1003 and 1005 are deleted.

MISSION SUMMARY

MISSION NUMBER	PAYLOAD NUMBER	VEHICLE NUMBER	LAUNCH DATE	LAUNCH TIME	ORBIT INCLINATION (°)	PERIGEE ALTITUDE (NM)	PERIGEE LOCATION (°N)	RECOVERY PASS	MASTER CAMERA CAMERA NUMBER	MASTER CAMERA SLIT (")	MASTER CAMERA FILTER TYPE	SLAVE CAMERA CAMERA NUMBER	SLAVE CAMERA SLIT (")	SLAVE CAMERA FILTER TYPE	STELLAR-INDEX CAMERA NUMBER
1004	J-05	1174	2/15/64	2138 Z	74.9	99.9	29.0	49 / 112	124	0.250	W-21	125	0.250	W-21	029/29/29 / [redacted]
1006	J-09	1176	6/4/64	2259 Z	79.9	84.0	63.2	65 / 128	148	0.200	W-21	149	0.200	W-21	049/53/42 / [redacted]
1007	J-07	1609	6/19/64	2318 Z	85.0	99.2	41.8	65 / 128	144	0.250	W-25	145	0.200	W-21	043/43/43 / [redacted]
1008	J-10	1177	7/10/64	2314 Z	85.0	99.4	40.6	49 / 112	150	0.200	W-21	151	0.200	W-21	048/48/48 / [redacted]
1009	J-12	1605	8/5/64	2316 Z	80.1	99.6	39.5	49 / 128	154	0.200	W-21	155	0.200	W-21	056/54/56 / [redacted]
1010	J-11	1178	9/14/64	2254 Z	84.9	97.4	42.5	65 / 144	152	0.175	W-21	153	0.175	W-21	041/41/41 / [redacted]
1011	J-3X	1170	10/5/64	2150 Z	79.9	99.3	20.9	65 / —	160	0.175	W-21	161	0.175	W-21	030/30/30 / [redacted]
1012	J-13	1179	10/17/64	2202 Z	75.0	96.2	32.4	49 / 81	156	0.200	W-21	157	0.200	W-21	051/51/47 / [redacted]
1013	J-15	1173	11/2/64	2130 Z	80.0	100.0	28.0	65 / —	158	0.225	W-21	159	0.225	W-21	052/49/55 / [redacted]
1014	J-16	1180	11/18/64	2036 Z	70.0	103.2	69.6	81 / 145	162	0.250	W-25	139	0.175	W-21	053/59/49 / [redacted]
1015	J-17	1607	12/19/64	2110 Z	74.9	96.7	21.5	81 / 175	138	0.250	W-25	141	0.175	W-21	061/61/61 / [redacted]
1016	J-18	1608	1/15/65	2101 Z	74.9	99.4	30.2	81 / 159	132	0.250	W-25	133	0.175	W-21	055/55/50 / [redacted]
1017	J-14	1611	2/25/65	2144 Z	75.0	97.2	25.9	81 / 146	140	0.250	W-25	165	0.175	W-21	021/21/21 / [redacted]
1018	J-19	1612	3/25/65	2111 Z	96.0	100.2	40.3	66 / 99	122	0.250	W-25	123	0.175	W-21	020/20/20 / [redacted]
1019	J-04	1614	4/29/65	2144 Z	85.0	99.1	27.1	80 / —	118	0.250	W-25	119	0.175	W-21	039/39/35 / [redacted]
1020	J-20	1613	6/9/65	2158 Z	75.1	97.1	40.6	97 / 113	136	0.250	W-25	137	0.175	W-21	067/65/60 / [redacted]
1021	J-21	1615	8/18/65	1803 Z	75.0	109.2	24.3	81 / 161	166	0.175	W-21	167	0.250	W-25	063/69/69 / [redacted]
1022	J-22	1617	7/19/65	2201 Z	85.0	99.7	30.3	66 / 144	168	0.250	W-25	169	0.175	W-21	065/77/70 / [redacted]

TABLE 18-1

PERFORMANCE SUMMARY

MISSION NUMBER	CAMERA	SERIAL NUMBER	M I P VALUE	VISUAL RES	AFSPPL MTF/AIM [redacted] SLIT (μ)	AVERAGE	SLIT (μ)	AVERAGE	SLIT (μ)	AVERAGE ALL	AVERAGE HIGH	90% ATTITUDE ERROR (°) PITCH	ROLL	YAW	90% ATTITUDE RATES (7HR) PITCH	ROLL	YAW	90% V/H ERROR (%)	90% RESOLUTION LIMIT (FEET) ALONG TRACK	CROSS TRACK
1004-1	FWD	124	85	78	350	97	43	109	320	115	127	0.45	0.42	1.08	30.0	25.0	21.0	5.1	7.7	6.8
	AFT			86		80		96		117	124									
1004-2	FWD	125	85	76		88		113		82	90	0.74	0.50	0.91	44.0	30.0	29.0	4.9	6.8	6.8
	AFT			73		83		106		89	95									
1006-1	FWD	148	90	78	350	65	43	88	320	84	97	0.41	0.42	1.14	26.8	28.5	27.8	15.4	13.8	6.7
	AFT			74		71		90		87	92									
1006-2	FWD	149	90	85		64		81		84	90	0.49	0.40	1.08	31.1	27.9	30.0	11.6	10.1	7.0
	AFT			83		72		90		87	94									
1007-1	FWD	144	85	80	350	60	43	87	320	82	91	0.58	0.46	1.43	37.6	25.9	29.9	3.8	3.1	9.4
	AFT			86		63		83		97	110							4.6	2.1	7.8
1007-2	FWD	145	85	79		72		81		68	74	0.64	0.47	—	43.0	25.8	—	3.2	2.4	—
	AFT			81		77		92		74	81							4.2	1.8	—
1008-1	FWD	150	85	80	350	80	43	95	320	81	89	0.59	0.39	0.94	43.8	23.9	29.6	2.9	4.9	8.8
	AFT			78		73		89		86	95									
1008-2	FWD	151	85	82		84		96		83	92	0.63	0.36	0.71	42.9	24.0	32.5	2.8	4.2	8.4
	AFT			79		91		83		85	91									
1009-1	FWD	154	85	92	350	80	—	—	80	75	88	0.65	0.65	0.71	29.2	22.7	27.6	3.3	5.3	5.6
	AFT			89		85				75	83									
1009-2	FWD	155	85	94		85				76	84	0.48	0.65	0.59	33.6	23.9	27.2	2.6	4.9	8.9
	AFT			87		87				72	79									
1010-1	FWD	152	85	90	350	90	80	88	80	87	96	0.93	0.30	0.87	39.1	23.6	30.8	4.5	2.3	4.4
	AFT			88		86		80		92	103									
1010-2	FWD	153	85	92		81		82		82	93	0.59	0.70	1.21	45.4	23.6	30.7	4.6	7.5	8.8
	AFT			90		82		85		87	98									
1011-1	FWD	160	90	84	350	78	80	96	80	78	87	0.77	0.39	0.97	45.1	28.9	31.1	2.3	5.3	8.8
	AFT	161		84		77		86		83	93									
1012-1	FWD	156	85	92	—	—	80	91	80	84	98	0.68	0.51	—	47.1	33.2	—	1.8	4.8	—
	AFT			91				87		89	100									
1012-2	FWD	157	85	91				89		84	91	0.97	0.77	0.51	45.2	30.7	20.4	3.9	3.3	8.0
	AFT			89				96		85	98									
1013-1	FWD	158	85	89	—	—	80	94	80	85	99	0.64	0.32	1.34	36.9	29.0	32.3	3.7	7.8	8.2
	AFT	159		77				97		81	103	0.64	0.32	1.34	36.5	29.0	32.3	4.5	8.6	8.2
1014-1	FWD	162	80	87	—	—	80	78	80	74	86	0.62	0.41	1.46	35.0	36.1	38.5	2.2	6.2	8.8
	AFT			83				80		95	107	0.62	0.41	1.44	34.8	36.0	38.3	3.3	2.8	8.3
1014-2	FWD	139	80	83				75		70	77	1.08	0.55	—	38.4	36.4	—	1.4	6.4	—
	AFT			86				84		80	88	1.06	0.59	—	38.1	36.0	—	3.2	2.2	—
1015-1	FWD	138	85	87	—	—	80	76	80	90	—	0.65	0.38	0.53	47.0	29.4	38.2	5.0	5.8	7.8
	AFT			87				73		97		0.64	0.39	0.53	46.9	29.2	38.2	6.3	3.4	8.8
1015-2	FWD	141	85	83				72		89		*								*
	AFT			82				72		90										
1016-1	FWD	132	85	85	—	—	80	56	80	81	—	0.72	0.83	2.01	48.9	30.2	40.4	2.0	5.5	10.8
	AFT			83				61		94		0.72	0.83	2.01	48.4	30.1	40.4	2.8	3.4	7.4
1016-2	FWD	133	85	90				55		92		0.83	0.93	2.19	42.2	27.2	39.9	1.5	4.9	8.8
	AFT			91				86		91		0.83	0.93	2.19	42.2	27.3	39.9	2.3	3.3	7.1
1017-1	FWD	140	85	72	—	—	80	87	80	78	86	0.49	0.76	2.50	35.5	32.2	38.4	3.3	9.8	11.6
	AFT			75				70		94	107	0.49	0.76	2.49	35.3	32.0	38.3	4.3	8.3	8.1
1017-2	FWD	165	85	85				65		80	94	0.69	0.45	—	36.5	34.0	—	1.8	6.2	—
	AFT			85				69		86	101	0.69	0.45	—	36.3	33.8	—	2.3	8.3	—
1018-1	FWD	122	85	79	—	—	80	70	80	82	92	0.91	0.48	—	47.4	36.7	—	3.4	8.6	—
	AFT			77				74		96	109	0.90	0.47	—	48.2	36.2	—	3.2	3.7	—
1018-2	FWD	123	85	84				78		77	89	0.84	0.63	—	34.7	30.7	—	3.1	8.6	—
	AFT			88				71		91	103	0.85	0.63	—	34.8	30.7	—	2.8	4.1	—

* DATA NOT PRESENTLY AVAILABLE

TABLE 18-2

PERFORMANCE SUMMARY

MISSION NUMBER	CAMERA	SERIAL NUMBER	M I P VALLE	VISUAL RES	AFSPPL MTF/AIM SLIT (μ)	AFSPPL MTF/AIM AVERAGE	[redacted] SLIT (μ)	[redacted] AVERAGE	[redacted] AVERAGE ALL	[redacted] AVERAGE HIGH	90% ATTITUDE ERROR (°) PITCH	90% ATTITUDE ERROR (°) ROLL	90% ATTITUDE ERROR (°) YAW	90% ATTITUDE RATES (°/HR) PITCH	90% ATTITUDE RATES (°/HR) ROLL	90% ATTITUDE RATES (°/HR) YAW	90% V/H ERROR (%)	90% RESOLUTION LIMIT (FEET) ALONG TRACK	90% RESOLUTION LIMIT (FEET) CROSS TRACK
1019-1	FWD	118	85	81	—	—	80	78	88	104	0.43	0.36	0.97	31.6	34.7	33.0	3.3	9.3	9.1
	AFT	119		99				83	87	101	0.44	0.37	0.96	31.6	34.9	33.1	3.8	8.0	8.8
1020-1	FWD	136	80	88	—	—	80	69	78	90	0.46	0.35	0.78	37.4	31.8	28.7	5.4	5.8	8.4
	AFT			89				82	94	105	0.46	0.35	0.78	37.4	31.8	28.7	5.3	4.2	7.9
1020-2	FWD	137	—	—				—	—	—	0.41	0.17		42.6	23.8	42.5	3.5	6.4	7.6
	AFT			—				—	—	—	0.41	0.17		42.6	23.8	42.5	3.4	4.8	8.8
1021-1	FWD	166	85	88	—	—	80	77	86	99	0.55	0.37	0.81	34.9	32.6	26.2	2.7	8.8	8.9
	AFT			90				90	98	109	0.55	0.38	0.81	34.8	33.0	26.3	5.4	8.6	8.8
1021-2	FWD	167	85	85				74	88	112	0.59	0.65	—	44.7	50.6	—	3.1	9.2	—
	AFT			74				62	—	—	—	—	—	—	—	—	—	—	—
1022-1	FWD	168	85	88	—	—	80	66	78	91	0.47	0.51	0.89	28.3	27.1	23.8	3.5	9.8	8.8
	AFT			91				83	101	111	0.47	0.51	0.90	27.9	26.6	23.8	3.0	8.2	8.1
1022-2	FWD	169	85	90				68	74	84	0.40	0.51	0.90	29.4	27.3	31.0	2.8	8.0	8.4
	AFT			92				92	99	110	0.40	0.51	0.90	29.4	27.3	31.1	1.8	4.9	8.9

TABLE 18-3

EXPOSURE - PROCESSING SUMMARY

MISSION NUMBER	CAMERA	SOLAR ELEVATION RANGE (°)		SOLAR AZIMUTH RANGE (°)		PREDICTED PROCESSING (%)			REPORTED PROCESSING (%)			COMPUTED PROCESSING (%)			TERRAIN D-MIN RANGE				TERRAIN D-MAX RANGE				CLOUD D-MAX RANGE				UNDER EXPOSED (%)	UNDER PROCESSED (%)	NOMINAL EXP & PRO (%)	OVER PROCESSED (%)	OVER EXPOSED (%)	CLOUD COVER (%)
		LOW	HIGH	LOW	HIGH	P	I	F	P	I	F	P	I	F	LOW	HIGH	MEAN	MEDIAN	LOW	HIGH	MEAN	MEDIAN	LOW	HIGH	MEAN	MEDIAN						
1004-1	FWD	-3	61	25	124	3	76	19	4	79	17	0	79	21	0.26	1.89	0.83	0.78	0.43	2.43	1.97	2.02	1.00	2.43	2.04	2.08	0	4	60	31	5	35
	AFT	-3	61	25	124	3	74	21	4	79	17	0	80	20	0.22	1.56	0.76	0.70	0.93	2.45	1.92	1.94	1.08	2.43	1.98	2.03	1	4	67	26	3	35
1004-2	FWD	-4	68	10	131	7	76	17	37	50	13	4	83	13	0.29	1.80	0.83	0.78	0.36	2.30	1.84	1.90	0.41	2.37	1.87	1.93	0	4	59	27	9	36
	AFT	-4	68	10	131	7	76	17	37	50	13	4	77	19	0.29	1.91	0.81	0.73	0.36	2.39	1.89	1.99	0.43	2.46	1.89	1.98	0	4	67	20	9	35
1006-1	FWD	38	56	52	140	1	99	0	1	51	48	0	51	49	0.23	1.81	0.71	0.68	0.80	2.31	1.58	1.52	1.31	2.40	2.20	2.24	0	5	72	21	1	80
	AFT	38	56	52	140	1	99	0	0	23	77	0	24	76	0.36	1.66	0.87	0.84	0.96	2.35	1.72	1.72	1.14	2.40	2.24	2.28	0	1	58	40	1	80
1006-2	FWD	32	64	36	147	2	98	0	30	41	29	11	59	30	0.21	1.14	0.53	0.50	0.56	2.28	1.49	1.50	1.30	2.33	2.11	2.16	2	21	72	4	0	45
	AFT	32	64	36	147	2	98	0	35	40	25	21	54	25	0.26	1.34	0.62	0.58	0.65	2.19	1.48	1.47	1.56	2.30	2.12	2.18	0	11	77	9	3	48
1007-1	FWD	12	49	50	103	0	5	95	1	20	79	0	25	75	0.26	1.22	0.52	0.47	0.62	2.20	1.44	1.40	1.22	1.36	2.17	2.21	20	8	67	5	0	80
	AFT	11	49	48	102	0	100	0	10	42	48	6	77	17	0.26	1.76	0.58	0.55	0.78	2.31	1.82	1.52	1.54	2.39	2.20	2.24	1	13	80	8	1	80
1007-2	FWD	32	57	43	112	0	25	75	3	28	69	0	26	74	0.26	1.23	0.51	0.48	0.70	2.32	1.44	1.40	0.90	2.37	2.15	2.20	18	9	71	2	0	85
	AFT	31	57	38	111	0	100	0	19	41	40	3	88	9	0.24	1.56	0.60	0.56	0.44	2.27	1.50	1.52	0.84	2.41	2.17	2.25	1	16	74	9	1	88
1008-1	FWD	30	51	50	102	0	100	0	4	32	64	1	35	64	0.32	1.48	0.66	0.62	0.78	2.24	1.55	1.54	1.46	2.35	2.21	2.24	2	2	86	8	1	48
	AFT	30	51	50	102	0	100	0	4	27	69	0	34	66	0.32	1.57	0.71	0.69	0.81	2.21	1.57	1.58	1.08	2.37	2.21	2.24	1	1	84	13	0	48
1008-2	FWD	29	56	42	105	0	100	0	3	31	66	0	27	73	0.14	1.81	0.76	0.72	0.57	2.10	1.54	1.55	1.09	2.40	2.20	2.25	2	1	73	23	1	85
	AFT	29	56	42	105	0	100	0	3	30	67	0	29	71	0.32	1.64	0.77	0.76	0.73	2.10	1.55	1.55	1.10	2.35	2.18	2.22	1	3	69	27	0	85
1009-1	FWD	12	49	42	132	0	100	0	1	26	73	0	34	66	0.32	1.40	0.65	0.62	0.85	2.41	1.53	1.52	0.83	2.51	2.30	2.35	5	4	77	14	0	80
	AFT	12	49	42	132	0	100	0	0	40	60	0	45	55	0.28	1.42	0.70	0.64	0.92	2.28	1.58	1.55	0.63	2.51	2.32	2.36	1	3	73	20	0	80
1009-2	FWD	23	58	35	138	2	98	0	3	21	76	0	40	60	0.29	1.55	0.69	0.64	0.73	2.37	1.53	1.53	1.06	2.45	2.25	2.30	4	4	74	17	0	85
	AFT	23	58	35	138	2	98	0	4	47	49	0	56	44	0.26	1.47	0.69	0.64	0.44	2.42	1.61	1.60	1.61	2.60	2.31	2.34	1	4	77	18	0	85
1010-1	FWD	18	47	45	83	0	21	79	0	13	87	0	9	91	0.28	1.14	0.52	0.47	0.43	2.32	1.58	1.52	1.11	2.42	2.16	2.20	18	3	75	4	0	48
	AFT	18	47	45	83	0	21	79	0	19	81	0	16	84	0.27	1.25	0.57	0.52	0.78	2.42	1.45	1.41	0.96	2.46	2.20	2.26	9	4	81	6	0	48
1010-2	FWD	15	52	38	76	0	50	50	0	16	84	0	13	87	0.26	1.51	0.55	0.50	0.52	2.36	1.41	1.39	1.00	2.44	2.14	2.20	22	4	67	6	0	48
	AFT	15	52	38	76	0	50	50	0	23	77	0	25	75	0.20	1.48	0.59	0.56	0.30	2.40	1.47	1.45	1.29	2.48	2.19	2.27	13	3	76	8	0	48
1011-1	FWD	2	55	33	66	0	64	36	2	23	75	2	23	75	0.18	0.93	0.50	0.46	0.56	2.38	1.48	1.43	0.78	2.40	2.07	2.16	17	11	70	2	0	40
	AFT	2	55	33	66	0	67	33	3	47	50	0	37	63	0.24	1.48	0.60	0.56	0.50	2.35	1.57	1.55	0.74	2.37	2.11	2.18	3	7	81	8	0	40
1012-1	FWD	0	45	38	71	0	64	36	7	56	37	0	65	35	0.25	1.30	0.53	0.53	0.54	2.39	1.40	1.42	0.90	2.39	1.93	2.00	6	17	68	10	0	60
	AFT	0	45	38	71	0	64	36	0	33	67	0	49	51	0.26	1.40	0.61	0.58	0.47	2.27	1.44	1.40	0.72	2.32	1.89	1.96	5	10	74	11	0	60
1012-2	FWD	0	57	34	106	0	77	23	6	44	50	0	49	51	0.30	1.20	0.58	0.55	0.73	2.32	1.49	1.42	0.67	2.34	1.91	2.00	4	9	80	7	0	48
	AFT	0	57	34	106	0	77	23	3	15	82	0	10	90	0.30	1.27	0.68	0.62	0.48	2.33	1.55	1.58	0.70	2.38	1.96	2.02	4	0	72	23	0	40
1013-1	FWD	0	56	28	83	0	64	36	0	42	58	0	55	45	0.20	1.66	0.58	0.36	0.52	2.29	1.56	1.59	1.21	2.41	2.03	2.10	7	13	78	4	0	45
	AFT	0	56	28	82	0	64	36	2	7	91	0	33	67	0.28	1.56	0.66	0.48	0.64	2.28	1.89	1.63	1.10	2.36	1.97	2.03	5	5	74	16	0	42
1014-1	FWD	0	59	15	71	0	21	79	1	38	61	0	63	37	0.17	0.99	0.40	0.36	0.28	2.36	1.40	1.42	1.01	2.38	1.94	2.05	27	33	39	1	0	60
	AFT	0	59	14	69	0	31	69	0	13	87	0	36	64	0.18	1.26	0.51	0.48	0.25	2.38	1.42	1.49	0.42	2.43	1.91	2.00	19	12	64	5	0	40
1014-2	FWD	0	77	0	36	0	21	79	0	26	74	0	61	39	0.17	1.06	0.36	0.31	0.23	2.32	1.30	1.36	0.42	2.36	1.72	1.80	31	40	27	2	0	40
	AFT	0	76	0	34	0	29	71	0	5	95	0	68	32	0.18	1.49	0.44	0.40	0.27	2.28	1.34	1.45	0.26	2.44	1.71	1.84	19	29	50	2	0	40
1015-1	FWD	5	68	19	68	0	8	92	2	2	96	0	2	98	0.29	1.70	0.54	0.47	0.54	2.28	1.44	1.46	0.46	2.41	1.86	1.90	28	0	65	7	0	45
	AFT	4	68	18	67	0	30	70	0	5	95	0	4	96	0.29	1.20	0.60	0.56	0.46	2.28	1.49	1.50	0.80	2.36	1.86	1.95	14	0	77	8	0	48
1015-2	FWD	0	80	-2	71	0	10	90	0	10	90	0	11	89	0.22	1.10	0.50	0.46	0.34	2.07	1.29	1.30	0.28	2.34	1.69	1.78	28	4	65	3	0	40
	AFT	0	79	-2	71	0	21	79	0	9	91	0	9	91	0.26	1.21	0.59	0.52	0.36	2.22	1.37	1.38	0.38	2.40	1.74	1.80	17	1	70	12	0	40
1016-1	FWD	5	69	13	76	0	7	93	1	41	58	0	59	41	0.13	1.55	0.51	0.45	0.70	2.43	1.67	1.68	0.85	2.44	1.91	1.90	19	17	56	8	1	45
	AFT	4	69	12	76	0	27	73	0	26	74	0	42	58	0.22	1.65	0.64	0.58	0.62	2.34	1.69	1.72	0.98	2.46	1.90	1.92	11	9	62	17	1	45
1016-2	FWD	1	84	-4	76	0	8	92	0	31	69	0	48	52	0.18	1.56	0.48	0.44	0.29	2.35	1.45	1.44	0.34	2.50	1.76	1.82	22	18	58	3	0	40
	AFT	0	84	-4	76	0	19	81	1	27	72	0	40	60	0.20	1.88	0.55	0.49	0.28	2.32	1.82	1.60	0.30	2.49	1.75	1.82	23	5	65	6	1	40
1017-1	FWD	-11	50	21	99	0	0	100	13	63	24	0	82	18	0.20	1.65	0.66	0.61	0.48	2.23	1.74	1.78	0.60	2.32	1.93	2.00	1	8	77	13	1	25
	AFT	-1	57	19	98	0	17	83	24	58	18	4	90	6	0.20	1.62	0.64	0.60	0.60	2.28	1.78	1.75	1.18	2.36	1.89	1.90	1	13	74	11	2	25
1017-2	FWD	1	78	9	139	0	0	100	5	62	33	7	77	16	0.22	1.22	0.58	0.55	0.37	2.30	1.70	1.80	0.86	2.37	1.93	1.94	3	14	74	9	0	30
	AFT	1	79	7	135	0	7	93	18	62	20	0	89	11	0.20	1.54	0.64	0.62	0.30	2.30	1.82	1.68	0.38	2.34	1.85	1.92	2	13	74	10	1	30
1018-1	FWD	6	77	13	134	0	0	100	9	63	28	1	83	16	0.19	1.46	0.56	0.52	0.66	2.22	1.86	1.73	1.00	2.32	1.96	1.99	2	19	71	7	0	35
	AFT	6	78	10	125	0	22	78	9	53	38	5	72	23	0.18	1.36	0.62	0.58	0.68	2.20	1.88	1.80	1.03	2.28	1.95	2.00	1	12	77	8	2	35
1018-2	FWD	8	77	14	134	0	0	100	18	74	8	17	79	4	0.16	1.78	0.57	0.49	0.90	2.24	1.80	1.84	0.90	2.26	1.85	1.91	1	31	86	8	4	48
	AFT	8	77	10	132	0	15	85	1	50	49	0	74	26	0.22	1.50	0.81	0.79	0.94	2.26	1.70	1.74	1.09	2.35	1.98	2.04	0	8	58	33	2	49

TABLE 18-3

EXPOSURE - PROCESSING SUMMARY

MISSION NUMBER	CAMERA	SOLAR ELEVATION RANGE (°)		SOLAR AZIMUTH RANGE (°)		PREDICTED PROCESSING (%)			REPORTED PROCESSING (%)			COMPUTED PROCESSING (%)			TERRAIN D-MIN				TERRAIN D-MAX				CLOUD D-MAX				UNDER EXPOSED (%)	UNDER PROCESSED (%)	NOMINAL EXP & PRO (%)	OVER PROCESSED (%)	OVER EXPOSED (%)	CLOUD COVER (%)
															RANGE				RANGE				RANGE									
		LOW	HIGH	LOW	HIGH	P	I	F	P	I	F	P	I	F	LOW	HIGH	MEAN	MEDIAN	LOW	HIGH	MEAN	MEDIAN	LOW	HIGH	MEAN	MEDIAN						
1019-1	FWD	24	70	24	152	0	21	79	22	32	46	4	56	40	0.26	1.92	0.71	0.61	0.60	2.15	1.45	1.50	0.84	2.26	1.94	2.00	4	7	64	17	7	48
	AFT	23	70	21	152	0	92	8	26	55	19	3	87	10	0.13	1.70	0.68	0.60	0.39	2.26	1.46	1.45	0.80	2.30	1.96	2.02	1	13	70	14	3	48
1020-1	FWD	30	75	19	156	0	19	81	13	48	39	1	58	41	0.23	1.30	0.55	0.52	0.80	2.28	1.57	1.54	1.40	2.38	2.10	2.16	1	18	78	4	0	48
	AFT	29	75	17	156	0	64	36	15	56	29	0	74	26	0.23	1.20	0.55	0.54	0.70	2.20	1.47	1.46	1.22	2.29	2.04	2.10	0	18	76	8	0	48
1020-2	FWD	47	69	18	35	INSUFFICIENT DATA																										
	AFT	46	68	17	33																											
1021-1	FWD	15	66	-148	-23	0	68	32	14	39	47	1	52	47	0.25	1.90	0.64	0.58	0.74	2.18	1.50	1.50	0.97	2.36	1.92	2.00	5	9	72	11	3	36
	AFT	14	66	-147	-25	0	99	1	15	38	47	0	57	43	0.17	1.70	0.65	0.57	0.54	2.24	1.45	1.42	0.85	2.30	1.90	2.00	5	-5	75	12	3	36
1021-2	FWD	13	52	-133	-41	0	29	71	13	41	46	0	57	43	0.18	1.52	0.54	0.50	0.60	2.36	1.36	1.34	1.05	2.23	1.82	1.85	14	13	66	6	0	20
	AFT	13	52	-133	-41	0	100	0	53	25	22	0	50	50	0.33	1.38	0.76	0.76	0.70	2.30	1.82	1.50	1.30	2.36	1.94	1.94	6	0	71	21	1	20
1022-1	FWD	28	67	30	150	0	36	64	8	36	56	0	42	58	0.18	1.49	0.45	0.40	0.54	2.42	1.57	1.60	1.32	2.55	2.24	2.29	30	19	47	3	0	36
	AFT	27	67	28	150	0	89	11	7	42	51	0	53	47	0.24	1.48	0.57	0.50	0.52	2.30	1.63	1.68	1.30	2.47	2.21	2.25	4	15	71	9	1	36
1022-2	FWD	29	74	21	152	0	8	92	1	37	62	0	43	57	0.20	0.99	0.39	0.35	0.62	2.65	1.45	1.45	1.16	2.45	2.23	2.28	35	28	35	1	0	48
	AFT	28	74	19	152	0	100	0	10	44	46	0	53	47	0.21	1.40	0.48	0.44	0.50	2.32	1.91	1.52	1.45	2.49	2.25	2.28	10	25	61	4	0	48

ESTIMATED RELIABILITY SUMMARY

(AT 50% CONFIDENCE LEVEL)

MISSION NUMBER	PRIMARY FUNCTIONS						SECONDARY FUNCTIONS	
	PANORAMIC CAMERA	PANORAMIC CAMERA DOORS	COMMAND & CONTROL SYSTEM	PAYLOAD CLOCK	ON-ORBIT FUNCTIONS	RECOVERY SYSTEM	STELLAR-INDEX CAMERAS	HORIZON CAMERAS
	SAMPLE OPERATIONS / FAILURES / RELIABILITY	SAMPLE CYCLES / FAILURES / RELIABILITY	SAMPLE HOURS / FAILURES / RELIABILITY	SAMPLE HOURS / FAILURES / RELIABILITY	RELIABILITY	SAMPLE CAPSULES / FAILURES / RELIABILITY	SAMPLE CYCLES / FAILURES / RELIABILITY	SAMPLE CYCLES / FAILURES / RELIABILITY
9038 To 1008	60 / 1 / 97.3	52 / 0 / 98.6	3124 / 0 / 98.0	3124 / 0 / 98.0	96.1	18 / 1 / 90.7	3400 / 3 / 83.1	12,000 / 0 / 91.7
1009	64 / 1 / 97.4	54 / 0 / 98.7	3216 / 0 / 98.0	3216 / 0 / 98.0	96.2	20 / 1 / 91.5	4250 / 3 / 89.3	15,000 / 0 / 93.4
1010	68 / 1 / 97.6	56 / 0 / 98.8	3432 / 0 / 98.1	3432 / 0 / 98.1	96.4	22 / 1 / 92.5	5100 / 3 / 73.7	18,000 / 0 / 94.4
1011	72 / 1 / 97.7	58 / 0 / 98.9	3600 / 0 / 98.1	3600 / 0 / 98.1	96.8	24 / 1 / 93.0	5525 / 0* / 94.7	21,000 / 0 / 96.2
1012	76 / 1 / 97.8	60 / 0 / 98.9	3720 / 0 / 98.2	3720 / 0 / 98.2	96.9	26 / 1 / 93.8	5525 / 0 / 94.7	24,000 / 0 / 96.8
1013	78 / 1 / 97.8	62 / 0 / 99.0	3940 / 1 / 96.9	3940 / 0 / 98.3	96.0	28 / 1 / 94.0	5950 / 0 / 95.1	25,500 / 0 / 96.8
1014	82 / 1 / 97.9	64 / 0 / 99.0	4066 / 1 / 96.1	4066 / 0 / 98.3	96.1	30 / 1 / 94.4	6375 / 1 / 89.6	28,500 / 0 / 96.4
1015	86 / 1 / 98.0	66 / 0 / 99.0	4320 / 1 / 96.3	4320 / 0 / 98.4	96.1	32 / 1 / 94.8	7225 / 1 / 90.4	31,500 / 0 / 96.7
1016	90 / 1 / 98.1	68 / 0 / 99.0	4560 / 1 / 96.5	4560 / 0 / 98.5	96.4	34 / 1 / 95.2	7650 / 1 / 91.0	34,500 / 0 / 97.0
1017	94 / 0* / 99.3	70 / 0 / 99.0	4760 / 1 / 96.7	4760 / 0 / 98.6	97.6	36 / 1 / 95.4	8925 / 1 / 92.3	37,500 / 0 / 97.3
1018	98 / 1 / 98.3	72 / 0 / 99.1	4920 / 1 / 96.8	4920 / 0 / 98.7	96.7	38 / 1 / 95.6	8960 / 1 / 92.3	40,500 / 0 / 97.5
1019	102 / 1 / 98.4	74 / 0 / 99.1	5136 / 1 / 96.9	5136 / 0 / 98.7	96.8	39 / 1 / 95.8	8075** / 1 / 91.5	43,500 / 0 / 97.6

* DESIGN FIX NEGATES PREVIOUS FAILURE CONSIDERATIONS

** 1000 SAMPLE OUT OF SEQUENCE

ESTIMATED RELIABILITY SUMMARY

(AT 50% CONFIDENCE LEVEL)

MISSION NUMBER	PRIMARY FUNCTIONS						SECONDARY FUNCTIONS	
	PANORAMIC CAMERA	PANORAMIC CAMERA DOORS	COMMAND & CONTROL SYSTEM	PAYLOAD CLOCK	ON-ORBIT FUNCTIONS	RECOVERY SYSTEM	STELLAR-INDEX CAMERAS	HORIZON CAMERAS
	SAMPLE / FAILURES / RELIABILITY	SAMPLE / FAILURES / RELIABILITY	SAMPLE / FAILURES / RELIABILITY	SAMPLE / FAILURES / RELIABILITY	RELIABILITY	SAMPLE / FAILURES / RELIABILITY	SAMPLE / FAILURES / RELIABILITY	SAMPLE / FAILURES / RELIABILITY
1020	108 / 1 / 98.8	78 / 0 / 99.1	5544 / 1 / 97.1	5544 / 0 / 98.9	96.9	43 / 1 / 96.1	10,650 / 2 / 89.9	48,000 / 0 / 97.9
1021	104 / 1 / 98.8	78 / 0 / 99.1	5376 / 1 / 97.0	5376 / 0 / 98.8	96.9	41 / 1 / 96.0	9830 / 2 / 89.1	46,500 / 0 / 97.8
1022	112 / 1 / 98.5	80 / 0 / 99.2	5784 / 1 / 97.3	5784 / 0 / 98.9	96.9	45 / 1 / 96.3	11,650 / 2 / 90.7	51,000 / 0 / 98.0

Distribution:

Copy No. To