-SEOILL.

BYE-4077-64 Copy 2 of 3

18 February 1964

REPORT 162 STOPPER - NEW IDEA

RECOMMENDATION:

In addition to the tracker which I suggested in report 126,

I have had a second idea that I would like to propose. I have EDL working on the engineering for it. I propose that this idea replace Logic S in the proposal for STOPPER II. As I have reported before Logic S is not, in my opinion, of marginal value. This idea looks good to me but maybe I am biased in favor of my idea.

The idea would be as follows: each time Logic A is activated, a measuring circuit much simpler than Logic S would be activated to measure the spaces between the next ten or so pulse. This would be recorded on the commutator and be read out thereby giving us a very accurate picture of the train of pulses that had tripped Logic A. This is good environmental data -- much better than Logic S -- and will have no redundancy in its output. The addition of this idea -- let us call it Logic Q and the tracker of report 126 will be less involved than Logic S would have been.

RECOMMENDATION: That we build STOPPER II as proposed by EDL -- less

Logic S plus the tracker stick of report (which tells us (a) it sees a 98 PGS

signal and (b) that signal is or is not tracking us (constant amplitude

pulses) and plus Logic Q, a series of n pulse spaces separations following

HANDLE VIA BYELGEN CONTROL SYSTEM



Onder 1 Excluded from automatic downgrading and doctassification



BYE-4077-64 Page 2

an activation of Logic A.

This looks like a good package to me. We await your decision.

Distribution:

- WALL OF CEL

2 - AD/OSA

3 - OEL Registry

dt/6941

Typed 25 Feb 64

