C03107613

NRO APPROVED FOR RELEASE 1 AUGUST 2015 Handle via BYEMAN Control System Only



SA (COMOR)/DDS&T

COMOR-D-65/10

16 April 1964

MEMORANDUM FOR:

Committee on Overhead Reconnaissance

SUBJECT:

Satellite ROB Coverage of TALL KING Radars

At the COMOR meeting of 16 April, the COMOR after consideration of the DIA report on SAC's needs (see COMOR-D-65/9) agreed to submit the attached requirement to the NRO. By publication of this document for the information and reference of COMOR, it is also officially transmitted to the NRO for its attention.

he

James Q. Reber Chairman Committee on Overhead Reconnaissance

Attachment Subject paper

Copies 2,3	State TCO
4	DIA (Col. Ainsworth)
5	DIA (Maj. Shepherd)
6,7,8,9	DIA TCO
10	OACSI TCO
11, 12	ONI TCO
13, 14, 15, 16	AFNIN TCO
17,18	NSA TCO
19,20	NRO TCO

BYE-2642-64 Copy 51 of 52

Handle via BYEMAN Control System Only SECRF1

TOP SECRET

C03107613 NRO APPROVED FOR RELEASE 1 AUGUST 2015 Handle via BYEMAN Control System Only

COMOR-D-65/10

16 April 1964

MEMORANDUM FOR: National Reconnaissance Office

ATTENTION: Director, NRO Staff

SUBJECT:

2.

Satellite ROB Coverage of TALL KING Radars

l. A priority need exists for a quarterly update of the TALL KING radar deployment.

Collection tolerances relative to this objective:

a. Location (An accuracy of within 25 nm radius is acceptable, 10 nm radius is desired.)

b. RF (+ 5%)

c. Modulation Characteristics

(1) PRF (+10%)

(2) PW (+20%)

d.

Scan Rate (Cir) (+ 10%)

James Q. Reber Chairman Committee on Overhead Reconnaissance

2

BYE-2642-64

-TOP-SECRET

Handle via BYEMAN Control System Only

C03107613

NRO APPROVED FOR RELEASE 1 AUGUST 2015 Handle via BYEMAN Control System Only

TOP SECRET

COMOR-D-65/10

Сору	1	DCI TCO for USIB/S
- 4. A	21	TSO CIA
	22	
23	-31	Asst/OPS(NPIC)
	32	DDI TCO
33	, 34	CGS
35	, 36	CIA COMOR Member
	37	CGS ReqBr/ReconGrp
	38	Ch/COMOR Wkg Grp
	39	AD/SI
	40	DDP TCO
	41	DDS&T TCO
	42	AD/EL
	43	AD/SA
	44	FA/OSA
	45	ID/OSA
	46	SS/OSA
	47	SAL/OSA
	48	RB/OSA
40	9-52	SA(COMOR)DDS&T

3

TOP SECRET_

BYE-2642-64

Handle via BYEMAN Control System Only