

Revision A 30 July 1964

TO:

Distribution

SUBJECT: REVISION TO LAUNCH REQUIREMENTS - VEHICLE 1605

The following change concerning PANORAMIC LENS SETTINGS is made effective this date.

PANORAMIC LENS SETTINGS

INSTRUMENT NO. 1 (MASTER)

INSTRUMENT NO. 2 (SLAVE)

SLIT DIMENSIONS

 $.200 \times 2.278$


.200 x 2.278

The following change concerning LAUNCH WINDOW is made effective this date:

LAUNCH WINDOW

2300 - 2400 (Subject to change up to launch day)

Distribution



APPROVED

Flight Operations

Systems Integration

Systems Engineering

Special Staff

Resident Officer

Declassified and Released by the NR C

In Accordance with E. O. 12958

NOV 26 1997

	400														3 1	05		4			
70 2-5-2 of				****								8						62			
3. 8. 0. 45.					~ .		- 200			4		23			56 63	**	7. A.	E7			
5 1.24 Day 3		181	To describe above an open a maps	Made they then a to		***	18		\$ V				er <u>a</u> ni.	40] .	1 - T		40	Service of the servic		
2 38 Day 2		PERF	SUPPORT	***************************************	and the supplemental state of the supplement		964F E		5		See Mil		25	7				35			
22 Day 1		V	STC	B	7 4		~ ************************************		,		£ 🏟	**	हि न		ःट ग ्र						
6 Launch		STC	The second section of the sect	A/P			8/p	-STe-	 Y			9 1						0		7040 m	
rl) Telephone												2.4						1 ₂₀ .			
Name									5 (70											10,000	

PERF EST - TIME PERF EST - TIME PERF EST PERF EST 1988 EST 1988 EST	Est Kedd			
PERF. STC. TIM BERF. SUPPORT PERF	PPORT CORECL KEQ1			and the state of t
SER - TIN PERF SUPPORT PERF 88	PPORT CORKEL KEQ!			and the same of the same
PERF SUPPORT PERF 88	CORCEL KEQ1			
2E. R. F. SUPPORT PERF 79 88 10	K EQ.			
PERF 55-6-50 PPORT 79 88 6 94 10	_			1
85 SUPPORT 79 88 294 10				i
576 SUPPORT 79 88 79 94 10				7 1 1
79 88 5 94 lo		•		
79 88 79 94 lo				
98 98 98 99 01				
80 80 80 80 80 80 80 80 80 80 80 80 80 8			1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	*
80 80 40				-
94	****		€	
94				意 ない ない とうしゃ
	4		74	
60 60		61	2	
	- 01	119		
72 94 103		184 R	13.5	
72	şve -	126 R	135	
7040,0030mine	***	4-0		