una A Approved for Release: 2025/06/18 C05137298

ZCZCXQA489IAA602 PP RUXQAA DE RUXQIA 286 1551900 ZNY XXXXX ZKZ ZNM P 041900Z BT XXXXX GUARD Ø35 CATOR Ø39 GUARD PASS WHIG WAHOO CATOR PASS CHARGE

DISTRIBUTION SAPSS A | I 55-4 59-7

SECRET 041900Z JUN 74 CITE ETHER 0286. WHIG INFOR CHARGE WAHOO SECUR HEXAGON TALENT KEYHOLE WHIG FOR PEAKE CHARGE FOR D. BERGANINI, WAHOO FOR G. SMITH. SUBJECT: MEETING TO DISCUSS POSSIBLE APPROACHES FOR ATTITUDE CAPABILITY FOR THE HEXAGON PAN CAMERA. 1. REFERENCES:

A. MESSAGE, CITE WHIG 0073, 161845 Z JAN 74, SUBJECT: HEXAGON PAN CAMERA-MAPPING APPLICATIONS STUDIES.

B. MEMORANDUM FOR THE CHAIRMAN, COMIREX, 16 APR 74, SUBJECT: HEXAGON PAN MAPPING APPLICATIONS STUDIES, BYE-47539-74.

C. TELECON BETWEEN H. PEAKE AND J. WEBB, 3 JUN 74, SUBJECT: MEETING REGARDING ATTITUDE CAPABILITY FOR THE HEXAGON PAN CAPERA

PAGE 2 ETHER 0286 TOPS 2. REFERENCE A. REQUESTED THAT ETHER PROVIDE REQUIREMENTS FOR ATTITUDE ACCURACY. THIS WAS ACCOMPLISHED BY REFERENCE B. FOR THE PURPOSE OF REVIEW THE FOLLOWING IS EXTRACTED FROM REFERENCE B. ETHER HAS ANALYZED A PROJECTED ERROR BUDGET FOR A PAN STAND-ALONE SUBSYSTEM INCORPORATING ALL THE RECOMMENDED IMPROVEMENTS. THE TOTAL ERROR BUDGET COMPUTATIONS WERE MADE CONSIDERING ABSOLUTE ATTITUDE AT 5,6, 10 AND 15 ARC SECONDS AT THE OPTICAL AXIS. THESE COMPUTATIONS MAKE IT POSSIBLE TO COMPARE POTENTIAL CAPABILITIES VERSUS THE VALIDATED G AND G TECHNICAL OBJECTIVE FOR THE ADVANCED ICBM WHICH STATES A RANGE OF 100 TO 165 FEET (CEP). THE FOLLOWING TABLE PROVIDES THE SATISFACTION LEVEL IN TERMS OF APPLICABLE PORTIONS OF THE SCAN FORMAT IN DEGREES RELATIVE TO ATTITUDE ACCURACY CAPABILITY AND THE ADVANCED ICBM RANGE:

AND THE PARTY OF T

DOLLING SYSTEM

ADVANCED ICBM RANGE (FEET)

SYSTEM ATTITUDE CAPABILITY 100 125 165

5-6 ARC SEC 0-30 0-45 0-60

10 ARC SEC - 0-15 0-45

15 ARC SEC - 0-30

AS CAN BE SEEN FROM THE ABOVE TABLE, TO SATISFY THE OBJECTIVE RANGE OF THE ADVANCED ICBM OVER THE FULL PAN FORMAT WOULD REQUIRE AS A

PAGE 3 ETHER 0286 TO PSECRET
MINIMUM, ATTITUDE CAPABILITY OF 5-6 ARC SECONDS ON EACH AXIS. A
LESSER CAPABILITY OF 10 OR 15 ARC SEC WOULD PERMIT SOME LIMITED
APPLICATION AT THE MID AND UPPER OBJECTIVE RANGE: HOWEVER IT IS
EMPHASIZED THAT SATISFACTION OF THE TOTAL OBJECTIVE RANGE WITH A
PAN STAND-ALONE SYSTEM THROUGHOUT ITS FORMAT WOULD REQUIRE 5-6 ARC
SEC RO BETTER ATTITUDE CAPABILITY.
3. DISCUSSIONS BETWEEN WHIG AND ETHER OVER THE PAST FOUR MONTHS,
CULMINATING IN REFERENCE C., INDICATE THAT STUDIES HAVE PROGRESSED
TO THE POINT WHERE A MEETING BETWEEN THE INTERESTED PARTIES TO
DISCUSS POSSIBLE APPROACHES IS APPROPRIATE AND POSSIBLE, ETHER
REQUESTS IF POSSIBLE THAT THIS MEETING BE HELD DURING THE WEEK OF
24 JUN 74. OUR SPECIFIC AREAS OF INTEREST FOR THE MEETING ARE A
DISCUSSION OF THE VARIOUS TECHNICAL APPROACHES, ACCURACY OF EACH,
INTERFACE REQUIREMENTS, TIME FRAME FOR IMPLEMENTATION, PROJECTED
COST, AND THE POTENTIAL OF EACH FOR INCREASED ACCURACY BEYOND THE
DISCUSSED 5-6 ARC SECONDS. THIS INFORMATION COULD BE VERYP
IMPORTANT IN ESTABLISHING POSITION RELATIVE TO ON-GOING STUDIES
AND THEREFORE IS TIME CRITICAL. F-2 IMPDET

TOPSEGRET

ВT

 N_N

N

TOP SECRET

eautrol system

N