



~~TOP SECRET~~




~~TOP SECRET~~ P.R.F. (P.R.S)

KE 10 X 10 TO THE 1/2 INCH KEUFFEL & ESSER CO. MADE IN U.S.A. 358-11



K&E 10 X 10 TO THE 1/2 INCH KEUFFEL & ESSER CO. 358-11 MADE IN U.S.A.



P.L. 142

~~TOP SECRET~~

RF LEVEL FOR SLX DECIMAL COUNT OF - (-dbm)

Input Pulse Width	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1ms	40	39	36.5	34.5	33.5	31.5	30	28	24	19	15	13.5	11.5	10.5	9
2ms	41	40	39	37	35	33	32	31	29	27	23	19	16	14.5	13
3ms	41.5	40.5	39.5	38	36	34	33	31.5	30.5	29	25.5	22	19	17	15
5ms	41.5	40.5	40	39	37	35	33	32	31	30	28	25	21.5	19	18
7ms	42	41	40	39	37.5	35	33.5	32	31	30	29	26.5	23	21	19.5
10ms	42	41	40	39	37.5	35.5	33.5	32.5	31	30	29	26.5	24	22	20.5
15ms	42	41	40	39	38	36	34	33	31.5	31	29.5	28.5	26	24	23
25ms	42	41	40	39	38	36	34	33	32	31	30	29	27.5	26	25

~~TOP SECRET~~

HANDLE VIA
~~BYEMAN FACILITY CONTROL~~
 CONTROL SYSTEMS JOINTLY