



~~CONFIDENTIAL~~


# DOCUMENT HISTORY OF AGE



HISTORY OFFICE  
CHIEF OF STAFF  
SPACE AND MISSILE SYSTEMS ORGANIZATION  
AIR FORCE SYSTEMS COMMAND

21961600

~~CONFIDENTIAL~~



2000000  
DOWNGRADED AT 12 YEAR  
INTERVALS: NOT AUTOMATICALLY  
DECLASSIFIED. DOD DIR 5200.10

## **DOCUMENT HISTORY OF AGENA**

**Prepared under the provisions of Air Force Regulation 210-3 and Air Force Systems Command Supplement No. 1 thereto as part of the United States Air Force Historical Program.**

**This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.**

**THIS DOCUMENT MAY NOT BE RELEASED TO ANY INDIVIDUAL OR AGENCY OUTSIDE OF THE DEPARTMENT OF THE AIR FORCE WITHOUT THE PRIOR APPROVAL OF THE ORIGINATING ORGANIZATION OR A HIGHER AUTHORITY IN THE DIRECT LINE OF COMMAND.**

100 - PERSONAL NAME  
101 - ISSUING AGENCY  
120 - TITLE AS MAIN ENTRY

240 - OLD ACCESSION NUMBER (100AN)  
**K243.012-3.2**

250 - NEW NUMBER (100AN)  
**00919612**

260 - OLD ACCESSION NUMBER (100AN)  
**3-6466-13**

270 - NEW ACCESSION NUMBER (100AN)  
\_\_\_\_\_

**SECURITY MARKING/CLASSIFICATION MARKINGS**

00 01 02 03 04 05 06 07 08 09  
NO CONTRACT PROPRIETARY INFO THIS DOCUMENT CONTAINS DATA INFO

**301 DOCUMENT SECURITY**

301  
**C**

**302 DOWNGRADING INSTRUCTIONS**  
DECLASSIFY ON \_\_\_\_\_ REVIEW ON \_\_\_\_\_

**CLASSIFICATION AND DOWNGRADING INSTRUCTIONS FOR**

302  
TITLE ABSTRACT LISTINGS

320  
REF **00919605** BEST DUP OF \_\_\_\_\_  
INSERT TO \_\_\_\_\_ DUP OF \_\_\_\_\_

327 NUMBER IN AUDIO REEL SERIES1

**CATALOGING RECORD**

100 - PERSONAL NAME  
101 - ISSUING AGENCY  
120 - TITLE AS MAIN ENTRY  
**Spec and Minic Systems Organization**

TITLE (Use one) (DO NOT USE IF TITLE IS MAIN ENTRY) (100AN)  
220 **Agena Flight History**

OR CHECK:  
 2210 ORAL HISTORY  
 2220 END OF TOUR REPORT  
 2230 HISTORY (AND SUPPORTING DOCUMENTS)  
 2240 CHECOMICROFILM  
 2250 CORRESPONDENCE  
 2260 PAPERS  
 2270 CALENDAR

230 TITLE EXTENSION: ENTER VOLUME NUMBER, PARTS, ETC. (20AN)  
**Vol 8 of 8**

DATES: ONLY 254 OR 255 MUST BE COMPLETED. SUPPLY BOTH IF KNOWN  
254 INCLUSIVE DATE **45, 01, 01 TO 67, 12, 31** IF DATE ESTIMATED, CHECK HERE   
255 DATE OF PUBLICATION \_\_\_\_\_ 256 TOTAL PAGES \_\_\_\_\_

**IRIS WORKSHEET**

005 OLD REEL NUMBER

010 CALL NUMBER (100AN) **K243-012-32** **Y.6**

003 IRIS NUMBER (100AN) **00919610**

026 OLD ACCESSION NUMBER (12AN) **3-6466-11**

016 MN ROFILM REEL/FRAME NUMBER **2220026194-000582**

**SECURITY WARNING/ADMIN MARKINGS**

RD PR CN SA WI NF PV FO PS  
 NO CONTRACT PROPRIETARY INFO THIS DOCUMENT CONTAINS NATO \_\_\_\_\_ INFO

ORAL HISTORY CAVEAT  
 01 02 03 04

**501 DOCUMENT SECURITY**

501 \_\_\_\_\_

**DOWNGRADING INSTRUCTIONS**

DECLASSIFY ON \_\_\_\_\_ REVIEW ON \_\_\_\_\_

**CLASSIFICATION AND DOWNGRADING INSTRUCTIONS FOR**

502 \_\_\_\_\_  
 TITLE ABSTRACT LISTINGS

028 REF **00919605** BEST DUP OF \_\_\_\_\_  
 INSERT TO \_\_\_\_\_ DUP OF \_\_\_\_\_

027 NUMBER IN AUDIO REEL SERIES 1

**CATALOGING RECORD**

MAIN ENTRY (Use one) (100AN)

100 - PERSONAL NAME      109 - ISSUING AGENCY      129 - TITLE AS MAIN ENTRY

*Spec and Minich System Organization*

TITLE (Use one) (DO NOT USE IF TITLE IS MAIN ENTRY) (100AN)

220 *Agua Freat - Haidan*

- OR CHECK:
- 2210 ORAL HISTORY
  - 2225 END OF TOUR REPORT
  - 223H HISTORY (AND SUPPORTING DOCUMENTS)
  - 224C CHECK MICROFILM
  - 2260 CORRESPONDENCE
  - 226Z PAPERS
  - 227P CALENDAR

230 TITLE EXTENSION: ENTER VOLUME NUMBER, PARTS, ETC. (20AN)

DATE: ONLY 264 OR 265 MUST BE COMPLETED. SUPPLY BOTH IF KNOWN

264 INCLUSIVE DATE **45.01.21** TO **67.02.31** IF DATE ESTIMATED, CHECK HERE   
 DD MM YY      DD MM YY

265 DATE OF PUBLICATION \_\_\_\_\_ 300 TOTAL PAGES \_\_\_\_\_  
 DD MM YY

**CONFIDENTIAL**

VOLUME 88  
206 6 23

Aerospace Support Inc  
711 Archway Street  
7 Ald, NJ

Director

RETURN TO

29 JUN 1989

Prepared by

S. A. Crosby

29 JUN 1989

HEAD OF OFFICE

CHIEF OF STAFF

SPACE AND MISSILE SYSTEMS ADMINISTRATION

29 JUN 1989

~~CONFIDENTIAL~~

DOWNGRADED AT 12 YEAR  
INTERVALS. NOT AUTOMATICALLY  
DECLASSIFIED. DOD DIR 5200.10

3-6466-13  
00919612

SPACE AND MISSILE SYSTEMS (MSD)

AVIATION HISTORY OF ASD

1. Msg (C/Op3), from Comdr, WED to CofS, Cite WEDR 3-3-E, 16 Mar 57.
2. Ltr (S/AD), from WED (WEDR) to MajGen D. J. Keim, no. subj, 8 Apr 57.
3. Ltr, from WED (WEDR) to Lockheed Aircraft Corp, subj: AFMD Policy Review of LAC/MSD Report 35804 "General Test Plan and Related Facilities and Equipment," 23 Sep 57.
4. DF (C/Op3), from WEDR to MOPF, subj: Weekly Diary - 4 thru 10 Oct 57, 10 Oct 57.
5. Memo for the File from MOPFA, subj: Letter Contract AF-04(647)-97 - Lockheed Aircraft Corporation - Amendment #6, 11 Oct 57.
6. Memorandum for Col Terhure (C/Op3), from WEDR, 3rd Col Frederic C. E. Oler, subj: WS 117L Guidance and Control, 14 Feb 57.
7. Memorandum for Col Oler from WEDR, signed Col Harry L. Evans, subj: Guidance and Control for WS 117L, 29 Mar 57.
8. Msg (C/Op3) from Lockheed MSD Palo Alto, to Comdr. WEDR, subj: L/C Contract AF 04(647)-181, Proposal Development for Short-Term Improvement of New Horizon Propulsion Subsystem, Cite WED 56167, 2 Apr 58.
9. Msg, from Comdr AFPC to Comdr WEDR, Cite WEDR 7-4-2, 031945Z.
10. AFPA Order No. 17-59, 4 Sep 58.
11. AFPA Order No. 17-59, Amendment No. 1, 27 Sep 58.
12. AFPA Order No. 17-59, Amendment No. 2, 17 Oct 58.
13. AFPA Order No. 17-59, Amendment No. 3, 26 Nov 58.
14. Navy Msg to Comdr, WEDC, subj: Engine Participation; construction of, 11 Dec 58.
15. WADC Ltr, to Hq WADC, subj: Model Designation for W3-117L Engine, 9 Jan 59.
16. DF from WEDRS to LBJ, subj: Request for CCI for Contract AF 04(647)-97, 15 Jan 59.
17. Deleted.
18. Ltr from WED (LBJ), subj: Back-up photovoltaic APU Design, 20 Jan 59.
19. Msg from MSD, Sunnyvale to WED, 21 Jan 59.

20. Ltr from Lockheed Aircraft Corp to Comdr, AFED, subj: Contract No. AF 04(647)-97, Backup Photovoltaic AP System, 1 Feb 59.
21. Msg from Comdr, AFED to Director, AFSA, 9 Feb 59.
22. Memorandum for Col Curtin from WDEW, subj: Photovoltaic Solar Cell Research, 16 Feb 59.
23. Memorandum for LtCol Battle from WDEW, subj: Dual Burn Engine Capability, 6 Mar 59.
24. Ltr (S/ED), AFED (WDEW) to MajGen D. J. Kairn, no subj: 9 Mar 59.
25. ARPA Order No. 17-59, Amendment No. 4, 10 Apr 59.
26. ARPA Order No. 17-59, Amendment No. 5, 13 Apr 59.
27. Ltr, Lockheed Aircraft Corp to Comdr AFED, subj: Analytic and Stability Studies of WS 117L Flight Control Section.
28. Ltr from Lockheed Aircraft Corp to Comdr, AFED, subj: Contract AF 04(647)-97 Solar APA Backup Program, 2 May 59.
29. Msg (C/Op3) from Lockheed to LBJP L. S. Silberman, subj: Amendments to CGN No. 23, 6 May 59.
30. ARPA Order No. 17-59, Amendment No. 6, 18 May 59.
31. WDEW Memoranda for multiple addresses, subj: ARPA Order 17-59 (as amended), 18 May 59.
32. Ltr from AFED (WDEW) to LBEP, subj: Letter Contract Supplemental Agreement 35 to Contract AF 04(645)-65, Closed Loop Propellant Utilization System, 4 Jun 59.
33. AFED report, subj: Transit II Program Progress Report for May 1959, 8 Jun 59.
34. Para 4, Weekly Diary - 11 thru 18 June 59 from LMC (LBJ), 18 Jun 59.
35. ARPA Order No. 17-60, Amendment No. 8, Project Code No: as indicated below, 1 Jul 59.
36. ARPA Order No. 96-60, Project Code No. 3600, 1 Jul 59.
37. AFED Report, subj: TRANSIT II Program Progress Report for 30 Jun 59.

38. Mag from Lockheed to Comdr AFSD, subj: Discoverer Vehicle S/W Engine Performance, 23 Jul 59.
39. WDEE Ltr to LIA, Jr. Sillman, subj: Performance Improvement of LM-2A-5 Engine, 31 Jul 59.
40. AFSD Report, subj: Modification of AGEMA Vehicle, 7 Aug 59.
41. Mag from Comdr to AFSD, 7 Aug 59.
42. Ltr from Lockheed to Comdr, AFSD, subj: Contract No. AF 04(G47)-347, Flight Termination System Atlas Boosted Vehicles, 10 Aug 59.
43. Ltr from WDZEV to WDZSM (Maj Callen), subj: Minutes of MIDAS FIVE Flight Operations Subcommittee, 29 Jun 59, 13 Aug 59.
44. Ltr from WDZEV to WDPCS (LtCol Salzer), subj: Flight Termination System of Atlas Boosters, 18 Aug 59.
45. AFSD report, subj: Modification of AGEMA Vehicle, 31 Aug 59, 8 Sep 59.
46. Ltr WDZEA to WDZSD, subj: Discoverer Capsule Batteries, 10 Sep 59.
47. Ltr from WDZEV to WDZRE (Capt Van Dusen), subj: STL Plan 165-41, Study of Attitude Sensors for Space Missions, 17 Sep 59.
48. AFSD (WDZSM) ltr to WDZE, subj: Recommendations of LMSD-CVAC Vehicle-Booster Configuration Meeting, 26 Sep 59.
- 48a. MFR from Col Frederic G. E. Cier, subj: Discoverer/SAMOS/MIDAS/COMSAT/AGEMA Configurations, 29 Sep 59.
49. AFSD report, subj: Modification of AGEMA Vehicle, 30 Sep 59, 1 Oct 59.
50. Mag from AFSD to Lockheed, Cite WDZE 10-5-E, 5 Oct 59. (C/Op3)
51. Mag, Cite WDZE-10-10-E, 9 Oct 59.
52. Mag CITE WDZE-10-9-E, 9 Oct 59.
53. ANPA Order No. 95-60, Amendment No. 1, Project Code No. 3600, 15 Oct 59.
54. Ltr (Uncl w/o C/Op3 Atch) from WDZEV to WDZCR, subj: Space Programs Status Report, 15 Oct 59, v/1 Atch.
55. Ltr (C/Op3) from WDZEV to WDZD (Col Evans), subj: Discoverer, MIDAS, Samos, and Com Sat (Steer) Configuration and Schedule, 16 Oct 59, v/2 Atch: 1. Chart, Space Systems Progress; 2. 4 charts, Configurations, #1 - 4, 4th chart CONFIDENTIAL, Cp3.



56. AFED report, subj: Modification of AGNA Vehicle, 31 Oct 59, 9 Nov 59.
57. Ltr from WEDD to WED, subj: Discoverer/Agna/AGNA/AGNA/AGNA Configurations, 13 Nov 59.
58. Ltr from WFS to WED, subj: Discoverer/Agna/AGNA/AGNA/AGNA Configurations, 17 Nov 59.
59. AFPA Order No. 96-60, Amendment No. 2, Project Code No. 3600, 3 Dec 59.
60. Ltr from AFFTC to AFED, subj: Engine Model Designations, 18 Dec 59.
61. AFED report, subj: Modification of AGNA Vehicle, 30 Nov 59, 22 Dec 59.
62. Ltr from AFED Field Office, WDEEV-6, to Comdr AFED, subj: Procedure for Coordination of Discoverer Engineering Approvals, 5 Jan 60, w/1 Atch: Report, Subj: Procedure for Coordinating Approvals on Engineering Modifications to Agna Vehicles at Lockheeds Facility at Vandenberg AFB.
63. Ltr from WDZIE to WDZI, subj: Control of Agna Vehicle Changes following AF Acceptance, 19 Jan 60.
64. AFED report, (C/Gp3), subj: AGNA Program Progress Report as of 31 Jan 60, 12 Feb 60.
65. Ltr (C/Gp4) from AFED to ARDC (RDR), subj: Augmentation of Propulsion Program, 23 Feb 60.
66. Msg, Cite AFDDP 73993, 27 Dec 60.
67. Ltr from Lockheed to AFED (WDZIE), subj: Standardization Provisions in the Agna Configurations - Interim Report, 4 Mar 60.
68. Msg (S/Gp3) from Lockheed to AFED, Cite LRSD 354768, 8 Mar 60.
69. AFED report (C/Gp4), subj: AGNA Program Progress Report as of 29 Feb 60, 8 Mar 60.
70. AFED Ltr (Uncl w/o Conf/Gp3 Indorsement) to WDZI, subj: Reliability Testing of Agna Subsystems by Air Force Agencies, 9 Mar 60, w/1st Ind, same subj. 5 Apr 60.
71. Ltr (Uncl w/o C/Gp4 Atch), wgd D. H. Murphy, Contracting Officer, to Comdr ARDC, subj: NASA Order No. S-1601-C, 23 Mar 60, w/atc: Statement of Task, w/1 (C) Atch, NASA Agna Launch Schedule.
72. AFED (WDZI-1) Ltr to multiple address, subj: Agna Vehicle Captive Test Program, 11 Apr 60.
73. AFED Daily Bulletin No. 71, 12 Apr 60.
74. NASA Agna B Program, MSFC and AFED Management Relationships, 14 Apr 60.

75. AFSD report (C/Gp4), AFSD Progress Report Report as of 31 April 1960, 6 May 60.
76. AFSD ltr (C/Gp4), subj: Assignment of Test Vehicles to the NASA Agena B Program, 12 May 60.
77. AFSD ltr (C/Gp4) to Hq AFSD, subj: General Schriever's Appearance before Johnson Committee, 9 June 1960, 2 Jun 60.
78. WZY-2 ltr to Lockheed Missiles & Space Division, subj: Improvement of Agena Flight Preparation Procedures, 13 Jun 60.
79. WZ ltr to ARDC (RDG), subj: Management Relations with the NASA Concerning the NASA Agena B Program, 16 Jul 60.
80. WZ ltr to ARDC (RDGH), subj: NASA Agena B Program, 16 Jul 60.
81. AFSD (WDG-16) ltr to WZD (Col Evens), subj: Agena Checkout Philosophy, 9 Sep 60.
82. WDRA ltr to WDG-16, subj: Agena Checkout Philosophy, 19 Sep 60.
83. AFSD (WDRSS) ltr (S/Gp3) to ARDC (RDRB), subj: Request for Study--Atlas-Agena's Launch from AMR, 19 Sep 60.
84. AFSD (WZY-1) ltr to WZD (Col Dattle), subj: Test Criteria, 22 Sep 60, w/1 Atch, Ltr, IASD/368772, w/atcb.
85. WDG ltr to WZ, subj: NASA Agena B Schedule, 8 Nov 60.
86. BAC (LEZJR) ltr to Lockheed Aircraft Corp, subj: Implementation of New Test Philosophy, DISCOVERER Program, Contract AF 04(647)-558, 18 Nov 60.
87. Historical report of the NASA Agena B Program for 1 Jul to 31 Dec 60.
88. Ltr (S/Gp3) agl Col Paul J. Heran to LEX (Mr. Gibson), subj: Agena Configuration, 3 Jan 61.
89. BAC (LEZJR) ltr to Lockheed Corp, subj: Implementation of New Test Philosophy Discoverer Program Contract 04(647)-558, 5 Jan 61.
90. Historical Report, (C/Gp4), NASA Agena "B" Program, 17 Jan 61.
91. Msg (C/Gp4) from Hq USAF, cite AFSD-MS 78828, 191818Z Jan 61.
92. Msg from BAC to IASD, subj: Contract AF 04(647)-558, Implementation of New Test Philosophy, Discoverer Program, 3 Feb 61.
93. Ltr from ESC (LEZJR) to Lockheed, subj: Make or Buy Structure Satellite Systems Contracts, 13 Feb 61.

94. WDC (WDC) ltr to multiple address, subj: Procurement Requirements, 14 Feb 61.
95. National Aeronautics and Space Administration Agena B Launch Vehicle Program - Management Organization and Procedures, 14 Feb 61.
96. AFSCD (WDC) Ltr to WDCV and WDC, subj: Responsibilities of the Aerospace Corporation, 23 Feb 61.
97. AFSCD (WDC) Ltr (Uncl w/o C/Op4 Atch) to Mr. Robert H. Shatz, subj: Technical Data on the Agena Vehicle, 24 Feb 61, w/1 Atch: Technical Data.
98. SSD (SSZA) ltr to Lockheed, subj: New Test Philosophy Implementation, By-pass of Vandenberg M&D Building, 16 Jun 61.
99. SSD (SSZA) ltr to All SSZA Subsystem Personnel, subj: Discoverer EJA Approval Procedures, 24 Jul 61.
100. Msg (C/Op4) from SAFS to SSD, info AFSC and DCAS, Cite SAFS 92454, 092008Z Aug 61.
101. SSD (SSZRE) ltr to SSE (Dr. Rockefeller), subj: Historical Summary, AFDC/AFSC Support of Army/Navy Space NASA Programs, 9 Aug 61.
102. SSD (SSVR) Ltr (Uncl w/o C/Op4 Atch), to SSE (Dr Rockefeller), subj: Historical Summary, AFDC/AFSC Support of Army Navy Space NASA Programs, 9 Aug 61, w/1 atch
103. Aerospace Corp Ltr to Col H. L. Evans, subj: Standardizing the Agena, 14 Sep 61.
104. SSD (SSE) ltr to Chiefs of Offices through Branch Level, subj: Development and Utilization of the Agena D, 18 Sep 61.
105. SSD (SS7) Ltr to Aerospace Corp (Ltr. Brewer), subj: Standardized Agena, 18 Sep 61.
106. Asst Secretary of Defense Memorandum for the Asst Secy of AF (R&D), subj: Standardized Agena (C/Op4), 4 Oct 61.
107. Msg (A/Op3) from SAFS to SSD, info AFSC and DCAS, Cite SAFS 62264, 062221Z Oct 61.
108. SSD (SSDK) Ltr to SSK, subj: Authorization for Type of Contract, 9 Oct 61.
109. Asst Secy of Defense Memorandum for the Asst Secy of AF (R&D) (C/Op4), subj: Titan III Launch Vehicle Family, 13 Oct 61.

110. AFSSV (SS2A) Ltr (C/Gp4) to Col. Evans, subj: Standardized Agena and Titan III, 17 Oct 61.
111. Msg, Cite AFSSV-17-10-13-E, 17 Oct 61.
112. Memo, Sgt Brockway McMillan (SQU), for Asst Secy of Def, CEDEE, subj: Standardized Agena Program, 24 Oct 61.
113. Study of the Agena "D" by the Johnson Committee (C/Gp4), 25 Oct 61.
114. Active S&Z Contracts, 17 Oct 61.
115. AFSSV ltr (C/Gp4) to AFSC, Subj: Standardized Agena Space Vehicle (Agena D), 26 Oct 61.
116. Agena Office Mission and Organization, Nov 61.
117. DAF Memo for Chief of Staff, subj: Standardized Agena, 3 Nov 61, w/1 Atch: Memorandum for Director, DRAE, 31 Oct 61.
118. SSD (SS2A) Ltr to Col Evans, subj: Items to be Considered when Accelerating the Agena B Schedule, 6 Nov 61.
119. SSD (SS2) Ltr (S/Gp3), subj: Agena "D," 6 Nov 61.
120. Lockheed ltr to F. W. O'Green, subj: Summary of Instructions Issued by Dr. Charyk in Agena D Meeting of November 7, 1961, 9 Nov 61.
121. Ltr, subj: Organizational Changes and Personnel Reassignments, 13 Nov 61.
122. Ltr to Deputies and Chiefs of Major Staff Offices, subj: Project 662A, 20 Nov 61.
123. Ltr to Deputies and Chiefs of Major Staff Offices, subj: Establishment of Project Office 662A, 20 Nov 61.
124. MFR (Uncl w/o C/Gp4 Atch), subj: Agena D, 20 Nov 61.
125. Msg from Hq USAF to AFSC, info SSD, Cite AFSSM 50799, 222309Z Nov 61.
126. SSD Ltr (C/Gp4) to Lockheed, subj: Agena D Structural Criteria, 24 Nov 61.
127. AFSC (SQU) Ltr (C/Gp4) to SSD, subj: Instructions on Standard Agena D Program, 24 Nov 61.
128. MFR (C/Gp4), subj: Agena "D" Conference, 27 Nov 61, w/1 Atch: Summary of Instructions Issued by Dr. Charyk in Agena D Meeting on November 7, 1961.
129. Memo of Understanding from MFRM (Lockheed AFFRO) to Col Henry B. Kucheman, 28 Nov 61.

130. Msg (C/Gp4) from Hq OASD to AFSC, info DMS, cite AFSSV-7 225D, 3000Z Nov 61.
131. Msg (C/Gp4) from SSX to Lockheed, Sent 30 Nov 61.
132. Msg (S/O,3) from OASD to AFSC, info DMS, cite AFSS 03174, 04206Z Dec 61.
133. Omitted.
134. SSO Ltr to Deputies and Chiefs of Major Staff Offices, subj: Deputy for Agena.
135. SSD (SSZDB) Ltr (C/Gp4) to SS3D, subj: Agena D/D4-21 Interface, 18 Dec 61.
136. SSD (SSGD) Ltr to AFSC (Gen Schriever), subj: Instructions on Standard Agena Program, 18 Dec 61, w/1 Atch: Program 662A Management and Operational Plan, w/6 Atch.
137. Ltr SSX-1 Ltr to SSZ (Lt Col Strathy), subj: Agena D Programming Data, 19 Dec 61.
138. Msg from LMSC, Cite LMSC A071763/62-41/100, 280030Z Dec 61.
139. SSXD Ltr to SSZ, subj: Procurement of Optional Equipment, 28 Dec 61.
140. Msg (C/Gp 4), Cite AFSSV-EJ 90915, 052324Z Jan 62.
141. MFR from SSX, subj: Briefing to Dr. Claryk, 5 Jan 62, (C/Gp4).
142. Ltr (C/Gp4) from SSD (SSXD) to Distribution, subj: Fund Requirements for Program 662A, 11 Jan 62.
143. SSD (SSZDT) Ltr to SSVX (Mrs. Arnold), subj: Sole Source Justification for Complexes 75-3 and 75-1, 18 Jan 62.
144. SSD (SSKDA) Ltr (C/Gp4) to SSZKE (Major Lochry), subj: Agena D Performance Data, 18 Jan 62.
145. SSX MFR, 23 Jan 62.
146. SSX MFR, subj: 18 January - 19 January Agena D Briefing, 24 Jan 62.
147. SSD (SSVXE) Ltr to SSZD (Maj Moore), subj: Additional Instrumentation on Discoverer Flights, 5 Feb 62.
148. SSXD MFR, subj: Discussions with Mr. O'Green and Staff, 13 Feb 62, 14 Feb 62.
149. SSXA Ltr to SSZ, SSB and SSV, subj: Agena D Advanced Component Improvements, 20 Feb 62.

150. Ltr, subj: Staff Visit of MajGen Estess and Lt. Kelly Johnson, 26 Feb 62.
151. Ltr, sigl MajGen G. J. Ritland and Clarence L. Johnson to Gen B. A. Schriever, 27 Feb 62.
152. Msg from AFSS, Cite SSGN-23-2-45, 261927Z Feb 62.
153. Ltr (C/Gp4) from SSKD to SSZ and SSKT, subj: Agena D Weight, 2 Mar 62.
154. Ltr (C/Gp3) from SSKD to SSZ, subj: Agena D Delivery Schedule 2 Mar 62.
155. Ltr from SSKD, subj: Policy Memorandum - Agena D Optional Equipment Procurement Procedures, 5 Mar 62.
156. Msg Cite SSGN-7-3-12, 071630Z Mar 62.
157. Lockheed Ltr to AFSSD (SSZ), subj: Comparison of Costs - Agena B vs Agena D, 8 Mar 62.
158. SSD (SSVXE) Ltr to SSVR (Maj J. Albert), subj: Study of Thor Agena B Configurations, 12 Mar 62.
159. SSD (SSVXE) Ltr to SSVZC, subj: D1-21 Agena D Pad and AGE Modification, 13 Mar 62.
160. SSD(SSKD) Ltr to SSK, subj: Contract AF O4(693)-68, Request for Authority to Use Form C Price Re-determination, 22 62, (C/Gp4).
161. SSD (SSKD) Ltr to Lockheed, subj: Contract AF O4-695-21 - Incentive Fee Negotiations, 22 Mar 62.
162. WGR (RWRM) Ltr to MajGen O. J. Ritland, subj: Progress Made in Improvements to LMSC Accounting System, 23 Mar 62.
163. Report (S/Gp3), subj: Space Systems Division USAF Abridged Package 648B - Agena D, 2 Apr 62.
164. Report (S/Gp3), subj: SSD USAF Reimbursable Fund Requirement for 648B-Agena D, 2 Apr 62.
165. SSD (SSB) ltr to BSRP, subj: Requirement for Component Improvement Propulsion Advisory Committee, 2 Apr 62.
166. Negotiated Contract AF O4(695)-21, 6 Apr 62.
167. SSD (SSV) Ltr to DCG (LtGen Estes), subj: Atlas Launches at AFM and HQR, 9 Apr 62, w/1 Atch: Cy ltr from Gen Estes to Gen Ritland, 19 Mar 62, same subject.

168. MFR, subj: Agena D Configuration, 18 Apr 62.
169. Memo for File, subj: Lockheed-Air Force Meeting on Agena D Operational Plan, 25 Apr 62.
170. Ltr, sgt Maj Gen O. J. Ritland to Gen B. A. Schriever, no subj, 25 Apr 62, w/1 Atch: Ltr, 25 Apr 62, to Comdr AFSC, Dept of 2d Review of Agena D Pgm.
171. SSD (SSH) Ltr to SSS, subj: Attendance at Hookup, CFCI and DEI Boards, 27 Apr 62.
172. SSD (SSH) Ltr to SSGE (Col Berg), subj: SSH (Agena D) Objectives for FY 63, 30 Apr 62.
173. SSD (SSHD) Ltr to SSK, subj: Contract AF 04(695)-68 - Review of 'Make or Buy' Program Pursuant to DCAS AFPI Supplement 2, 9 May 62.
174. MFR, subj: FY-62 Incremental Funding of the Agena D Contracts, 10 May 62.
175. SSD (SSHD) Ltr to Lockheed, subj: Agena D Optional Equipment, 14 May 62.
176. SSD (SSHD) Ltr to SSCM (LtCol Warren), subj: Underfunded Contracts, 14 May 62.
177. MFR, subj: Modernization of Industrial Facilities Bell Aerosystems Company, 16 May 62, w/1 Atch: MFR same subj dtd 15 May 62, w/1 Atch, Cy Msg to IMSC from Bell, no date.
178. SSD (SSH) Ltr to SSID (LtCol Blum), subj: Technical Support Contract, 21 May 62.
179. NASA ltr to Hon Brockway McMillan, ca 21 May 62.
180. Asst Secy of Defense Memorandum (FOUO) for the Secretary of Defense and NASA, subj: DOD/NASA Agena D Agreement, 28 May 62.
181. Msg (C/Gp4) Cite SSH-1-6-4, 1 Jun 62.
182. Msg Cite SSH-2-6-7, 2 Jun 62 (S/Gp4).
183. SSD (SSH) Ltr to AFPRO (Col Voyles), Lockheed, subj: AFPR Surveillance of -68 Contract Spares Procurement, 4 Jun 62.
184. Msg from DCMSF to SSD, info MSFC, Cite MSFA 12-6-23, 121408Z Jun 62.
185. Ltr (Uncl v/o S/Gp3 Atch), subj: Request for Information by the Space Technical Objectives Task Group, 13 Jun 62, w/1 Atch: 6488 Summary
186. Msg (C/Gp4) from Douglas Aircraft Co Inc, 151442Z Jun 62.

187. MFR, subj: Component Improvement Briefing to MajGen Ritland and Dr. Charyk, 25 Jun 62.
188. MFR (C/Cp4) from MEFA, subj: Agena D. Presentation, 25 Jun 62, 27 Jun 62.
189. MFR, subj: Agena D Funding, 23 Jun 62.
190. Msg, cite MEFA 28-6-61, 281813Z Jun 62
191. SSD (SSDA) Ltr (C/Cp4) to multiple address, subj: Agena D Optional Equipment Weight Status, 3 Jul 62.
192. SSD (SSVZO) Ltr to SSHAG, subj: Conversion of AMR Complex 14 to an Atlas/Agena Configuration, 5 Jul 62.
193. SSD (SSH) Ltr to multiple address, subj: Agena D Configuration Control, 9 Jul 62.
194. SSD (SSH) ltr to multiple address, subj: Configuration Control of Agena D, 11 Jul 62.
195. CCN Status Contract AF 04(695)-21 As Of 12 July 1962.
196. SSD (SSZDB) Ltr to BSRGT and SSVX, subj: Program Designation Change, 12 Jul 62.
197. SSD (SSH) Ltr (C/Cp4) to SSU-1 (Col Wickland), subj: International Programs, 12 Jul 62.
198. SSD (SSH) Ltr to AFSC (SCGH Col Nudenberg), subj: 6488 Monthly Program Progress and Status Report Period Ending 30 June 1962, 13 Jul 62.
199. SSD (SSH) Ltr to SSKR (Mr. Montgomery), subj: Preliminary Impact Evaluation of Impending Aerospace Industry Strike on SSD Programs (Reports Control Symbol (RCS) AF-XDL-H2, w/1 Atch: Report.
200. SSD (SSUAA-2) ltr to 6593 Test Group, subj: LR81 Rocket Engine, 20 Jul 62.
201. SSD (SSUAA) Ltr to Lockheed, subj: Agena Multiple Start Engine Compatibility with DCD Missions, 25 Jul 62.
202. SSD (SSER) Ltr to AED, subj: Request for Type Designation, Agena D Vehicle, 26 Jul 62.
203. Msg from Douglas Aircraft Co Inc to Lockheed, 1 Aug 62.
204. SSD (SSHKK) to SSH, subj: AF 04(695)-194, Authority for Non-Competitive Negotiated Procurement, 1 Aug 62.
205. Msg from SSD to AFDC, cite SSH 2-8-1, 2 Aug 62.



205. SSD (SSHA) Ltr to Lockheed, subj: Agena Rocket Engine Designations, 3 Aug 62.
206. SSD (SSHD) Ltr to AFTRC, Lockheed, subj: Requirement for Vehicle Transporter, 3 Aug 62.
207. SSD (SSH) Ltr to multiple address, subj: Technical Manuals for Agena B, 10 Aug 62.
208. SSD (SSHK) Ltr to SSER (Maj. Harnes), subj: Transfer of Agena D Program Management, 13 Aug 62.
209. Msg from SAFCI-3C Maj Moore for release 15 Aug 62.
210. SSD (SSHD) Ltr to multiple address, subj: Auto-DRAPE Orientation, 16 Aug 62.
211. SSD (SSHAA) Ltr to Lockheed, subj: Establishment of Agena-D Prelaunch Conditions, 20 Aug 62.
212. SSD (SSHAA) Ltr to Lockheed, subj: Agena Multiple Start Engine Compatibility with DOD and NASA Program, 24 Aug 62.
213. Status Report on Agena D (Program S-01A) August 62.
214. Msg from SSD to Lockheed, Cite SSH 27-0-33, 27 Aug 62.
215. Memorandum of Agreement, subj: Management Relationships Between SSH-SSZI, SSZN, SSZX and LMSC, 5 Sep 62.
216. SSD (SSHK) Ltr to multiple address, subj: Authorization for type of Contract; Contract AF 04(695)-198, 7 Sep 62, w/1 atch.
217. SSD (SSHR) Ltr to SSZ, subj: Agena D FY-63 Funding Requirements to Support SSZ Program Requirements, 11 Sep 62.
218. SSD (SSH) Ltr to SSVR, subj: Agena D FY-63 Funding Requirements to Support NASA Program Requirements, 11 Sep 62.
219. Msg from SSD to CSAF, Cite SSH-13-9-10, 13 Sep 62.
220. Msg from SSD to AFSC, Cite SSH-13-9-11, 13 Sep 62.
221. SSD (SSHAA) MFR to Capt George W. Watts, 17 Sep 62.
222. SSD (SSH) Ltr to Lockheed, subj: Production of Optional Kits under the -68 Contract, 24 Sep 62.
223. SSD (SSG) Ltr to Secy of the Air Force (SAFFM), subj: FY-62 and FY-63 Agena D Funding Requirements, 27 Sep 62 (B/Gp3).

224. SSD (SSU) Ltr to Lockheed, subj: First Article Configuration Inspection of S-01A/13, 17-19 Sep 62, 28 Sep 62.
225. Msg Cite SSH 22-9-33, 28 Sep 62.
226. Lockheed Ltr to AFCEC (DCCA), subj: Management of the S-01A Program, 1 Oct 62, w/1 Atch: Program Management Paper.
227. 1st Ind (Uncl w/o C/Gp; Atch), SSD to SSVST, subj: Liquid Rocket Engine Data, 5 Oct 62, w/1 Atch: Engine Data Chart.
228. SSD (SSHD) Ltr to Lockheed, subj: Ground Rules for Management of the AC-1 System, 8 Oct 62.
229. Msg, Cite SSH 12-10-23, 12 Oct 62.
230. SSD (SSH) Ltr to SSG, subj: Agenda Presentation, 15 Oct 62.
231. Msg. (C/Gp), Cite SSH 15-10-20, 15 Oct 62.
232. 1st Ind, SSD (SSH) to SSVZR, subj: Agenda D/Gemini Configuration," 16 Oct 62.
233. Memorandum to SSH (Col Fletcher), subj: S-01A Requirements Based on TAT Boosted Missions, 18 Oct 62.
234. SSD (SSH) Ltr to AFPRO (Col Voyles), Lockheed, subj: AFPR Logistics Surveillance of Program S-01A, 19 Oct 62.
235. SSD (SSHR) Ltr to SSVZR (Maj Albert), subj: Optional Equipment Requirements for S-01A Vehicles, 22 Oct 62.
236. SSD (SSH) Ltr to SSKK, subj: Sole Source Justification, Contract AF 04(695)-221, 22 Oct 62.
237. Msg, Cite SSH 23-10-37, 23 Oct 62.
238. SSD (SSHR) Ltr to SSO (Col Hedrick), subj: Agenda D CAC Optional Equipment, 31 Oct 62.
239. SSD (SSHR) Ltr to SSVR, subj: Agenda D FY-63 Funding Requirements to Support NASA, 1 Nov 62.
240. SSD (SSH) Ltr to Lockheed, subj: S-01A Vehicle Assignment Philosophy, 2 Nov 62.
241. SSD (SSH) Ltr to Lockheed, subj: Fixed Ullage Rocket Carrier Problem, 8 Nov 62.
242. SSD (SSK) Ltr to multiple address, subj: Request for Authority to Extend Definition Data and to Obligate Additional Funds - Letter Contract AF 04(695)-68, Agenda D, 14 Nov 62.

243. SSD (SSZ) Ltr to SSZ, subj: Proposed USAF/Air Force Management Agreement, 14 Nov 62.
244. SSD (SSZG) Ltr to multiple address, subj: Request Authorization for Letter Contract AF 04(695)-233, 16 Nov 62.
245. SSD (SSZED) Ltr to 6595 AFW (Col Perry), subj: Umbilical Test Philosophy and Blanket Removal for SILV3/S-01A/Payload F37, 26 Nov 62.
246. Msg (C/Gp4), Cite AFSSV-KO 98986, 302127Z Nov 62.
247. SSD (SSZ) Ltr to Lockheed, subj: First Article Configuration Inspection of S-01A/19, 6-23 Nov 1962, 12 Dec 62.
248. Historical Data - Jul-Dec 1962 from SSZAR to SSZA, 24 Jan 63.
249. NASA Ltr to Gen B. A. Schriever, 25 Jan 63.
250. Contractor Performance Evaluation Report on AF Contract AF 04(695)-21, with Lockheed Missile and Space Company, Sunnyvale, California, 14 Feb 63, (C/Gp4).
251. Ltr sgd Gen B. A. Schriever to Dr. Robert C. Seamans, Jr., 6 Mar 63.
252. Space Systems Division USAF S-01A Management Package, 20 Mar 63 (S/Gp3).
253. Msg, Cite MSEA 16-4-35, 161700Z Apr 63.
254. SSD (SSV) Ltr to Distribution, subj: Letter of Understanding Between NASA Lewis Research Center and USAF Space Systems Division for Transfer of NASA Agena Contracts, 9 May 63.
255. SSD (SSZAO) Ltr to SSZH and SP-206, subj: Configuration Control Management of Program S-01A Booster Vehicles, 19 Jun 63 (S/Gp4).
256. Msg Cite AFRSTD 76993, undated, and Msg Cite MSEA 15-7-22, 152045Z Jul 63.
257. AFBC (MSFAR) Ltr to multiple address, subj: Transmittal of Memorandum of Agreement, 20 Aug 63, w/1 Atch: USAF-NASA Memorandum of Agreement NASA Office of Space Sciences Agena Launch Vehicle Program, 9 Aug 63.
258. SSD (SSVA) Ltr (C/Gp4) to SSZ, subj: Annual Report of Achievements (3 Oct 1962 - 3 Oct 1963), 27 Sep 63.
259. DOD News Release No. 1396-63, 21 Oct 63.
260. Msg Cite MSEA 7-11-6, 071956Z Nov 63.
261. Summary Report - Transfer of NASA Agena Programs from AFSSD to NASA LORC, 31 Dec 63.

262. SSD (SSVA) Ltr to SSM (Col Elms), subj: Location of Emer-Agena in Front of Building A, 3 Jan 64.
263. SSD (SSVA) Ltr (Uncl w/o C/Gp4 Atch) to AFSC (Gen Schriever), subj: Location of Emer-Agena in Front of Building A, 1 Jul 1963 - 31 December 1963, 4 Feb 64, w/2 Atch.
264. SSD (SSVA) Ltr to SSM (Col Elms), subj: Location of Emer-Agena in Front of Building A, 16 Apr 64.
265. SSD (SSVA) Ltr (C/Gp4) to SSM, subj: Historical Report, 1 January 1964 - 30 June 1964, 12 Aug 64, w/5 Atch: 1 (U); 2 (C); 3 (U); 4 (C); 5 omitted; 6 (C).
266. SSD (SS) Ltr (Uncl w/o C/Gp4 Atch) to AFSC (Gen Schriever), subj: Recent Agena Flight Problems, 12 Nov 64, w/1 atch: Proposed letter to Sec McMillan from Gen Schriever, w/1 atch.
267. SSD (SS) Ltr (Uncl w/o C/Gp4 Atch) to AFSC (Gen Schriever), subj: General Dynamics/Astronautics Proposal to Increase SLV-3/Agena Payload Capability, 27 Nov 64, w/2 Atch; Atch 1 C/Gp4.
268. SSGA Memorandum for Generals Funk and Cooper (FCUO), subj: Request for Authority to Raise Major Agena Subcontractors to Associate Status, 10 Dec 64.
269. SSD (SSK) Ltr (C/Gp4) to AFSC and Hq USAF (in turn), subj: Request for Determination and Findings Pursuant to AFPI 3-214, 25 Jan 65.
270. SSD (SSVA) Ltr (C/Gp4) to SSM, subj: Historical Report, 1 July 1964 - 31 December 1964, 5 Feb 65, w/5 Uncl Atch.
271. Gemini Atlas Agena Target Vehicle System, Management and Responsibilities Agreement between the National Aeronautics and Space Administration Manned Spacecraft Center and The United States Air Force Air Force Systems Command, Space Systems Division, Mar 65.
272. SSD (SSGA) MFR, subj: Biosatellite Program -- Call from Col Pickering and Sven of AMD, 9 Mar 65.
273. Memorandum for Gen Funk, Thru Gen Cooper, from Col Hamilton, subj: Advanced Life Support Capsule, 2 Apr 65.
274. SSD (SSK) Ltr (C/Gp4) to AFSC and Hq USAF (in turn), subj: Request for Determination and Findings Pursuant to AFPI 3-214, 25 May 65.
275. SSD (SSLO) Ltr to AFSC (SCOO), subj: Request for Organization Change - Gemini Agena Division (SSVAT), 29 Jun 65.
276. SSD (SSVA) Ltr (C/Gp4) to SSM, subj: Historical Report, 1 January 1965 - 30 June 1965, 9 Aug 65, w/5 Atch: Atch 1 (C/Gp4).
277. Msg Cite SSG 10111, 20 Oct 65.

278. SSD (SSV) Ltr to SSOS (B/Gen Martin), subj: Program 206-II Agena Launch Capability Contract, 3 Nov 65.
279. AFSC Ltr sgd Gen E. A. Schriever to SSD (Maj Gen Funk) and AZEO (Brig Gen Gossick), 22 Nov 65.
280. Msg Cite SSG 10125 Nov 65.
281. SSD (SSVA) Ltr (C/Gp4) to SSEM, subj: Historical Report, w/6 Atch: 1. (U); 2. omitted; 3 (U); 4. (U); 5 (C); 6. (U); 7. (C), 8 Feb 66.
282. SSD (SSK) Ltr to AFSC and Jq USAF, subj: Request for Determinations and Findings Pursuant to AFPI 3-214, 8 Jul 66.
283. SSD (SSVA) Ltr (Uncl w/o C/Gp4 Atchs 2, 4, 5 & 8), subj: Historical Report for the Period of 1 January 1966 - 30 June 1966, 29 Jul 66.
284. SSD (SSV) Ltr to SSOS (Gen Martin), subj: Agena Guidance and Control Subsystem Development, 1 Feb 67, (C/Gp3).
285. SSD (SSVA) Ltr (Uncl w/o C/Gp4 Atch 2, 7, 8 & 9) to SSV, subj: Historical Report, 1 Jul 66 to 31 Dec 66, 3 Feb 67.
286. DAF Ltr (C/Gp3) to SSVA, subj: Attitude Control System Configuration, 8 Feb 67.
287. DAF (SP-7B) Ltr to SSVA (Major Bell), subj: Standard Agena Allocation, 13 Feb 67.
288. AFRL (RFG) Ltr to SSD (SSGV/Col D. V. Miller), subj: Advanced Agena Development, 26 Mar 67.
289. SSD (SSVAP) Ltr (S/Gp3) to SSEM (Mr. McClellan), subj: Users of Standard Agena Vehicle, 7 Apr 67.
290. SSD (SSVA) Ltr to SSV (Col Hamilton), subj: Improved Agena Development Program, 28 Apr 67.
- 290a. Briefing Charts (S/Gp3), Report of Special Board on Agena Procurement, SAFSP, 1 May 67.
- 290b. Msg (C/Gp3), Cite SSG 67-12, 24 May 67.
- 290c. Msg (C/Gp4), Cite SCSS 22931, 262111Z 67, May 67.
291. SSD (SSV) Ltr to SAFSP (Gen Martin), subj: SSD Position on SAFSP Proposal for a New Production Management Concept for Agena, 2 Jun 67.
292. MFR sgd Maj Robert R. Crawford, 7 Jun 67.

293. SSB (S3A) Ltr (C/Gp3) to S3B (Gen Martin), subj: Improved Agena Performance Requirements, 12 Jun 67.
294. MFR (SP-2) Ltr (C/Gp3) to multiple address, subj: Improved Agena, 15 Jun 67.
295. Lockheed Briefing Charts, subj: Customized Standard Agena, 21 Jun 67.
296. DAF (SP-1) Ltr (C/Gp3) to S3B (Gen Cooper), subj: Improved Agena, 23 Jun 67.
297. MFR agd Maj Robert F. Crawford, subj: Improved Agena Requirements Meeting, 28 Jun 67.
298. Briefing Charts on Agena D and E Management Problems, 11 Jul 67.
299. SAMS0 (SMVA) Ltr (Uncl w/o C/Gp4 Atch 5 and 8) to S4V, subj: Historical Report, 27 Jul 67.
300. Program Plan, subj: Customized Standard Agena, Support Engineering Program Plan, Contract FO4695-67-C-0092, 27 Jul 67.
301. Briefing Charts, subj: Standard Agena, 28 Jul 67.
302. SAMS0 (SMVA) Ltr to S4IS (Gen Martin), subj: Agena D Contract Structure, 2 Aug 67.
303. SAMS0 (S.G) Ltr (C/Gp4) to SAFSP (Gen Martin), subj: Improved Agena Flight Test, 11 Aug 67.
304. DAF (SP-1) Ltr (C/Gp3) to S4I-2 (Gen Cooper), subj: Improved Agena Flight Test, 14 Aug 67.
305. SAMS0 (SMV) Ltr to SAFSP (Gen Martin), subj: New Production Management Concept for Agena, 22 Aug 67.
306. DAF (SP-1) Ltr (C/Gp3) to S4I-2 (Gen Cooper), subj: Improved Agena, 30 Aug 67.
- 306a. SAMS0 (S4I-2) Ltr (C/Gp3) to S4IS (Gen Martin), subj: Improved Agena, 7 Sep 67.
- 306b. DAF (SP-1) Ltr (S/Gp3) to S4I-2 (Gen Cooper), subj: New Production Management Concept for Agena, 8 Sep 67.
- 306c. Memorandum for Gen O'Neill (C/Gp4) agd MajGen Paul T. Cooper, subj: New Production Management Concept for Agena, 18 Sep 67.
307. MFR agd LtCol Allen J. Poor, subj: Custom Agena Briefing to Gen Martin, 19 Sep 67, w/1 Atch: Briefing Charts, subj: Custom Agena.

308. DAF (S-2) Ltr (S/C-3) to SA-2 (Gen Cooper), subj: Procurement of Agents for SA-2, 20 Sep 67.


309. SAISO (S-2) Ltr to SA-27 (Col F. G. Morris, Jr), subj: Manpower Packages for the SA-27 and the Agents Program Office, 10 Oct 67.

310. Msg (S/GP4), Cite E33SM 36065, 132134Z Oct 67.

313. List of Contracts (containing Estimated Base Value) (C/GP4), subj: Agents Vehicle, undated.

~~CONFIDENTIAL~~

DO NOT WRITE IN THESE SPACES  
INT. SECURITY DIVISION  
DECLASSIFIED, DDJ DIR 8/11/01



DEPARTMENT OF THE ARMY  
HEADQUARTERS, WASHINGTON, D.C. 20315

~~CONFIDENTIAL~~



DEPARTMENT OF THE AIR FORCE  
OFFICE OF SPECIAL SECURITY INVESTIGATION  
OF THE AIR FORCE, LOS ANGELES, CALIFORNIA



13 FEB 1967

REF ID:  
AFC 67

SP-73/Capt Wreck/3-1925

SUBJECT: Standard Agena Allocation

287

TO: SSVA (Major Bell)

1. [REDACTED] requests that all 1191 Standard Agena vehicles presently under procurement be delivered with the current guidance subsystem installed. Due to the high cost of implementing the Guidance Control Electronics, Velocity Cut-Off System and the MIT Inertial Reference Package, this office does not plan to incorporate these systems. Consideration would be given for usage if future program procurements are made.

2. Further request you submit a list showing Standard Agena allocations for Program 846 usage.

CHARLES L. MURPHY, Col, USAF  
Deputy Director

258



AFSC

Advanced Agena Development

112 2 257

SSD (SSGV/Col D. V. Miller)  
AF Unit Post Office  
Los Angeles, Calif 900-3

1. A few months ago AFRPL entered discussions with Colonel A. Gardner relative to this Laboratory's participation in your Advanced Agena Development Program. Under Colonel Douthett's leadership and with management stimulus from our higher headquarters, we have improved our effectiveness in providing engineering support to AFSC's weapon systems divisions.
2. Use of AFRPL as SSD's "engineering arm" seems to be a natural. An alternate would be to use Aerospace Corporation as your engineering support element. The basic Agena propulsion was developed by the Air Force (including laboratories) and its contractors without using Aerospace. At the time the 6 Dec 1966 letter was prepared (Atch #1), it seemed that the three parties; i.e., SSD, Lockheed and Bell, were in favor of utilizing AFRPL for engineering support.
3. Within the past 6 months we have evidenced significant growth in our support of BSD. Typical of the understanding we establish with BSD on each of their programs we support is the correspondence dated 9 Dec 66 and 16 Dec 66 (Atch #2).
4. Recently we have proposed a method for assessing the effectivity of laboratories. Three copies of this proposal report are attached. You will note that the proposal promotes further "coupling" between laboratories and the systems divisions. You will find laboratory effectivity being measured largely by the impact that laboratories can bring into Air Force weapon systems. Not only are you the target of our technology product, but you also validate the worth of any technology.
5. We remain interested in supporting your development of the advanced Agena and wish to conclude a degree of formality much the same as we have been doing with BSD. In the event that SSD has other plans in mind, we would appreciate being advised.

D. M. ROSS  
Deputy Director

- 3 Atch
1. Ltr, RPREC, 6 Dec 66
  2. Ltr, BSRP, 9 Dec 66 and RFG, 16 Dec 66
  3. Report, "Proposal for Assessment of Lab Effectivity" (3 cys)

DEPARTMENT OF THE AIR FORCE  
HEADQUARTERS SPACE SYSTEMS DIVISION (AFSD)  
3700 AIR FORCE DRIVE WASHINGTON, D.C. 20330-5000



REPLY TO  
ATTN OF: SSVAP

7 APRIL 1967


SUBJECT: Users of Standard Agena Vehicle

TO: SSEN (Mr. McClellan)

1. Following are the programs supported by the Standard Agena vehicle during the periods indicated.

1637

1962 - 162, 698BK  
1963 - 162, 698BK, [REDACTED]  
1964 - 698BK, 162, [REDACTED] 241, [REDACTED]  
1965 - 241, [REDACTED] Vela, OGO-C, Gemini  
1966 - [REDACTED] 241, [REDACTED] Gemini, OAO, 461, [REDACTED] 206II,  
[REDACTED] Orb, [REDACTED] ATS  
1967 - 846, [REDACTED] Lun Orb, [REDACTED] ATS, [REDACTED]  
OGO-D, NIMBUS.

  
WILLIAM R. BELL, MAJ USAF  
Chief, Program Control Div.  
Agena Program Office

DOWNLOADED FROM THE  
INTERAGENCY INFORMATION  
COORDINATION CENTER

SSVA-1933

~~SECRET~~

SSVA

23 Apr 67

Improved Agena Development Program

SSV (Col Hamilton)

1. On 20 April, I discussed the outline of my briefing (intended for Secretary Flax) with [redacted] AFSC. I then gave the briefing to the Hq USAF Space Panel chaired by [redacted]. There were no significant comments.

2. On 21 April, I briefed Assistant Secretary of the Air Force for R&D, Dr. Flax, on the Improved Agena Program. [redacted] Discussions with Secretary Flax centered mainly around the present effort to establish complementary subsystems for the Improved Agena and schedule/costs estimates. He affirmed the significance of the schedule and the importance of good funds estimates.

3. Also on 21 April, I briefed Mr. [redacted] DDR&E. Discussion covered the following main points:

- a. Recommendation that an incentive plan take into account performance and schedule in addition to cost.
- b. The possible use of the vehicle on a Titan IIC booster.
- c. The resolution of plans for appropriate complementary sub-systems.

In a discussion between [redacted] 1003 [redacted] it was made clear that DDR&E does not have further action items at this time. Hq USAF will take all necessary action to program funds and to monitor progress of the program through normal channels. It was agreed that upon receipt of the necessary funds, SSD will proceed with Phase II of the program as outlined. I was told that the required FY 67 funds are immediately available and that action is underway to provide the FY 68 funds.

4. I wish to reiterate several points which I have made to you and to General Cooper in the past. At the present time, the Agena Program Office is not manned adequately to provide the necessary assurance of good schedule and costs control management which is required to complete this program in keeping with the briefings made on 21 April. Due to the pressure of other activities, we cannot assure timely and adequate procurement action for the Phase II procurement, especially with regard to the formulation and negotiation of the recommended incentive plan. The failure of this office to receive adequate manning is complicated with other major management objectives at this time. Some of the more significant items are:

- a. The resolution of the Contract -939 problems which are precluding negotiation activity.
- b. The resolution of -0077 Contract problems which are related to the -939 Contract.
- c. The half-completed configuration management program clean-up which I started when I first was assigned as Agena Program Director and which retains its importance relative to present and future programs.
- d. The development of adequate component/vehicle interface controls.
- e. The establishment of an orderly system of overall management reports and meetings between this office and the contractors.
- f. Effective and timely technical evaluations to support various procurement actions for subsystems, studies, and vehicles.
- g. The establishment of adequate system program office long-range planning and analyses of methods, costs and technical development efforts, in keeping with good management techniques. Poorly accomplished items at this time lead to down the road complications which result in further intensification of the manpower problem.

I have been involved in system program office management since 1956 on five major programs. I have seen the results of failure to act on organizational and manning problems as well as the results of timely action. It is my opinion that if no action is taken at this time to

**Increase the present level of manning in the Agena Program Office, that the Improved Agena Program is headed toward overrun and behind schedule status. We lack the capability to do the management job that is required of this program which for development purposes alone will expend about 35 million dollars in the next two years. In addition within six months, we must have defined and taken contractual action for flight hardware to support operating requirements. The complications of inadequate manning and the resultant need for me to devote my time to too much fire-fighting and too little general management have impaired my capability to accomplish my job in the manner and depth that are necessary.**

 Col, USAF  
**Program Director, Agena  
Deputy for Launch Vehicles**

270

IN THE INTEREST OF NATIONAL DEFENSE  
CLASSIFIED BY 100-100-100-100  
DATE 12/15/83 BY 100-100-100-100


LOS ANGELES CASE  
AFIC

- SPECIAL INSTRUCTIONS**
- COPY TO: (Mail)**
- Gen Martin
  - Col Hamilton
  - LtCol McHenry
  - Col Diehl
  - Col Gardner
  - Col Riddle
  - Mr. Whalen
  - Mr. Forslund
  - Col Keefer
  - Col Douthett
  - Maj Crawford
  - Maj Bell
  - Maj Davis
  - Maj Bradford
  - LtCol Hedlund

**CONFIDENTIAL** 536 6/1/67 :AY 6:

**SUBJECT: RED LINE PRE-TO - OSD**

**REFERENCES:**

- (A) D&F NO. 67-11C-91, 13 JAN 67.
- (B) FINAL PROCUREMENT ACTION APPROVAL, 13 JAN 67 AND ASSOCIATED FORM 111 (P-66--6.44.09.12.4).
- (C) BRIEFING, IMPROVED AGENA TO HQ AFIC, HQ USAF, SAFRD AND ODDR&E BY AGENA PROGRAM DIRECTOR, 20-21 APR 67.

**PART I. 1. THIS IS AN EXISTING PROBLEM.**

**2. THE IMPROVED AGENA PRELIMINARY DESIGN REVIEW WAS CONDUCTED BY THE PROGRAM OFFICE 15-19 MAY 67.**

**REPRESENTATIVES OF THE AF ROCKET PROPULSION LABORATORY, AEROSPACE CORP, AFFRO, AND LOCKHEED MISSILES AND SPACE CO PARTICIPATED. BASED ON THE**

DATE	TIME
24	
MONTH	YEAR
MAY	1967
PAGE NO	NO. OF PAGES

TYPED NAME AND TITLE	PHONE
<i>Att</i>	32288/ 32225
USAF and Col, USAF	

SIGNATURE	<b>SIGNED</b>
TYPED NAME AND TITLE	

SECURITY CLASSIFICATION **CONFIDENTIAL**

DOWNGRADED BY 12751

INTERVALS: NOT AUTOMATICALLY

CLASSIFIED. OOD DIS 5/07

250

RESULTS, THE PROGRAM DIRECTOR DETERMINED THAT IT WAS UNWISE TO PROCEED INTO PHASE II OF THE DEVELOPMENT PROGRAM ON THE SCHEDULED DATE, 29 MAY 67. CONSEQUENTLY THE ALREADY HIGHLY COMPRESSED SCHEDULE CALLING FOR A MARCH 69 DD 250 OF THE FIRST PRODUCTION VEHICLE IS IN INCREASING JEOPARDY.

3. THE CONSIDERATIONS WHICH COLLECTIVELY RESULTED IN THE DECISION NOT TO PROCEED ON SCHEDULE ARE AS FOLLOWS:

(1) INADEQUATE PROGRAM DEFINITION: FROM THE OUTSET, IT WAS REALIZED THAT ACHIEVEMENT OF ADEQUATE DEFINITION IN 90 DAYS WAS AN OPTIMISTIC GOAL. THE GOAL HAS NOT BEEN REACHED AND ADEQUATE TOOLS TO INSURE VEHICLE PERFORMANCE AND CONTROL CONTRACTOR'S COSTS AND SCHEDULE HAVE NOT YET BEEN DEVELOPED.

(2) CRITICAL TECHNICAL PROBLEM: AS A RESULT OF THE PRELIMINARY DESIGN REVIEW AND A REVIEW OF THE RECENT DATA DEVELOPED BY INVESTIGATIONS OF THE CURRENT TURBINE PUMP ASSEMBLY FLIGHT ANOMALY PROBLEM (PROJECT COUGHDROP), THE APPLICATION OF AN UPDATED VERSION OF THE CURRENT PUMP ASSEMBLY IS CONSIDERED

AN UNACCEPTABLE RISK.

PAGE NR 2	NR OF PAGES 4	SECURITY CLASSIFICATION CONFIDENTIAL	INITIALS GO
-----------------	---------------------	---	----------------



303

**(3) UNAVAILABILITY OF RELEVANT COST PROPOSAL:**

THE CONTRACTOR'S COST PROPOSAL FOR PHASE II WAS DUE FOR SUBMISSION 15 MAY 67. TO DATE IT HAS NOT BEEN SUBMITTED. IT HAS ALWAYS BEEN A PROGRAM OFFICE CONDITION THAT PHASE II WOULD NOT PROCEED WITHOUT A DETAILED COST PROPOSAL.

**PART II. ASSISTANCE REQUIRED:**

1. I DO REQUIRE THE ASSISTANCE OF HIGHER HEADQUARTERS.

2. RECOMMENDED COURSE OF ACTION: WE HAVE BEEN INFORMALLY ADVISED BY SAFSP THAT THE NEED DATE FOR THE FIRST VEHICLE MAY BE RESCHEDULED. BASED ON THE USER NEED DATE THE CURRENT SCHEDULE OF MARCH 69 DD 250 OF THE FIRST PRODUCTION IMPROVED AGENA VEHICLE CAN BE EXTENDED TO SEPTEMBER 70. THIS WOULD PERMIT ADEQUATE COMPLETION OF PHASE I EFFORT AND ALLOW INCORPORATION OF A COOLED-BEARING TURBINE PUMP ASSEMBLY. REQUEST APPROVAL OF THIS COURSE OF ACTION BY 12 JUNE 67.

3. ALTERNATIVE COURSES OF ACTION:

(A) IF YOU ARE WILLING TO ACCEPT THE RISK ASSOCIATED WITH UPDATING THE CURRENT TURBINE PUMP DESIGN, EXTEND THE CURRENT SCHEDULE OF MAR 69 DD 250 TO

SYMBOL	PAGE NR	NR OF PAGES	SECURITY CLASSIFICATION	DETAILS
	3	4	CONFIDENTIAL	CO

SSD

MAY 69. YOUR DIRECTION IF THIS ALTERNATIVE IS SELECTED IS REQUIRED BY 12 JUN 67.

(B) IF THE MAR 69 DD 250 DATE IS INVIOATE, AND THE TECHNICAL AND COST RISKS ARE ACCEPTABLE, YOUR DIRECTION TO PROCEED IMMEDIATELY INTO PHASE II IS REQUIRED BY 26 MAY 67.


4. ADDITIONAL COORDINATION WITH SAFSP IS REQUIRED AND THIS COORDINATION IS UNDERWAY. INCLUDED IS HAVING THEM SPECIFY DETAILED MISSION REQUIREMENTS. IF HEADQUARTERS IS AWARE OF ANY OTHER MISSION REQUIREMENTS OTHER THAN THOSE OF SAFSP REQUEST ADVISEMENT.

PART III. COMMANDER'S COMMENTS:

I AGREE WITH THE PROGRAM DIRECTOR'S ANALYSIS OF THE PROBLEM, HIS IMMEDIATE ACTION AND HIS RECOMMENDED COURSE OF ACTION. I URGE YOUR APPROVAL AND SUPPORT IN GAINING APPROVAL OF THIS COURSE OF ACTION FROM HQ USAF AND SAFRD. GP-3.

1067

SYMBOL	PAGE NR 4	NR OF PAGES 4	SECURITY CLASSIFICATION CONFIDENTIAL	INITIAL GO
--------	--------------	------------------	---	---------------



~~CONFIDENTIAL~~

291

2 JUN 1967

SSV  
SSJ Position on SAYS' Proposal for a New Production Management  
Concept for Agena

SAYS' (Gen Martin)

1. Pursuant to your briefing and our discussion on 29 May 1967, I would like to restate the position that I expressed to you at that time. Your Proposal 3 would relegate the role of SSJ to one of a procuring authority for parts and components, as opposed to the SSJ mission which is system responsibility - including responsibility for design, development, test and procurement of a system. What you are proposing is contrary to the management concept that has evolved over the years wherein we plan the total RDT&E responsibility, including procurement actions, under single management. In the event that you do proceed with the components and parts approach, your Option 1 appears to be the only one of the two that is manageable since you as program manager will have all elements of the program directly under you.

2. However, I believe that a more acceptable solution can be reached. There is a possibility of finding NASA solutions. If additional work for Agena should materialize, your Option 3 or 1 1/2 would be much less desirable. It seems reasonable to me that an excellent vehicle could be built and tested as a system as separate and distinct from the current mode. Such an arrangement should satisfy your objection to the current standard Agena as well as provide an integrated Agena Agena Vehicle which would interest NASA as well as other programs. In order to achieve this we will have to obtain your requirements on a more timely basis in order to coordinate proper configuration control and to facilitate production to meet your requirements.

3. I believe our own Agena vehicle needs to be defined which would be an acceptable vehicle for use as a vehicle system for use. However, we are currently engaged full time in trying to get the Agena vehicle out of Lockheed. We are currently in the Phase I portion of the program and are currently in Phase II. Additionally, we are working a number of technical problems with which

As you can see, it is a well conceived solution I suggest  
to the problem of allowing my program offices to clean  
up the mess that is being made in the management problem which you  
have created. I am sure that a joint effort with SARSP, the OSD Agency  
and the other agencies will be successful in all participating.


SIGNED:

12

MEMO FOR RECORD

7 June 1967

During Colonel Keefer's staff meeting on 7 June 1967, he stated that Generals Ferguson, Cooper and Martin were meeting with Doctor Flax today to discuss SP's approach to Agena management. As a result we should receive guidance on what to build.

 Major, USAF  
Acting Chief, Engineering Division  
Agena Program Office

~~SECRET~~  
SVA/Col Keefer/3222

**Improved Agena Performance Requirements**

**SSGB (General Martin)**

1. As we have discussed recently in connection with the Red Line Presto message on the Improved Agena Program schedule adjustment, this system development is in urgent need of your inputs to mission performance requirements and a resolution of subsystem developments to be pursued.

2. The Improved Agena has been laid out as a two phase program in which Phase I consists of contract definition and Phase II involves design, development and production of the first vehicle. We are currently part way through the Phase I activity with a rescheduled goal of completion by 15 Jul 67, followed by immediate commencement of Phase II. At the Preliminary Design Review conducted in mid May 1967, at which you had representation, it became clear that adequate contract definition in terms of the work statement, specifications and cost proposal could not be achieved meaningfully without your inputs of mission performance requirements and an identification of the subsystems that need modification or redesign to satisfy your requirements. As you recall, I asked in my recent Red Line Presto message that other requirements, DGD and NASA, be identified and sent to me right away.

3. The current status of Improved Agena definition presents a number of inconsistencies, incompatibilities and omissions due largely to our lack of visibility in the area of desired vehicle performance characteristics envelopes concerning, for example, required orbit life, pad hold time, payload weights and volumes, first stage booster considerations, flight profiles, time on orbit, orientations on orbit, accuracies and reliability requirements. When these needed performance characteristics are known, the subsystem picture will begin to clear, i. e., guidance, power, tracking telemetry and command, propulsion (primary and secondary), environmental control, AGE and facilities. I recognize that there will need to be a close working relationship between your organization and my Agena SPO in the selection and development of these subsystems because of your variety of peculiarization and closely related hardware developments.

Group 3

Downgraded at 12 year  
intervals: not  
automatically declassified

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

4. In my view there is a need for a management mechanism that will routinely provide for an interchange of requirements, status, problem identification and resolution between your organization and the Agent SPO. To this end, I propose a regular meeting, perhaps monthly, to be chaired by my Agent Program Director, Col Norman J. Keeler, with a designated spokesman for SAFSP and additional representation from the SPO and each of your Project Offices. The first of these meetings should take place as soon as possible to insure early availability of your inputs to the definition of the Improved Agent Program.

5. I am convinced that a more formally constituted channel of communication between our two organizations will go a long way in relieving existing incompatibilities. I will look forward in the very near future to the identification of your primary representative and a suggested first meeting date for the group.

SIGNED

PAUL T. COOPER  
Major General, USAF  
Commander



12 June 67

12 Jun 67


12 June 67

12 Jun 67



~~CONFIDENTIAL~~





21 Jan 1967, Lockheed  
briefing to Agency and SP personnel on  
customized Agency. This was in response  
to Agency SPO request.

**OBJECTIVE:**

- o TO REVIEW A VEHICLE FACT SHEET AND AGENT WHICH ARE COMPARED TO THE SPECIFIC USING PROGRAM REGULATIONS

**METHOD:**

- o DEFINE (BY SPECIFICATION) THE VEHICLE CONFIGURATIONS FOR 3 OR 4 PROGRAMS AND CONTRACT TO BUILD AND DELIVER SPECIFIC QUANTITIES OF EACH CONFIGURATION AT A SPECIFIED RATE
- o BUILD THE VEHICLES IN TWO SEALS: FIRST, PREPARE AND DELIVER PARTS, INCLUDING FOLIOES, ROOF RACK, AND STORES; THEN, FULL FINAL STORAGE, DO REVISIONS, AND FINAL EQUIPMENT, ACCEPTANCE TEST VEHICLES, LD-250, AND DELIVER TO FRONT

295  
566

CUSTOMIZED STANDARD AGESA

IMPLEMENTATION:

1. ESTABLISH "SENIOR REQUIREMENTS PANEL" AT LMSC AND AT AFSSD TO SELECT PROGRAM CONFIGURATIONS AND DEFINE REQUIREMENTS
2. INITIATE MOA ON -589 CONTRACT TO WRITE SPECIFICATIONS, DO ENGINEERING, PRODUCE PRODUCTION DRAWINGS, BUILD DESIGN REVIEWS, BUILD MOCUP, CONFIGURE INT, BUILD AND QUALIFY ALL NEW COMPONENTS, DEFINE TESTING, AND WRITE ACP'S
3. GET THE PRODUCTION CONTRACT TO CALL FOR DELIVERY OF "CUSTOMIZED" VEHICLES AS DEFINED IN ABOVE SPECIFICATIONS

CUSTOMIZED STANDARD AGENA

SENIOR REQUIREMENTS PANEL

AT LMSC

AT AFSSD

**CHAIRMAN**

**REPRESENTATIVE OF F.C.R. OIGR**

**MEMBERS**

**PROGRAM MANAGERS OR REPRESENTATIVES FROM  
STANDARD AGENA AND EACH USING PROGRAM**

**REPRESENTATIVES OF STANDARD AGENA  
AND USING PROGRAM SPOS**

**FUNCTIONS**

1. ESTABLISH ORGANIZATIONAL DEVELOPMENT/  
PROCUREMENT RESPONSIBILITY FOR ALL  
S&D FLIGHT EQUIPMENT
2. DESIGNATE THE PROGRAM VEHICLE TO  
BE SUPPLIED
3. DEFINE THE REQUIREMENTS FOR EACH OF  
THE DESIGNATED VEHICLES (TECHNICAL,  
QUANTITY, AND SCHEDULE)
4. REVIEW AND APPROVE OVERALL REQUIRE-  
MENTS AND CONFIGURATION FOR  
CUSTOMIZED STANDARD AGENA

1. CONFIRM AND APPROVE THE ACTIONS  
OF THE LMSC PANEL
2. ESTABLISH OFFICIAL VEHICLE  
ASSIGNMENTS
3. INITIATE AND REVISE OFFICIAL  
PROGRAM REQUIREMENTS
4. REVIEW AND APPROVE CONTRACTUAL  
DOCUMENTS

COMPUTER STANDARDS

ENGINEERING IMPLEMENTATION

ACTIVATE A PROGRAM UNDER THE -589 CONTRACT TO:

1. PREPARE A PART I SPECIFICATION FOR EACH CONFIGURATION TO BE DELIVERED
2. CONDUCT FORMAL PIR'S
3. DO DETAILED DESIGN AND NECESSARY DEVELOPMENT
4. CONDUCT FORMAL CIR'S
5. BUILD AND QUALIFY REQUIRED NEW EQUIPMENTS
6. BUILD MOCKUP(S)
7. DEFINE TEST REQUIREMENTS AND WRITE ATP'S
8. CONFIGURE DEV AND USE TO VERIFY ATP'S AND TEST COMPLEX
9. PREPARE COMPLETE PRODUCTION DOCUMENTATION PACKAGE (PART II SPECS)

CUSTOMIZED STANDARD AGENS

PRODUCT CONTRACT INCORPORATION

- **WIRE UP TO -939 CONTRACT TO CHANGE DELIVERIES FROM STANDARD AGENS TO CUSTOMIZED STANDARD AGENS (AS NOTED BY SPECIFICATIONS) EFFECTIVE FROM AD-197 AND UP**
- **MODIFY WORK STATEMENT TO REFLECT NEW ACCEPTANCE TEST REQUIREMENTS**
- **MODIFY CONTRACT TO PERMIT PARTIAL PAYMENT BASED ON PLACEMENT OF VEHICLES IN STORAGE**

CUSTOMIZED STANDARD AGENT

-939 CONTRACT VEHICLE ASSIGNMENTS (APZEX AD-193)

<u>AP #</u>	<u>SCHEDULE RELAY</u>	<u>ASSIGNED PROGRAM</u>	<u>AP #</u>	<u>SCHEDULE RELAY</u>	<u>ASSIGNED PROGRAM</u>
194			204		
195			205		
196			206		
197			207		
198			208		
199			209		
200			210		
201			211		
202			212		
203			213		


CUSTOMIZED STANDARD AGMA

PROPOSED CHANGE IN -939 CONTRACT DELIVERIES

1. NO CHANGE THROUGH AD-196
2. FOR THE 17 VEHICLES FROM AD-197 THROUGH AD-213



3. WITHOUT SPECIFYING WHEELS, DELIVER AT A RATE OF 1-1/2 VEHICLES PER MONTH



1101



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

1003

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

**MEMO FOR RECORD**

**28 June 1961**

**SUBJECT: Improved Agency Requirements Meeting**

1. On 27 June the initial Improved Agency Requirements Meeting was held in Colonel Hunter's office. Important points resulting from the meeting are:
  - a. SP is willing to provide Improved Agency requirements in as much detail as they can at this date.
  - b. Our requirements format will be completed and a joint SP reply will be returned to us.
  - c. It is SP's feeling that Improved Agency should be produced in the same manner as the SP except for Standard Agency.
  - d. In general, SP is not interested in standardization if it imposes any restriction on their requirements.

**[REDACTED] Major, USAF  
Acting Chief, Engineering Division  
Agency Program Office**

1. Briefing on Agenda D and E Management  
2. This briefing was given to Gen Cooper.  
3. resulted in setting up an INEC meeting with  
4. Mr. Cooper, Colone's Hamilton and Reith.

AGENDA D AND E

MANAGEMENT PROBLEMS

11 JULY 1967

298

## BRIEFING OUTLINE

- **AGENDA D MANAGEMENT CONCEPTS**

- ( CUSTOM VEHICLE FEASIBILITY STUDY
- (
- I ( ALTERNATE APPROACHES
- (
- ( CONCLUSIONS AND RECOMMENDATIONS
- (
- II ( CONTRACT STRUCTURE
- (
- ( RECOMMENDATION
- (
- III ( COUGH DROP RETROFIT PROGRAM
- (
- ( RECOMMENDATIONS

- **AGENDA E DEVELOPMENT CONCEPTS**

- ( SOLE SOURCE CONSIDERATIONS
- IV (
- ( CONCLUSIONS AND RECOMMENDATIONS
- (
- ( SP CONCEPT
- (
- ( SPO CONCEPT
- V (
- ( CONCLUSIONS
- (
- ( RECOMMENDATIONS

- **RECOMMENDATIONS SUMMARY**

10/30

AGENDA

BACKGROUND

● SP'S OBJECTIONS TO STANDARD AGENDA CONCEPT

- REQUIRES EXCESSIVE EQUIPMENT REMOVAL
- INVALID SYSTEM FUNCTION TESTS
- LACK OF RESPONSE TESTS AND CONTROL TESTS
- OFFENSIVE TESTS AND INCENTIVE CONCEPTS

● SP CONCEPT

● JOINT SP/SP APPROVALS OF SP CONCEPTS

# EQUIPMENT AND PRODUCTS

STANDARD  
AGENA  
VEHICLE

- STANDARD
- OPTIONAL
- PECULIAR

CUSTOM  
VEHICLE

CUSTOM  
SYSTEM

● MISSION SENSITIVE

● MISSION REVEALING

AGENA 3  
CUSTOM VEHICLE FEASIBILITY STUDY

---

● APPROACH

- LMSC


- ASSEMBLE CUSTOM VEHICLE
- LIMITED FUNCTIONAL TEST
- DD-250
- TRANSFER TO USER

- AIR FORCE

- ASSEMBLE CUSTOM VEHICLE
- TRANSFER TO USER
- ADDITIONAL ASSEMBLY
- SYSTEM TEST
- JOINT DD-250


● FINDINGS - CUSTOMIZED AGENA VEHICLE FEASIBLE

# CUSTOMIZED STANDARD AGENA





# CUSTOMIZED STANDARD AGENDA



AGENDA :

ASSESSMENT OF CUSTOM VEHICLE

● ADVANTAGES

- ELIMINATES NECESSITY FOR DISASSEMBLY
- ELIMINATES INVALID TESTING
- INITIAL REDUCTION OF SYSTEM COSTS

● DISADVANTAGES

- CONTRARY TO AFSC SYSTEM CONCEPT
- REMOVES STANDARD SPACECRAFT FROM THE INVENTORY
- ADVANTAGES OF STANDARDIZATION LOST
- DIVIDES RESPONSIBILITIES BETWEEN TWO COMMANDS

AGENA D

1096

## MODIFIED D VEHICLE

### ● ADVANTAGES

- NO DISASSEMBLY OR REWORK
- DECREASED COST

### ● DISADVANTAGES

- VIOLATES AFSC SYSTEM CONCEPT
- TAKES STANDARD AGENA OUT OF INVENTORY
- ADVANTAGES OF STANDARDIZATION LOST
- DIVIDES RESPONSIBILITY BETWEEN TWO COMMANDS

SP OPTION-3 1/2

● ADVANTAGES

- CLEANS UP LINES OF RESPONSIBILITY AND AUTHORITY
- ELIMINATES NECESSITY TO DISASSEMBLE VEHICLE
- COMMUNICATIONS PROBLEM SOLVED
- RAPID REACTION PROBLEM SOLVED
- ALLOWS SAFSP TO HANDLE CONTRACT INCENTIVE PROBLEM AS THEY DESIRE
- PROVIDES BEST CONTROL FOR SAFSP

● DISADVANTAGES

- ELIMINATES STANDARD AGENA FROM INVENTORY
- CONTRIBUTES TO BUILD-UP OF A SECOND SYSTEMS COMMAND
- COST TO GOVERNMENT WOULD INCREASE
- SETS PRECEDENT FOR AGENA E

## CUSTOM SYSTEM

## ● ADVANTAGES

- COMPATIBLE WITH SYSTEMS COMMAND'S SYSTEM ACQUISITION MISSION
- ELIMINATES SOME SP OBJECTIONS
- CLEAR CUT LINES OF RESPONSIBILITY AND AUTHORITY
- SYSTEM AVAILABILITY TO OTHER USERS

## ● DISADVANTAGES

- MAJOR CHANGE IN CONCEPT
- ADVANTAGES OF STANDARDIZATION ARE LARGELY LOST
- ADDITIONAL SPO MANPOWER REQUIRED
- SECURITY CLEARANCE PROBLEMS

**PERFORMANCE SPECTRUM**

LEVEL:	UNACCEPTABLE	MARGINAL	ACCEPTABLE	GOOD	BETTER	IDEAL
<b>CONCEPT:</b>	SP PROPOSAL	SPO CUSTOM VEHICLE	SP CUSTOM VEHICLE	STANDARD AGENA VEHICLE	SPO CUSTOM SYSTEM	SPO SPACE SYSTEM
<b>SAMSO MANAGEMENT:</b>	COMPONENT	COMPONENT	N/A	"SYSTEM"	SYSTEM	TOTAL SYSTEM
<b>SAMSO PRODUCT:</b>	<ul style="list-style-type: none"> <li>o SIMILAR TO AGENA A &amp; B</li> <li>o SKUNK WORKS</li> </ul>	<ul style="list-style-type: none"> <li>o SAME AS SP PROPOSAL ONLY ASSEMBLED</li> <li>o UNABLE TO TEST OR FLY</li> <li>o PAYLOAD CUSTOMER COMPLETES SYSTEM &amp; TESTS</li> </ul>	<ul style="list-style-type: none"> <li>o N/A</li> </ul>	<ul style="list-style-type: none"> <li>o STANDARD VEHICLE</li> <li>o UNABLE TO FLY</li> <li>o TESTED USING SLAVE &amp; SIMULATION EQUIPMENT</li> </ul>	<ul style="list-style-type: none"> <li>o NON-STANDARD SYSTEM</li> <li>o CAN BE TESTED &amp; FLOWN</li> </ul>	<ul style="list-style-type: none"> <li>o STANDARD OPERATION TOTAL SYSTEM</li> </ul>

CONCLUSION

- CUSTOM VEHICLE IS FEASIBLE BUT NOT DESIRABLE
- CUSTOM SYSTEM IS FEASIBLE AND MAY SOLVE PROBLEM

RECOMMENDATION

- ADVOCATE THE CUSTOM SYSTEM CONCEPT
- ESTABLISH A JOINT SPO/AFSP/AFPRO/LMSC WORKING GROUP
- BRIEF OR WRITE LETTER TO GENERAL FERGUSON -  
COORDINATE OR COPY TO GENERAL MARTIN

## CONTRACT STRUCTURE

## ● PRIOR TO 1965

- PRIME CONTRACT TO LOCKHEED

- COST PER VEHICLE: \$ .901M

- NO CONTRACTUAL DESIGNATION

- o CENTRALIZED INTERFACE CONTROL

- o HARDWARE INTEGRATION

## ● POST 1965

- ASSOCIATE CONTRACT STRUCTURE

- o LMSC - VEHICLE

- o BAC - ENGINE

- o BAC - VELOCITY METER

- o BEC - HORIZON SENSOR

- COST PER VEHICLE: \$ .857 - .961M

- NO CONTRACTUAL DESIGNATION

- o CENTRALIZED INTERFACE CONTROL

- o HARDWARE INTEGRATION



## CONTRACT STRUCTURE

### ● OBJECTIONS TO CURRENT STRUCTURE

● GPP TO SP CAUSES INCENTIVE CONTRACTING PROBLEMS

- NUMBER OF CONTRACTS CAUSES UNACCEPTABLE SPO WORKLOAD

- LACK OF CLEAR DESIGNATION OF RESPONSIBILITY CAUSES:

- CONTINUAL QUESTIONS
- LOST TIME AND EFFORT
- INCREASED COSTS TO REPAIR ERRORS

### ● PLANNED ACTIONS

- RETURN TO PRIME STRUCTURE AT LEAST BY NEXT PRODUCTION CONTRACT

- DESIGNATE LMSC

- CENTRALIZED INTERFACE CONTROL CONTRACTOR
- HARDWARE INTEGRATION CONTRACTOR

1103  
AGENDA D

RECOMMENDATIONS

- APPROVE IN PRINCIPLE RETURNING TO PRIME CONTRACT STRUCTURE.

**PROJECT COUGH DROP**

● **INTERIM INCREASED CONFIDENCE ACTIONS**

- USE "D" OIL AT ALL SITES
- OIL FLUSH AT ALL LAUNCH SITES
- TIGHTEN CURRENT SEAL SPECS
- IMPROVE CURRENT BEARING CLEARANCE
- IMPROVE GEAR TOOTH FINISH
- RETROFIT PUMPS WITH "LOOSE" CLEARANCE BEARINGS
- INSTALL FLIGHT INSTRUMENTS ON 12 VEHICLES FOR VERIFICATION
- INITIATE VERTICAL ACCEPTANCE TEST AT BAC

● **PHASE II TEST PROGRAM UNDERWAY**

● **RETROFIT OF 3 NASA VEHICLES**

● **ADDITIONAL LMSC AND BAC RECOMMENDATIONS**

- IMMEDIATE RETROFIT TO ELIMINATE INVINCIBLE GEARS.
- INSTALL LOOSE BEARINGS AND NEW SEALS

# JOHNSON COMMITTEE GROUND RULES

1. A DX PRIORITY IS ASSIGNED THE S-OIA PROGRAM
- ◇ 2. THE ENGINEERING SYSTEM SHALL BE SIMPLIFIED, REQUIRING ONLY THOSE DRAWINGS ESSENTIAL TO TOOL, BUILD & SERVICE VEH.
3. FINAL CONFIGURATION FREEZE SHALL BE ACCOMPLISHED
4. ENGINEERING PERSONNEL SHALL BE LOCATED IN AN ENCLOSED AREA IMMEDIATELY ADJACENT TO THE TOOLING & MFG AREA
5. A RAPID DRAWING RELEASE SYSTEM (24 HOURS MAXIMUM) FROM THE PROJECT ENGINEERS APPROVAL TO THE MANUFACTURING GROUP SHALL BE ESTABLISHED
6. FUNDING SHALL BE ADEQUATE AND TIMELY
7. TECHNICAL DIRECTIVE MEETINGS INVOLVING LARGE GROUPS SHALL NOT BE REQUIRED. AIR FORCE PERSONNEL SHALL WORK IN CLOSE LIAISON WITH THE LMSC PROJECT ENGINEER SO FORMAL MEETINGS ARE NOT REQUIRED

ACCOMPLISHED	
YES	NO
✓	
✓	
✓	
✓	
✓	
NOT ON QTR'LY BASIS	
✓	

# JOHNSON COMMITTEE GROUND RULES

8. REASONABLE OVERTIME WILL BE APPROVED. AFTER-THE-FACT APPROVAL IS NOT PRECLUDED. (PURSUANT TO CLAUSE A-37 OF THE CONTRACT)
- ◇ 9. AIR FORCE APPROVAL OF VENDOR SELECTION SHALL BE FURNISHED ON-THE-SPOT AT SUNNYVALE. WHEN SINGLE SOURCE PROCUREMENT IS NECESSARY, JUSTIFICATION OF SUCH ACTION WILL BE KEPT ON FILE.
- ◇ 10. TOOLING SHALL BE OF THE SIMPLEST TYPE THAT WILL ACHIEVE INTER-CHANGEABILITY AS STATED IN THE BASIC S-OIA SPECIFICATION. NO TOOL DRAWINGS OR OUTSIDE APPROVAL OF TOOLING WILL BE REQ'D
11. INTERCHANGEABILITY ON EARLY S-OIA'S WILL BE LIMITED TO MAJOR STRUCTURAL AND EQUIPMENT ITEMS. DOORS, FOR INSTANCE, MAY REQUIRE TRIM TO FIT.
12. NO ENGINEERING ANALYSIS REPORTS WILL BE REQUIRED, SINCE IT IS RECOGNIZED THAT BASIC ENG'RG RPTS FURNISH COMPARABLE DATA.
13. THE AIR FORCE PROGRAM DIRECTOR AND LMSC SHALL JOINTLY REVIEW THE SPECIFICATION PROBLEM & AGREE AT THE CONFIGURATION CONFERENCE TO REDUCE THE NUMBER INVOLVED TO THE MINIMUM COMPATIBLE WITH THE S-OIA MISSION.

ACCOMPLISHED

YES	NO
✓	
✓	
✓	
✓	
✓	
✓	

# STANDARD AGENA

## PHASE I. STANDARDIZATION (S-CIA)

- O USE OF FLIGHT PROVEN AGENA B EQUIPMENT.
- O STANDARDIZATION OF MAJOR EQUIPMENT CIRCUITS & PLUMBING.
- O MODULARIZED SUBSYSTEMS FOR INTERCHANGEABILITY & SIMPLIFIED CHECKOUT

## INTERMEDIATE IMPROVEMENT (ABC) (S-CIB)

- O PIP
- O 8247 ENGINE
- O BTL
- O UPA AND UPC

## PHASE II. MAJOR ORBITAL RELIABILITY IMPROVEMENT PROGRAM

UNCLASSIFIED

STANDARD AGENA

# STANDARD AGENA PROGRAM

## ABC FEATURES (1963)

- **INCREASED PAYLOAD CARRYING CAPABILITY**  
95 LBS SPECIFIC SINGLE BURN MISSION  
100 TO 135 LBS DUAL BURN MISSION
- **INCREASED VERSATILITY**  
8247 MULTISTART ENGINE  
ADDITIONAL INSTRUMENTATION CAPABILITY
- **INCREASED ORBITAL CAPABILITY**  
DEACTIVATE/REACTIVATE VEHICLE ON COMMAND
- **IMPROVED INJECTION ACCURACY**  
BTL GUIDANCE SYSTEM IN AGENA
- **ADDITIONAL OPTIONAL KITS AVAILABLE**
- **PERMITS ELIMINATION OF PROGRAM AUXILIARY FORWARD SECTION**
- **ELIMINATES PROGRAM MODIFICATIONS TO AGENA BASIC WIRING**

P-17367 "STANDARD AGENA" 9-5-63  
CV 5-1

UNCLASSIFIED

U.S. AIR FORCE & SPACE COMMAND

# AGENA UPDATING ACTIVITIES

## STANDARD AGENA PROPOSALS - (ABORTED)

- IMPROVED GUIDANCE MODULE (IGM)..... PROPOSED: '62 & '63  
    WOULD HAVE AVOIDED GIP & DACS REJECTED: 11/63
- LONG-RANGE IMPROVEMENT PROGRAM..... (PHASE I) PROPOSED: '64  
    3 PHASE - 19 MONTH - ALL SUBSYSTEMS REJECTED: 6/65
- GUIDANCE & CONTROL ELECTRONICS (GCE)..... DEV INITIATED: 9/66  
    WOULD ELIMINATE GIP & COMPAT. WITH RACS STOPPED: 3/67
- ELECTRONIC EVENT TIMER (EET)..... STUDY INITIATED: 1/66  
    REPLACE SEQUENCE TIMER DEV. STOPPED: 6/67

## USING PROGRAM ACTIONS





- GUIDANCE INTERCONNECT PACKAGE (GIP) - PROG 846 DEV. INITIATED: 6/65  
    REPLACES STR AGENA GUID & F/C J-BOXES
- DUAL ATTITUDE CONTROL SYSTEM (DACs) - PROG 110 DEV INITIATED: EARLY '67  
    REPLACES STR AGENA GUIDANCE EQUIPMENT



# CURRENT PROBLEM

BASIC : USING PROGRAMS TEAR DOWN AND  
REBUILD - INVALIDATE TEST

EXAMPLES:

	846	
	846	

**REMOVE:**  
FLT. CONTROL J-BOX  
GUID. J-BOX  
(19) HARNESSSES

**DRILL, CUT, ETC. TO  
ACCOMMODATE PROG EQUIP.**

**ADD (AGENA SYS.)**  
GUID. INTER. PKG.  
SEQUENCE TIMER  
RECOVERY TIMER  
DC CONVERTER (REDUNDANT)  
AUX. FM TELEMETER  
FLT. LOGIC / PROGRAM B.C.  
(7) HARNESSSES

**ADD (OTHER)**  
(25-30) PKG'S B.C.I.E.S.  
(30) HARNESSSES

## RECENT PROPOSED SOLUTIONS

### SAFSP CONSIDERATION

- ELIMINATE STD. AGENA

○ ASSESS TO PROCURE COMPONENTS/DIR ASSEM TO SP REQMTS

### SSV PROPOSAL (CONCEPT I)

- ESTABLISH BASIC AGENA IN LIEU OF STD. AGENA
- ASSEMBLE COMMON EQUIPMENT PLUS CERTAIN PRCG. ADD-ONS
- SYSTEM TEST & CONDITIONAL DD-250

### LMSC - SIMPLIFIED AGENA (BASIC)

- ASSEMBLE & TEST TO POINT OF COMMON USAGE
- TRY TO MAINTAIN BASIC ASCENT AGENA CAPABILITY

### JOINT LMSC/SAMSO - CUSTOMIZED AGENA

- ONE TIME BUILD UP - INCLUDE PRCG. STRUCT. & HARNESSSES
- INSTALL AGENA & PRCG. EQUPS TO COMPLETE VEHICLE SYSTEM
- ACCEPTANCE TEST & CONDITIONAL DD-250
- ORGANIZE REQMTS & CONTRACT RESPONSE

# CUSTOMIZED STD. AGENA

## PURPOSE.

MODIFY STD. AGENA/PROG. ASSEMBLY & TEST SEQUENCE TO MEET PROC. REQUIREMENTS

## OBJECTIVES.

### IMPROVE SYSTEM RELIABILITY

- ELIMINATE DRILLING, CUTTING, ETC., AFTER HARNESS & BOX INSTALLATION
- MINIMIZE HARNESS DISCONNECT & FLEXING
- OPTIMIZE SEQUENCE OF VEHICLE ASSEMBLY (FROM CORE-CUT)

### IMPROVE OVERALL SCHEDULE


- DEVELOP LOGICAL ONE-TIME VEHICLE BUILD-UP
- REDUCE LEAD TIME FOR IMPLEMENTATION OF DESIGN CHANGES

### REDUCE TOTAL RECURRING COST

- ASSEMBLE VEHICLE UNDER OPTIMUM ACCESSIBILITY CONDITIONS
- ELIMINATE UNNECESSARY VEHICLE BUILD-UP & TEAR DOWN, AND TEST INVALIDATION.
- ELIMINATE SLAVE HARDWARE.



NOT  
7



## REQUIRED ACTIONS



- USAF & LMBC ESTABLISH SENIOR REQUIREMENTS PANELS
  
- MODIFY STANDARD AGENA CONTRACT TO PROVIDE DELIVERY OF CUSTOMIZED VEHICLES AND TO PERMIT RESPONSIVENESS TO PROGRAM REQUIREMENTS
  
- SIMPLIFY CHANGE CONTROL REQUIREMENTS

# PROPOSAL FOR CUSTOMIZED AGEIA

○ SUBMITTAL FOR PROGRAM 846 VEHICLES. 8-15-67

○ PROPOSALS TO INCLUDE:

- PART I SPECIFICATION FOR EACH VEHICLE
- PART II SPECIFICATION FOR EACH VEHICLE
- EQUIPMENT LIST (ECL) FOR EACH VEHICLE
- INBOARD PROFILE DRAWING FOR EACH VEHICLE
- MANUFACTURING PLAN FOR EACH VEHICLE
- ACCEPTANCE TEST PLAN FOR EACH VEHICLE
- DETAILED SCHEDULES
- COST ANALYSIS
- REQUIRED CONTRACT & CONFIGURATION CONTROL REQUIREMENTS

## EXPECTED RESULTS

- MAINTAINS RELIABILITY TREND OF STANDARD AGENA
- ELIMINATES TEAR DOWN & REWORK & REPLACEMENTS
- INCREASES REL. CONFIDENCE IN USING PROGRAM CONFIGURATION
- SHORTER OVERALL SCHEDULES
- LOWER TOTAL COSTS
- PROVIDES FLEXIBILITY & VERSATILITY TO AGENA



## STANDARD AGENA STATUS - JUNE '67

### USING PROGRAM COMPLAINTS

- UNNECESSARY TEAR DOWN, REBUILD & RETEST
- DIFFICULT HANDLING AS GFP AFTER DD-250
- SLOW AGENA RESPONSE
- NO AGENA FLIGHT RESPONSIBILITY

PROPOSAL: ELIM. STD AGENA - DELIVER ENGINE & TANK PLUS "BUCKET OF BOLTS"

### STANDARD AGENA COMPLAINTS

- LACK OF TIMELY REQ'MTS FROM PROGRAMS
- UNNECESSARY CHANGES, LITTLE COORDINATION
- LOWER PRIORITY, SHORT FUNDING
- DIFFERENT MGMT GRD. RULES (AFSC VS. S.P.)

PROPOSAL: CUSTOMIZE AGENA TO PROGRAM REQ'MTS

- ONE TIME BUILD UP & TEST
- SR. REQ'MTS PANEL - LMSC & AF
- DELAY DD-250, CPIF, PERF. INCENT.
- COMMON MGMT GRD. RULES, REDUCE SPECS.
- EQUIV. PRIORITY & COORD. FUNDING

RESULT: RETAINS RELIABILITY ADVANTAGE  
MAINTAINS AGENA CAPABILITY FOR OTHER USERS  
PROVIDES FLEXIBILITY & VERSATILITY  
REDUCES TOTAL COST & OVERALL SCHEDULE

... Agency Procurement, ...  
 ... procuring such items as ...  
 ... with SA PSP performance ...  
 ... the Agent Program ...  
 ... returning to a prime con- ...  
 ... management ...  
 ... as GFE ...  
 ... horizon sensors ...  
 ... of these components ...  
 ... may be made. Imple- ...  
 ... engine GFE would be ...  
 ... for 14 Agent D vehicles ...  
 ... following actions:

1. ... contract ...  
 ... from AFD 70-9, which ...  
 ... (all other) procurement.

(Detailed Description of Recommended Determination and Findings)

... contract to include procurement ...  
 ... estimate an increase of \$3,000 ...  
 ... for GFE engines.

... Systems Co (DAC) for 19 ...  
 ... to SMVA.

... Engine delivery schedule ...  
 ... in order for LMSC to ...  
 ... the first three actions

...the above actions and anticipated schedule  
...your strong support would be required to help move  
...position in the immediate vicinity of the D.F.  
...local land rental.  
...with your going  
...New York.  
...I am sure that you will find the proposed move  
...I am sure that you will find the proposed move  
...I am sure that you will find the proposed move  
...I am sure that you will find the proposed move

I would appreciate your thought on this matter.

**SIGNED**

PAUL F. COOPER  
Major General, USAF  
Deputy Commander for Space

CONFIDENTIAL


303

13 OCT 1953

AGENCY REPORTING LCCORF 007/32288

... letter of 21 June 57, subject: Improved  
... flight program and obtained approval  
... test lead for the improved Agena  
... overall system engineering.  
... also be responsible for payload

... to the desirability of such a flight, which now  
... approved by the schedule relaxation approved by Dr. Fair. 1  
... flight test to be a logical extension of the Agena  
... primary  
... development program. At such, the test flight must have as its primary  
... of the Agena performance parameters as  
... All other objectives must be  
... development program. All other objectives must be  
... to measure performance parameters,  
... to provide sufficient diagnostic data to analyze  
... and correct the defect if a vital part of the test program. I consider that  
... the Agena Program Office must share responsibility for the overall con-  
... duct of the test flight and it must take responsibility for the identifi-  
... cation and formulation of vehicle instrumentation as well as analysis of  
... flight data in the case of a flight anomaly; the need for the Agena Program  
... Office to share responsibility for the test flight is particularly emphasized.  
... state that office as the developing agency would be responsible for analyzing  
... and resolving the problem in the case with the Gemini Agena Target  
... Vehicle First Flight engine failure.



OWNERS: EDO, AT, 24 APR 1953  
DECLASSIFIED AFTER 12 YEARS  
DOD DMR 820016

CONFIDENTIAL

CONFIDENTIAL

SIGNED

BY  
FOR

CONFIDENTIAL

CONFIDENTIAL

304

10 August 1967

Import-Agma Flight Test

FMIC (Control) Control

Re: Reference your letter on above subject, dated 11 August 1967.

I do not agree to, either shared responsibility for the test flight, the flight test to be prepared and conducted under unequivocal assignment of specific responsibilities. Except as clarified in paragraph 2 above, these responsibilities are assigned in my 23 June letter on the same subject. We will, of course, work closely with the Agma SPO in planning and carrying out this important flight, and will welcome their assistance in analyzing any Agma flight anomaly which may occur.

SIGNED

JOHN L. MARTIN, JR.  
Brigadier General, USAF  
Director

CONFIDENTIAL

UNCLASSIFIED  
DATE 05-15-2010 BY 60320 UCBAW/STP

2: Page 7

Agenda Production Management Concept for Agenda

WASP (Gen Martin)

Based on the meeting which you had with Col Hamilton and the Agenda program people on 18 August 1967, it is my understanding that you still desire the customization of the Agenda for your programs to be performed by your office rather than the Agenda Program Office. The Agenda Program Office will be responsible for procurement and assembly of the Agenda only to that point in the assembly line which would be common to all your programs. In order to readjust the Agenda office functions as well as amend the contracts for procurement and assembly of components, we will need a determination from you as to the location of this point.

2. While there will normally be no requirement for system testing on our part, in order to verify that the portion of the equipment for which we are responsible meets the specifications, some testing will be required.

3. I am anxious to have this matter resolved by the preparation of a mutually agreeable plan. Our Agenda program people are ready to meet with your people to work out the details of such a plan.

**SIGNED**

PAUL T. COOPER  
Major General, USAF  
Deputy Commander, AFSS




30 August 1967

REF ID: A66500  
SP-1

subject: Improved Agena

to: SMG-2 (General Cooper)



3. In my view there are three general areas in which the cost increases are not justified:

a. The first is an apparent tendency to over-engineer both the hardware improvements and the test philosophy, imposing an extremely conservative engineering approach, with introduction of many new components (for example: injector, pump and thrust chamber in the  $N_2O_4$  engine) and an exhaustive test program (for example: a requirement to test burn the ISPS 12 times without refurbishment, versus the 2-burn normal PFRT case). In some cases, the improved Agena is being designed to requirements considerably in excess of those furnished by SAFSP in July (for example: 60-day wet pad capability versus our 30-day requirement and 90-day on-orbit capability versus our 20-30 day requirement with a 45-day objective). *Sub*

b. The second area is the generation of voluminous paper work, which is not absolutely necessary. While some of this paper may be beyond our control to eliminate, e. g. the C/S PCS requirement, others (full 375-1 documentation, formal test plans and operability plans, changing all drawings to MIL-D-1000 Form 2) seem to me to go far beyond the documentation really required, especially when this question is considered in full

DOWNGRADED AT 12 YEAR  
INTERVALS. NOT AUTOMATICALLY  
DECLASSIFIED. DOD DIR 5200.10

~~CONFIDENTIAL~~

Page 158




~~CONFIDENTIAL~~

context of the actual manner of employment of these vehicles (substantial modification by the same contractor prior to use, consumption without entering the inventory in the normal sense, all launch preparations and services by the same contractor, etc.)

c. The third area is smaller in dollar impact at present, and involves the investigation of sub-systems other than propulsion and structures. The stated objective of the Improved Agena was to introduce the N<sub>2</sub>O<sub>4</sub> engine with modification of plumbing and structures as required. The current plan contemplates study of electrical, guidance, TT&C sub-systems and optional kits. While I agree that study of these items may well be required later, they are not part of the original concept which we discussed with Dr. Flax and upon which his approval to proceed was based.

4. I believe that we can and must scrub the current concept down to eliminate the effort that is not absolutely essential. I have attached a budget breakdown which shows in three columns the original cost estimate, the current cost estimate and a preliminary SAFSP estimate of a more reasonable approach, based upon elimination of work not necessary to meet our requirements. I hope we will be able to reduce this further. My people are looking into this in some detail and will work with the Agena Program Office as required.

*Must find -  
to let King  
Smith re-*

  
JOHN L. MARTIN, JR  
Brigadier General, USAF  
Director

1 Atch  
Improved Agena Estimates

CC: SMV (Col Hamilton) ✓

~~CONFIDENTIAL~~

P 157

IMPROVED A NA ESTIMATES  
(in thousands)

LMSC/SAMSO Agena Office

Original

Present

SAFSP\*

LMSC

**Labor**

**Program Management**

**C/S PCS**

**System Integration**

**Vehicle Engineering**

**Propulsion**

**Structural**

**R&D**

**Other**

**Tests and Test Articles**

**DTV**

**Propulsion**

**Structural**

**Other**

**Studies**

**Stretchout**

**sub-total labor**

**Material**

**Facilities**

**LMSC in-house**

**Major sub-contractors (except engine)**

**LMSC Burden/Fee on all subs (incl engine)**

*Pg 152*

DOWNGRADED AT 12 YEAR  
INTERVALS. NOT AUTOMATICALLY  
DECLASSIFIED AND DOWNGRADED

~~CONFIDENTIAL~~

**Bell Engine sub-contract**

**Eng dev and test  
System support  
Operability  
Program mgt and C/S PCS  
Stretchout  
Facilities**

[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	1044	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

**TOTALS....**

\*On 28 August LMSC and the SAMSO Agena Program Office presented to SAFSP a description of the work planned for Phase II of the Improved Agena program, together with the cost estimates shown in the middle column above. The cost estimates in the right hand column reflect SAFSP preliminary estimates, made in the 2 days subsequent to the briefing, of these items of work which could be eliminated and/or reduced in scope because they were not necessary to meet SAFSP requirements.

*Pg 135*

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

306a

DEPARTMENT OF THE AIR FORCE  
HEADQUARTERS SPACE AND MILITARY SYSTEMS DIVISION  
AFHQ, WASHINGTON, D.C. 20330



SMG-2

Improved Agena (U)

SMGS (General Martin)

1. Reference your letter of 30 Aug 67, same subject. The cost estimate of [redacted] based on a scope and depth of effort over which there is significant disagreement and misinterpretation, and my Agena Program Office does not concur with that estimate. We have been authorized to proceed with the program outlined in Option B of SSVA letter to AFSC, dated 6 Jun 67, Subject: Improved Agena Schedules and Funding. The Phase II cost estimate for Option B was [redacted] of which [redacted] was for SE/TD support from Aerospace Corporation. Your office was informed of this new estimate prior to the time that they briefed Dr Flax on your recommended course of action for Agena management. In the same time period, I briefed General Ferguson on the new estimate and told him that I was concerned that Dr Flax might have some second thoughts concerning the improved Agena in view of the large increase in program cost. I am disturbed that although you have had this information since last June you are expressing alarm at this late date.

2. The time phasing of our funds was spelled out in Option B and the program will be conducted within those constraints. We have been assured that there is no possibility of obtaining additional funds in FY 68 and we are also aware that fiscal 69 will be a problem. Our development program will be tailored to meet these fiscal limitations and at the same time maintain the first delivery date of March 1970.

3. I am alarmed by the degree of misleading and, in some cases, incorrect information which has apparently been given to you on the Improved Agena Program. I will address each of the points in your paragraph 3:

a. "Tendency to over-engineer" - It is our intent to do a sound engineering job which will result in reliability of the Agena E comparable to Agena D. We are not redesigning anything unless it is required. You mentioned three examples of components which you felt did not require redesign:

CONFIDENTIAL

DOWNGRADED AT 10 YEAR INTERVALS; NOT AUTOMATICALLY DECLASSIFIED. DOD DIR 5200.10

~~CONFIDENTIAL~~

(1) **Injector:** In addition to resizing the holes in the injector for the new propellants and the new mixture ratio, some additional modification has been shown to be necessary in order to correct a dynamic instability problem and to optimize the injector pattern in order to achieve the predicted performance increase with the new propellants.

(2) **Pump:** The degree of redesign of the turbine pump has been significantly influenced by the "Cough Drop" problem on Agena D. This was recognized and included as a basic ground rule for all options of the SSVA letter to AFSC dated 6 Jun 67.

(3) **Thrust chamber:** The length of the chamber has to be shortened in order to accommodate the increased expansion ratio of the nozzle and fuel will be used for cooling the chamber instead of oxidizer ( $N_2O_4$  is not suitable). In addition, the thrust level is being increased by 12.5%. These changes are mandatory and have been recognized from the very beginning of the program.

b. "Exhaustive test program" - The degree of testing required to achieve our program goal has not yet been finalized. The initial Lockheed proposal was clearly inadequate. The degree of testing proposed by Aerospace would assure us a highly reliable engine, but we may choose to accept a higher risk in order to keep program costs within bounds. For your information, MIL-R-5149B specifies 12 full duration runs as the test requirement for full qualification, and 6 full duration runs as the test requirement for PFRT. Two full duration runs are neither normal nor adequate for PFRT.

c. "Requirements considerably in excess of those furnished by SAFSP" - The 60-day wet pad capability and 90-day on-orbit capability were in the development plan which was approved for implementation prior to receipt of SP-2 letter dated 7 Jul 67 spelling out SAFSP requirements. SMVA letter to SP-2, dated 17 Aug 67, requested clarification of SAFSP requirements and asked for your recommendation on the desirability of continuing with the 60/90 day requirements versus reducing our design goals to the level required by SAFSP. The answer to this latest letter was received today and we will adjust these requirements accordingly.

~~CONFIDENTIAL~~

**(1) Injector:** In addition to recasting the holes in the injector for the new propellants and the new mixture ratio, some additional modification has been shown to be necessary in order to correct a dynamic instability problem and to optimize the injector pattern in order to achieve the predicted performance increase with the new propellants.

**(2) Pump:** The degree of redesign of the turbine pump has been significantly influenced by the "Cough Drop" problem on Agena D. This was recognized and included as a basic ground rule for all options of the SSVA letter to AFSC dated 6 Jun 67.

**(3) Thrust chamber:** The length of the chamber has to be shortened in order to accommodate the increased expansion ratio of the nozzle and fuel will be used for cooling the chamber instead of oxidizer ( $N_2O_4$  is not suitable). In addition, the thrust level is being increased by 12.5%. These changes are mandatory and have been recognized from the very beginning of the program.

b. "Exhaustive test program" - The degree of testing required to achieve our program goal has not yet been finalized. The initial Lockheed proposal was clearly inadequate. The degree of testing proposed by Aerospace would assure us a highly reliable engine, but we may choose to accept a higher risk in order to keep program costs within bounds. For your information, MIL-R-5149B specifies 12 full duration runs as the test requirement for full qualification, and 6 full duration runs as the test requirement for PFRT. Two full duration runs are neither normal nor adequate for PFRT.

c. "Requirements considerably in excess of those furnished by SAFSP" - The 60-day wet pad capability and 90-day on-orbit capability were in the development plan which was approved for implementation prior to receipt of SP-2 letter dated 7 Jul 67 spelling out SAFSP requirements. SMVA letter to SP-2, dated 17 Aug 67, requested clarification of SAFSP requirements and asked for your recommendation on the desirability of continuing with the 60/90 day requirements versus reducing our design goals to the level required by SAFSP. The answer to this latest letter was received today and we will adjust these requirements accordingly.

**4. "Voluminous paper work" -**

**(1) C/S PCS: Lockheed is stubbornly resisting C/S PCS, but we seem to have no choice but to include it as a requirement. They have undoubtedly over-priced this item in an attempt to scare us off.**

**(2) "Full 375-1 documentation": This is not really true. We are levying only 12 of the 18 Exhibits of AFSCM 375-1. We are also being as liberal as possible in the application of 375-1. For example, only those specifications which are substantially affected by design changes will be rewritten, and only those drawings which are new or substantially changed will have to conform to MIL-D-1000.**

**(3) "Formal test plans and operability plans" - These plans are necessary to the conduct of the program. Making them "formal" is admittedly a thorn to the contractor because it gives the Agena Program Office better visibility and control, thereby assuring more complete design verification and giving a better yardstick for estimating program costs.**

**e. The current plan does not include study of other subsystems such as electrical, guidance, TT&C and optional kits other than the single start kits. However, it may be necessary to make certain changes to these subsystems in order to make them compatible with the new propulsion subsystem. The Agena Program Office has recommended to your people that a review of these subsystems be accomplished at a later date. Serious consideration is also being given to elimination of the single start kit since the slight weight savings does not appear to justify the development cost.**

**4. I am concerned about your statement that you are having your people look into this in some detail, and I hope that our differences with Lockheed will not be further aggravated by your unilateral discussions with them concerning the scope of the development program. I am confident that my Agena Program Office is capable of managing the Agena E Development Program, both technically and financially.**

**SIGNED**

**PAUL T. COOPER  
Major General, USAF  
Deputy Commander 2nd Space**

**DEPARTMENT OF THE AIR FORCE  
DIRECTORATE OF SPECIAL PROJECTS (DSAP)  
AF WHT POST OFFICE, LOS ANGELES, CALIFORNIA 90045**

8 September 1967



3066

Reply to  
AFM or SP-1

Subject: New Production Management Concept for Agena (U)

Re: SMG-2 (General Cooper)

1. (U) Your letter of 22 August asked me to determine the point on the standard Agena assembly line at which the vehicle would be common to all my using projects.

2. (U) We have addressed this question in the following steps:

a. First, we determined for each using project the optimum configuration for delivery from the standard line to SAFSP, with "optimum configuration" defined as:

(1) One from which nothing must be removed during the peculiarization process, and

(2) One on which the peculiarization process inflicts no potential reduction in reliability (as, for instance, installing components in an awkward sequence, requiring holes bored after assembly of some interfering components has already been completed, undue strain on harnesses already installed, etc.).

b. Second, we compared all the optimum configurations and determined the point of commonality.

3. (S) As has been previously pointed out, the truly common point is very early on the assembly line, because of the quite different peculiarization processes. Attachment describes this common point. Four different optimum configurations are required: that is, my using projects should take delivery at separate places on the standard Agena line, with a considerable spread between the earliest point and the latest point.

4. (S) In quantitative terms, I have firm requirements as of 5 September for 49 more Agenas not yet delivered by SAMSO. Of these:

a. 18 are either already built and in storage prior to delivery to SAFSP, or are in late stages of manufacture. At this point, it is more cost-effective to deliver these 18 in the current standard configuration.

DOWNGRADED AT 12 YEAR  
INTERVALS, NOT AUTOMATICALLY  
DECLASSIFIED. DOD DIR 5200.10

**SECRET**

SP-1-12



~~SECRET~~

b. Delivery of the remaining 31 would be more cost-effective, from the overall Government standpoint, in four different configurations. Listed below is the order in which these vehicles would come off the standard Agena assembly line, together with the number of vehicles of each type remaining to be manufactured to meet present firm program requirements:



5. (U) Attachments 2 through 6 are summaries for each of these four projects, (plus a fifth project to which all required Agenas have already been delivered) showing firm quantitative requirements for Agenas yet to be delivered, desired change-over points (in terms of specific standard Agenas by tail number) from current standard Agena configuration to the optimum configurations, and descriptions of the optimum configurations for each project. Allocations of specific standard Agenas to projects have historically been subject to change; however, the tail numbers shown will provide a base line for planning.

6. (S) I am concerned that the actions which have been taken and apparently are being taken by SAMSO on this problem continue to be at cross purposes with the actions recommended by SAFSP as the sole user of the vehicle in question. As a background, the following is a summary of the substance of the principal recommendations I submitted in May, after review with you, to Dr. Flax and subsequently briefed to Dr. Flax on 6 June, and to Gen Ferguson, Gen Stewart and you on 7 June:

a. Dr. Flax obtain from DDR&E:

(1) Approval to change the standard Agena concept from one of producing completely assembled and tested vehicles to one of producing components and sub-assemblies.

(2) Delegation to Dr. Flax of approval authority for production of the components and sub-assemblies.

b. After DDR&E approval is obtained, Dr. Flax direct:

**(1) Immediate action to modify standard Agena production contracts to:**

**(a) Stop manufacture of components not used by SAFSP**

**(b) Stop (complete) assembly and system test of standard Agenas.**

**(c) Remove 375-series configuration control procedures and substitute therefor an SAFSP configuration management plan.**

**(2) Immediate action to modify the SAMSO Agena logistics contract to vest in SAFSP the sole approval authority over ISSUs, determination of component flight worthiness and disposition of items not flight worthy.**

**(3) Planning and execution on an orderly basis of the remaining changes required in SAMSO or AFCMD responsibilities, organizations and contracts to implement above.**

**(4) Continue development of the Bell 8533 engine (but restudy the time phasing in view of SAFSP budget recommendation that it be incorporated in Project 110 vehicle #37 in Feb 1971 rather than in #23 in Apr 1969), the Bell Type IIA velocity meter, the LMSC electronic event timer and the Quantic horizon sensor.**

**(5) Review other proposed Agena developments with SAFSP to determine requirements before proceeding with development work.**

**(6) Planning and execution on an orderly basis of the remaining changes required in SAFSP responsibilities, organization and contracts to implement above.**

**7. (C) It was my understanding at the time of making the above recommendations to Dr. Flax and Gen Ferguson that Dr. Flax would await Gen Ferguson's comments before taking action, and that, he, in turn, would await comments from you. I am not aware of any comments to Gen Ferguson on these recommendations (except for Gen Stewart's, made in his 14 June letter), and as far as I can tell, the action is still**


**SECRET**

SP-1-12

being held up in anticipation of your comments. The delay in getting approval to proceed on the recommended basis has left no alternative but for SAFSP to proceed with several contractual actions on the present standard Agena basis instead of on the recommended basis, which will unavoidably result in some lost motion in implementing any change. I have also necessarily deferred action on the CFE engine question raised in your letter of 2 August, since the feasibility of introducing the CFE/incentive contract approach in lieu of the present engine procurement arrangement is directly related to when and if we can get approval for the changes I have recommended and how many vehicles are left to buy at that point. In addition, I cannot see that the delay that has occurred has produced any useful result: the problem and the solution are the same as when the SAFSP recommendations were submitted in May, nothing substantive has changed at all except to impair the effectiveness of initiation of the recommended change. As we pointed out in the May recommendations and discussions and June presentations, the details of implementation will necessarily require several months after approval to proceed. These details will not affect the nature of the solution, and continued delay of the basic decision in attempts to work them all out in advance can only result in more vehicles being built under the present arrangements, with attendant waste of manpower and money.

8. (U) In summary, I am anxious to get approval to proceed as soon as possible and solicit your support. I hope that the data forwarded herewith will enable you to resolve any questions which remain. If not, I am ready for any further discussions which you may desire.

9. (U) This letter is classified SECRET because it reveals level of effort and projected plans on sensitive programs.

  
JOHN L. MARTIN, JR  
Brigadier General, USAF  
Director

6 Atch  
1. Common Config



cy to: SMV (Col Hamilton)

18 September 1967

**MEMORANDUM FOR GENERAL O'NEILL**

**SUBJECT: New Production Management Concept for Agena (U)**

1. The essence of the 15 September SAFSP letter to Flax is contained herein except that John Martin is now recommending a complete transfer of the Agena responsibility to SP at a certain date.
2. My memo to John Martin (attached) dated 22 August, in effect, capitulates to his recommendations and I do not understand why his 8 September letter still depletes the delay because we are ready to proceed. A misunderstanding obviously exists as to the requirement for us to state our views with Ferguson. I called Russ Berg and he, too, is of the opinion that Flax is waiting on Ferguson and he prepared a note for Flax to send, asking for the Ferguson comments.
3. I called Gen Ferguson and told him that "under the circumstances I think the best course of action is to accept the SAFSP recommendations including the new recommendation to transfer all of the Agena work at a certain date." I offered a briefing on the details and he said that he would call Flax and if a briefing is necessary, he would advise.

*AC*  
 PAUL T. COOPER  
 Major General, USAF  
 Deputy Commander for Space

2 Atch

1. SP-1 ltr to SMG-2, 8 Sep 67 (Secret - SP-1-12)
2. SMV ltr to SAFSP, 22 Aug 67 (Uncl)

Copy to SMV (Col Hamilton)

CLASSIFICATION OF THIS DOCUMENT  
 WILL BE DOWN GRADED TO *Confidential*  
 UPON REMOVAL OF ENCLOSURES

DOWNGRADED AT 3 YEAR INTERVALS  
 DECLASSIFIED AFTER 12 YEARS  
 DOD DIR 5200.10

SMG-67-23

~~SECRET~~

CONFIDENTIAL

*Cy # 2*

~~SECRET~~

307

**MEMO FOR THE RECORD**

**Subject: Custom Agena Briefing to Gen Martin**

1. On 18 Aug 57 Gen Martin and his staff were briefed by JVA on the Custom Agena concept. JVA personnel attending included Lt Col Poor, Lt Col Hedlund, Maj Crawford, Maj Bell and Maj Bradford. Col Hamilton (JW) was also present. Gen Martin was briefed as outlined in the attached charts. Purpose of the briefing was to point out to him how the Custom Agena concept would improve responsiveness to the Using Programs and would provide them with a vehicle configuration that satisfied their requirements. It was pointed out that customizing involved three areas; namely, Production Management, Configuration Management and Contract Management. Pertinent facts pointed out in each of these areas included the following:

Production Management

Manufacturing and testing of a Custom Agena by SAMS0 would involve:

- a. Assembly of standard Agena and program peculiar components
- b. CFE storage of the vehicle
- c. Validation testing after CFE storage which would not include the current Tank V System Test, and
- d. Transfer of the Using Program for program additions and final systems test prior to joint SAMS0/SP DD-250 sign off.

The detailed configuration by component and subsystems and the implementation schedule identified for each program.

Configuration Management

The principal point discussed under this topic was our plan to establish a Requirements Control Board located at IMSC and composed of members from SAMS0, SAFSP, AFPRO and IMSC. It was pointed out that we felt this was the key to making the Custom Agena concept work.

Contract Management

Implementation of the Custom Agena Plan would involve SAMS0 production contracts, storage contract and the current development or engineering support contract. It would further involve close coordination with SP Procurement but presented no insurmountable problems as far as procurement is concerned.

2. It was pointed out to Gen. Martin that we considered the Custom Agena except to offer the best solution concerning what to build to satisfy the needs of SAFSP programs. In summary, we pointed out the conclusions outlined in the attached charts and recommended that action be taken to implement the plan.

3. Gen. Martin's reaction to the briefing was as follows:

a. In summary, he rejected the plan and felt that SAMSOC was not directing their attention to his recommendations made to Dr. Flax in June. He further indicated that he did not think we had even considered his recommendations. He stated that in order to clear out any misinterpretation of his original recommendations he wished to reiterate for everyone's benefit in the briefing, what he had recommended, i.e., eliminate assembly and tests by SAMSOC which are either redundant or invalidated by SP assembly and systems test after they receive vehicles from Standard Agena.

b. Additionally, he made the following specific comments concerning Agena Management:

(1) SAMSOC should build Agena only up to the point of commonality for all SP programs. He did not envision this as including program peculiar hardware.

(2) He considered all SAMSOC testing unnecessary. He pointed out that the SP system test is all that is required.

(3) He stated his opposition to the System Requirements Board in that he felt that it would unduly complicate management of the program.

(4) He made a considerable issue over the question why we felt we could build a system including program peculiar components better than SP. It was pointed out to him that we were recommending the configurations as briefed in that we felt this best satisfied his requirements.

4. In discussing the management aspect of the overall program, it was obvious that with both SAFSP and SAMSOC having responsibility for the procurement, fabrication and testing of the Agena spacecraft, the management task becomes somewhat complex. The task is further complicated by the security criteria placed upon the program. During the discussion it was suggested by Col. Hamilton that because of the above situation, consideration should be given to the fact that it might be in the best interest of the Air Force if SAFSP were to assume the responsibility for the procurement, fabrication and testing of the Agena Vehicle. Gen. Martin commented that while this was not his original recommendation, he would not be opposed to such a plan.

5. In summary, there were no conclusions reached as a result of the briefing other than it was quite evident that anything different from Gen Martin's original recommendations was unsatisfactory to him.

*Allen J. Poor*  
ALLEN J. POOR, Lt Col, USAF  
Chief, Engineering Division  
Agency Program Office

1 Atch  
Briefing Charts - Custom Agency

Cy to: :MV (Col Hamilton)  
v/o atch

*P. 1142*

18 Aug 67 To Gen Martin  
by Lt Col Pool

CUSTOM AGENA

Step 1

Done



CUSTOM AGENA

PURPOSE OF CUSTOMIZING

- RESPONSIVENESS TO THE USING PROGRAMS
- PROVIDING A SYSTEM TO THE USER IN THE  
CONFIGURATION HE WANTS

Page 150

CUSTOM AGENDA

BACKGROUND

- 14 JULY - BRIEFING - GENERAL COOPER
  - FURTHER DEFINITION OF CUSTOM AGENDA
- 15 JULY - DIRECTED LMSC TO PROPOSE AN IMPLEMENTATION PLAN INCLUDING:
  - SPECIFICATION
  - MANUFACTURING PLAN
  - ACCEPTANCE TEST PLAN
  - SCHEDULE
  - COST ANALYSIS
  - CONFIGURATION CONTROL REQUIREMENTS
- 11 AUGUST - BRIEFING - GENERAL COOPER
  - STATUS REPORT
  - LMSC TO SUBMIT DETAILED IMPLEMENTATION PLAN



25 AUGUST 1957

15 SEPTEMBER 1957

CUSTOM AGENA

IMPLEMENTATION OF CUSTOMIZED AGENA


◎ PRODUCTION MANAGEMENT

◎ CONFIGURATION MANAGEMENT

◎ CONTRACT MANAGEMENT

Pa. 14/8

MANUFACTURING FLOW DIAGRAM 12.1.2



BLDG 152 - AREA

BLDG 104 - STORAGE

PROGRAM PACKAGES

TOTAL ASSEMBLY

TOTAL STORAGE

PROGRAM 110

CLIENT AREA

QUANTITY AND CONTROL

AGRA CORP-CONTS USED

NONE

AGRA CORP-CONTS  
FURNISHED

PROGRAM COR-CONTS  
FURNISHED

RECORDS SERVICE

RECORDS SERVICE

VELOCITY 15222

VELOCITY CONTROL ASSEMBLY

IMP

DISK REWIRES ASSEMBLIES

PLR CONTROL ELECT

RECF IMPROVED ASST

PLR CORR J-90K

AMP RECF INT. ASSY

QUANTITY J-90K

DUAL AIRWAYS CORR. STD'S

REQUIRE 200K

PACK UP 6240. STD'S

CUSTOM AGENA

SUMMARY OF MAJOR HARDWARE CHANGES

<u>PROGRAM</u>	<u>STD AGENA COMPONENTS USED</u>	<u>STD AGENA COMPONENTS ELIMINATED</u>	<u>PROGRAM COMPONENTS INSTALLED</u>
846	44 21 Wire/Harnesses	4 9 Wire/Harnesses	21 42 Wire/Harnesses
110	18	20 All Wire/Harnesses	24 115 Wire/Harnesses
770	49 29 Wire/Harnesses	None	7 15 Wire/Harnesses

2/11/44

**CUSTOM AGENA**

**VEHICLE VERIFICATION TEST**

**PERFORMED**

**TASK I**

**VEHICLE HOOK-UP**

**TASK II**

**"POWER-ON" CHECK**

**TASK III**

**BACKUP EVENT VERIFICATION**

**TASK IV**

**TELEMETRY VERIFICATION**

**TASK V**

**GUIDANCE & CONTROL VERIFICATION**

**TASK VII**

**CONTAMINATION CHECK & DISCONNECT**

**ELIMINATED**

**TASK VI**

**EMULATED FLIGHT**

8-143

CUSTOM AGENA


PRODUCTION IMPLEMENTATION

● PRODUCTION MANAGEMENT

- PROGRAM 845 EFFECTIVITY
- AGENA VEHICLE NO. 197
- CONTRACT GO-AHEAD BY 1 OCTOBER 1967
- CONFIGURATION
  - STANDARD AGENA ITEMS
  - PROGRAM PECULIAR ITEMS

P 142





14

1230

CUSTOM AGENA

CONFIGURATION MANAGEMENT - BACKGROUND

o DIVERGENT PROGRAM MANAGEMENT

	<u>SAFSP</u>	<u>SAMCO</u>
- SYSTEM CONCEPT	NON-OPERATIONAL	OPERATIONAL
- CONFIGURATION MANAGEMENT	INFORMAL	FORMAL
- LEVEL OF CONTRACT CONTROL	VEHICLE ONLY	VEHICLE, BLACK BOX, PCE PART & PROCESS.
- DWG. COMPL. INTERPRETATION BY AIR FORCE	LIBERAL	STRICT
- SPECIFICATION PROGRAM	NEITHER AGENCY HAS TOTAL MANAGEMENT	

231


CUSTOM AGENA

CONFIGURATION MANAGEMENT - PROPOSAL

- REALIGN CONFIGURATION MANAGEMENT REQUIREMENTS FOR SAFOP AND SAMEO
  - SPECIFICATION AND DRAWING
  - CHANGE CONTROL
  - LEVEL OF CONTROL
  - CONFIGURATION ACCOUNTS
  
- ESTABLISH REQUIREMENTS CONTROL BOARD
  - INSURE RESPONSIVENESS TO USER REQUIREMENTS
  - PRECLUDE DUPLICATION OF DESIGN IMPROVEMENTS
  - PERMIT STANDARDIZATION
  - CONTROL COMMON SPECIFICATION TREE
  - EFFECT COMMON MANAGEMENT OPERATING PROCEDURES

CUSTOM AGENA

DESIGN CHANGE FLOW CHART




2-135

CUSTOM AGENA

REQUIREMENTS CONTROL BOARD

○ ORGANIZATION



○ LOCATION

○ PERMANENT MEMBERS FULL TIME IN-PLANT AT CUNTYVALE, CALIF.  
OTHER MEMBERS AT CALL OF CHAIRMAN OR PERMANENT BOARD MEMBER

P. 137

CUSTOM AGENDA

SPO/SP ACTION REQUIRED TO IMPLEMENT

- DEVELOP COMMON CONFIGURATION MANAGEMENT PLAN AND REQUIREMENTS DOCUMENT FOR CONTRACT IMPLEMENTATION
- DEVELOP DETAILED OPERATING PROCEDURES AND AUTHORITY FOR REQUIREMENTS CONTROL BOARD
- FORMALLY ESTABLISH REQUIREMENTS CONTROL BOARD

PROCUREMENT IMPLEMENTATION

○ CHANGE HARDWARE CONTRACTS (2)

-939 CONTRACT REQUIRES REVISED WORK STATEMENT BASED ON VEHICLE EFFECTIVITY

1. NEW SPECIFICATIONS
2. NEW TEST PROCEDURES
3. NEW DELIVERY SCHEDULE
4. CFE STORAGE REQUIREMENT

-0077 LETTER CONTRACT REQUIRES REVISED WORK STATEMENT FOR ALL VEHICLES.

- BOTH CONTRACTS WOULD REQUIRE NEW PAYMENT SCHEDULE FOR LMSC

1. COST SEGREGATION BY VEHICLE
2. PARTIAL PAYMENT AFTER SPO VEHICLE VERIFICATION TEST
3. FINAL PAYMENT AFTER FINAL SP SYSTEM TEST

- BOTH CONTRACTS MUST HAVE ARRANGEMENTS TO

1. TAKE CARE OF "AFTER TRANSFER" FAILURES
2. PERMIT FINAL PAYMENT BASED ON SP SYSTEMS TEST & JOINT SP/SPO DD-250
3. IMPLEMENT CONFIGURATION MANAGEMENT CHANGES

01/23

1286


CUSTOM AGENA

PROCUREMENT IMPLEMENTATION

- CHANGE STORAGE CONTRACTS
  - PRESENT CONTRACT CALLS FOR DD-250 THEN GFP STORAGE
- PLAN FOR QUICK REACTION DEVELOPMENT CONTRACT COVERAGE
  - PRESENT METHOD CAUSES USE OF THREE CONTRACTS, I. E., PROGRAM PLAN, DESIGN DEVELOPMENT, PRODUCTION CHANGE
  - IMMEDIATE PLAN WOULD USE TWO CONTRACTS, I. E., SINGLE DEVELOPMENT AND PRODUCTION
  - LONG RANGE PLAN WOULD USE ONE DEVELOPMENT & PRODUCTION CONTRACT
- ESTABLISH COORDINATION WITH SP PROCUREMENT
  - ELIMINATE PROCUREMENT DUPLICATION
  - PROMOTE BEST POSSIBLE CONTRACT MIX
  - INSURE ALL REQUIREMENTS CONTRACTUALLY COVERED

2136





2/13/20

CUSTOM AGENA

CONCLUSIONS

- CUSTOM CONCEPT CAN BE IMPLEMENTED
- ELIMINATES TEARDOWN AND BUILD-UP OF VEHICLE
- IMPROVES RESPONSIVENESS TO PROGRAM REQUIREMENT AND REQUIREMENT CHANGES
- RETAINS CONSIDERATION FOR STANDARDIZATION
- PERMITS DELIVERY OF A REALISTICALLY DOCUMENTED USEABLE VEHICLE
- SHOULD DECREASE TOTAL PROCUREMENT COST

CUSTOM AGENT

RECOMMENDATION

© ACTION BE TAKEN BY SAMCO/SAFE TO IMPLEMENT PLAN

PA. 131

~~SECRET~~

308

DEPARTMENT OF THE AIR FORCE  
DIRECTORATE OF SPECIAL PROJECTS (OSAP)  
AF UNIT POST OFFICE, LOS ANGELES, CALIFORNIA 90045



[REDACTED]

SP-2-7

DOWNGRADED AT 12 YEAR  
INTERVALS; NOT AUTOMATICALLY  
DECLASSIFIED. DOD DIR 5200.10

Reproduced by OSAP HQ Document  
Control # SP-2-7 No. of copies  
Reproduced 2 Reproduction  
Authorized by [Signature]

~~SECRET~~

SP-2-7

Starb

137

THE AGENT PROGRAM OFFICE

SECRET (NO TOP SECRET)

1. Since the... the... of the Titan III... has been... to approvals, being... Titan III B and C-4s... Also, the requirement... the Agent... stage... of the Agent Program Office... the... Corporation... in the... level... the Agent Program Office.

2. With... the Titan III... program... it is... of... a... agreement... to transfer... and... responsibility for the... to the... If... is not... in... to cover this function, the Titan... may be required to transfer... to the... of course, change the... that... realizing that... additional... are required rather than... the... identified.

3. As you know, the... in the current... for the Titan III... of... to... it should be recognized that... both organizations... already developed and it is imperative that the... be reviewed and approved as soon as possible.

SIGNED

PAUL J. GORTZ  
Major General, USAF  
Deputy Assistant Secretary

Major Paul Titus III  
Major Paul Agema Proc

42-09  
SECRET  
UNCLASSIFIED EDITION 726 2912 04-000-00000  
BY SMO  
P 181042 OCT 67

SMG  
SAV 310

AFSC  
3300 LOS ANGELES CALIF

19 OCT 19 082 AM 7:13

SECRET SCEN 3605 OCT 67

SUB, DIV. IN ACCORDANCE WITH SAFSD, 18 OCT 67, DECISION TO TRANSFER ALL AGENA ACTIVITIES AT SANSO TO SAFSP, YOU ARE TO PROCEED WITH IMPLEMENTATION AS FOLLOWS: (A) THE SANSO AGENA SPO IS TO BE TRANSFERRED FROM SANSO TO SAFSP INACT AT A DATE MUTUALLY AGREABLE TO THE COMMANDER, SANSO, AND THE DIRECTOR, SAFSP, BUT NO LATER THAN OCTOBER 25, 1967. AS IS THE CASE WITH MOST SAFSP PERSONNEL, THE MANPOWER SPACES OF THE AGENA SPO WILL REMAIN ASSIGNED TO SANSO BUT THE INSURGENT PERSONNEL WILL BE DETACHED TO FULL TIME DUTY WITH SAFSP. ALL SANSO CONTRACTS MANAGED BY THE AGENA SPO WILL BE TRANSFERRED WITH THE SPO TO SAFSP TO BE MANAGED THEREAFTER IN THE SAFSP-OSAF MANAGEMENT CHANNELS AND PROCEDURES, (B) FOR YOUR INFORMATION AND TO

DOWNGRADED AT 3 YEAR INTERVALS  
DECLASSIFIED AFTER 12 YEARS  
DOD DIR 5200.10

PAGE 2 RUEDTAA 726 SECRET

ASSIST YOU IN COORDINATING IMPLEMENTATION ACTIONS, THE DIRECTOR, SAFSP WILL CONTACT THE COMMANDER, SANSO, TO EFFECT APPROPRIATE ARRANGEMENTS FOR THE TRANSFER OF RESPONSIBILITY AND TO TAKE ADDITIONAL ACTIONS AS FOLLOWS: (1) TO PROCEED IN AN ORDERLY MANNER TO CHANGE THE AGENA PROCUREMENT AND PRODU CONCEPTS TO THOSE OUTLINED IN SAFSP LETTERS OF MAY 25, 1967 AND SEPTEMBER 15, 1967, (2) TO CHANGE THE PROCUREMENT OF AGENA LAUNCH SERVICES, IRL GUIDANCE, AND RELATED SUPPORT WHICH ARE NOW PROCURED BY THE AGENA SPO TO A CONCEPT WHEREBY SAFSP PROCURES THESE SERVICES, EQUIPMENT AND SUPPORT FOR SAFSP USE, AND ASSISTS NASA OR OTHER USERS TO PROCURE EITHER DIRECTLY OR THROUGH SAFSP THE AGENA VEHICLES AND THE LAUNCH SERVICES, EQUIPMENT AND SUPPORT WHICH THE OTHER USERS REQUIRE, (3) TO ASSUME RESPONSIBILITY IN SAFSP FOR THE DEVELOPMENT OF THE IMPROVED AGENA WITH THE 8333 ENGINE AND ISPS AS OF THE DATE OF TRANSFER OF THE AGENA SPO. REVIEWS OF THIS PROJECT

292-04

PAGE 3 RUEDTAA 726 SECRET  
CURRENTLY SCHEDULED IN THE SANSO-AFSC-HQ USAF CHANNEL ARE BEING CANCELLED AND WILL BE REPLACED BY A SUITABLE REVIEW SCHEDULE IN THE SAFSP-OSAF CHANNEL. (4) TO PLAN AND IMPLEMENT A REDUCTION IN 75 MANPOWER SPACES CURRENTLY AUTHORIZED IN THE AGENA SPO BY JUNE 30, 1968. EXCESS SPACES ARE TO BE RETURNED TO AFSC AND EXCESS PERSONNEL ARE TO BE RELEASED FROM DETAIL TO SAFSP AND FROM THE SAFSP

No Action  
James H. ...  
SDD

SECRET

1223

DELAY DETAILS OF FUNDING REVISIONS REQUIRED OR  
PERMITTED BY THE ABOVE ACTION TO BE  
ADDITIONAL GUIDANCE TO BE  
ISSUED IN THE IMMEDIATE FUTURE. (S)

~~SECRET~~

DOWNGRADED AT 3 YEAR INTERVALS  
DECLASSIFIED AFTER 12 YEARS  
DOD DIR 5200.10

SP-15B (Lt Col Wheeler)

**Agna D Flight Summary**

SP-15B (Lt Col Wheeler)

1. Attached for your retention is a summary of all Agna D flights from 1962 through the present date. This summary is a condensation of the more complete data provided by DMC in the "Agna Flight Summary Report" submitted semiannually. I recommend that you maintain the summary on a current basis. In the past, Col Hamilton has been a recipient of our summary and it may be that he is still interested in getting a copy.

2. For the purpose of this summary, the following definitions and explanations apply.

a. The first column shows the cumulative totals of Agna D flights, successes, failures, no trials and percentage of successes. Success is defined as meeting primary mission objectives in Agna ascent and orbit injection. No trial is defined as a first stage booster anomaly which prevents normal Agna performance. Percentage of success is determined by the equation

$$\frac{\text{Successes}}{\text{Total flights-no trials}} \times 100$$

b. The second column shows the cumulative total of all Agna flights. There were 93 flights of Agna A's and Agna B's. Since these vehicles have now all been flown, the total Agna flights will remain at 93 greater than the Agna D total. The summary includes a breakout of these flights for information.

c. The third column states the Agna D (AD) sequence number and the contract on which it was produced. It should be noted that in the transition from SS-01A to SS-01B, AD numbers 61-1, 61-2, 61-3, 61-4, 61-5 and 61-6 were assigned to the last SS-01A's. All vehicles from AD-62 are SS-01B's. Thus there will be 6 more vehicles produced than indicated by the AD numbers.

d. The fourth column lists the program which flew the Agna and the vehicle designator assigned by that program.

e. The remarks column states reasons for failures and no trial and also indicates major equipment problems, even though the flight is judged a success. It also includes comments on orbital performance.

3. This letter, with attachment removed, is unclassified. The



~~SECRET~~

attachment is classified SECRET, GP 3, because it reveals launch dates by program, success ratio by program and overall Agena performance capabilities.

ROBERT R. CRAWFORD, Lt Col, USAF  
Chief, [REDACTED]

1 Atch

Agena Flight Summary Report (S) (2 cy)

cy to: [REDACTED] w/atch (S)

~~SECRET~~

~~SECRET~~  
AGORA D FLIGHT SUMMARY


24 JAN 63

AGORA D FLIGHTS					AGORA	AD	PROGRAM/VER	LAUNCH	REMARKS
NR	S	P	NR	4	FLY NO	NO/CONF		DATE	
1	1			100	64	1/21	162/1151	27 Jun 62	VM error
2	2				69	2/21	162/1152	1 Aug 62	
3	3				72	3/21	162/1153	28 Aug 62	H/S fail orbit 45
4	4				76	4/21	162/1154	29 Sep 62	Temp DC power loss
5	5				79	8/21	162/1401	26 Oct 62	
6	6				83	5/21	162/1155	4 Dec 62	
7	7				84	10/21	698/2351	12 Dec 62	VM & Seq Timer problem
8	8				85	6/21	162/1156	14 Dec 62	
9	9				87	7/21	162/1157	7 Jan 63	H/S fail - re-entry error
10		1	100		89	9/21	162/1159	28 Feb 63	Booster fail (1W-2A)
11		1	90	90	90	20/68	162/1164	18 Mar 63	Premature eng shut-down Short in APT S/A J-Box
12	10		91	91	91	12/21	162/1160	1 Apr 63	Power Amp. fail. early recovery
13		2	83	92	92	17/68	162/1411	26 Apr 63	Human error in H/S setting
14	11		85	94	94	18/68	162/1165	18 May 63	
15	12		86	96	96	21/68	162/1161	12 Jun 63	

~~SECRET~~

CLASSIFIED BY 5042  
 DECLASSIFY ON: OADR


24  
#2



1001

1001

1001




~~SECRET~~

[REDACTED]


~~SECRET~~

~~SECRET~~

PM 5



~~SECRET~~



SECRET


[REDACTED]

SECRET



[REDACTED]

~~SECRET~~





12 YEAR  
INTERPOL  
5000.10

SI-1997  
G#27

1. Agma D Flights

Agma D Successes	148
Agma D Failures	10
Agma D No Trials	<u>6</u>
<b>Total Agma D Flights</b>	<b>164</b>

2. In addition to Agma D there have been 93 flights of Agma A and Agma B with the following results:

Agma A Successes	12	Agma B Successes	59
Agma A Failures	5	Agma B Failures	8
Agma A No Trials	<u>2</u>	Agma B No Trials	<u>7</u>
<b>Total Agma A Flights</b>	<b>19</b>	<b>Total Agma B Flights</b>	<b>74</b>

3. Agma D Reliability by Production Contract

<u>Contract</u>	<u>Pr. Produced</u>	<u>AD Rvs</u>	<u>Launched</u>	<u>S</u>	<u>F</u>	<u>FF</u>	<u>L</u>
-21	12	1-12	12	10	1	1	90.0
-68	39	13-51	39	34	3	2	91.9
-194	46	52-91	45	40	4	1	90.9
-451	29	92-120	26	25	2	1	92.6
-722	57	121-177	40	39	0	1	100
-939	36	178-213	0				
<b>TOTAL</b>	<b>219</b>		<b>164</b>	<b>148</b>	<b>10</b>	<b>6</b>	<b>93.7</b>

~~SECRET~~

4. Agma D Reliability by year

<u>Year</u>	<u>Launches</u>	<u>S</u>	<u>F</u>	<u>RT</u>	<u>%</u>
1962	8	8	0	0	100
1963	23	18	3	2	85.7
1964	35	32	3	0	91.4
1965	29	26	1	2	96.3
1966	39	36	2	1	94.7
1967	28	26	1	1	96.3
1968	2	2	0	0	100
<u>TOTALS</u>	<u>164</u>	<u>148</u>	<u>10</u>	<u>6</u>	<u>93.7</u>

~~SECRET~~

DEPARTMENT OF THE AIR FORCE  
DIRECTORATE OF SPECIAL PROJECTS (OLAF)  
47 UNIT POST OFFICE, LOS ANGELES, CALIFORNIA 90046



312

REPLY TO:  
ATTN OF: [REDACTED]

15 April 1968

SUBJECT: Final Agena Historical Report, 1 July - 19 October 1967

TO: SME

1. On 19 October 1967 the Agena Program Office, SMVA, was re-assigned from the Space and Missile Systems Organization (AFSC) to the Office of the Secretary of the Air Force, Directorate of Special Projects. Several factors influenced the final decision which led to this organizational change but the following was primary:

a. The original requirement for a "Standard" Agena vehicle came about as a result of the need for the vehicle by many diverse programs - both Air Force and NASA. Central procurement and support engineering by a Standard Agena office was determined to be the most economical method of meeting each program's needs. Each using program, upon receipt of their "Standard" Agena D, added program peculiar equipment and modified the vehicle as required.

b. A review of known, firm using program requirements during first quarter FY 69 indicated an almost exclusive use of the Agena D by SAFSP; therefore the original justification for a "standard" vehicle (i. e., the diverse requirement by many programs) was no longer valid.

2. At the time of the reorganization, 67 people were assigned to SMVA and Colonel Norman J. Keefer was Agena System Program Director. The organization was made up of five divisions - Engineering with 19 officers and 4 civilians, Configuration Management with 5 officers and 3 civilians, Program Control with 3 officers and 4 civilians, Operations with 9 officers and 2 civilians, and Procurement with 1 officer and 13 civilians.

[REDACTED]

*Jean G. Goppert*  
JEAN G. GOPPERT, Colonel, USAF  
Deputy Director for Agena

1258

57

~~CONFIDENTIAL~~


313

AGERA VEHICLE

Cont. No.	Contractor	Type	Description	Period Of Perf.
AF-21 (3-120)	LMSG	CPIF	Agema D Vehicles	8/61-9/62
AF-63	"	FFIF	Agema D Vehicles	9/62-8/63
AF-191	"	CPIF	Agema Support & Services	
AF-194	"	FFIF	Agema S-01A Vehicles	7/63-10/64
AF-221	"	FFP	Repair, Maintenance & Eng.	10/62-7/65
AF-254	"	FFP	Utility Tech Manuals	*Comp. 12/63
AF-266	"	CPIF	Santa Cruz Test Base	10/63-6/65
AF-376	"	FFP	S-01A Vehicle Storage	*Comp. 3/64
AF-451	"	FFIF	Agema S-01B Vehicles	1/64-12/64
AF-539	"	CPIF	Basic Ordering Agreement	4/65-Annual
Order #1	"	"	PREP Round #V	4/65-1/66
Order #2	"	"	TYPE XIV Battery	5/65-1/66
Order #3	"	"	TYPE IX Dc/Dc Converter	5/65-12/65
Order #5	"	"	Sequence Timer Mod.	8/65-1/67
Order #7	"	"	PREP Round #VI	8/65-6/66
Order #8	"	"	Zipcord Development	11/65-12/66
Order #9	"	"	S-01 Logistics Support	11/65-10/66
Order #10	"	"	Gas Ingestion Test Program	12/65-8/66
Order #11	"	"	Main Electrical Umbilical Redesign	2/66-6/67
Order #12	"	"	PREP Round #VII	1/66-12/66
Order #13	"	"	THORAD Test Support	11/65-7/66
Order #15	"	"	TYPE IH Battery Cell Test	1/66-9/66

1259

16



\* Contract Complete - has been sent to records storage

~~CONFIDENTIAL~~

**AGENA VEHICLE**

1260

Contr No.	Contractor	Type	Description	Period Of Perf.	
Order #16	LMSC	CPIF	Electronic Event Timer	10/66-4/68	[REDACTED]
Order #17	"	"	Brazed Plumbing	6/66-2/67	[REDACTED]
Order #19	"	"	Logistics Support & Repair	11/66-11/67	[REDACTED]
AF-596	"	FFP	S-01 Vehicle Storage	*Comp. 6/65	[REDACTED]
AF-668	"	FFP	Titan III X/Agena Study	*Comp. 10/64	[REDACTED]
AF-695	"	FFP	Agena Support & Services	1/65-12/66	[REDACTED]
AF-722	"	FPIF	Agena Vehicle Prod	2/65-1/67	[REDACTED]
AF-732	MIT	CR	Guidance & Control Study	1/65-12/65	[REDACTED]
AF-761	LMSC	CPIF	Santa Cruz Test Base	7/65-6/67	[REDACTED]
P-766	Bell	FFP	Agena Engine Prod.	2/65-10/66	[REDACTED]
AF-815	"	FFP	Agena Vehicle Storage	*7/65-6/66	[REDACTED]
AF-918	Quantic Inc.	FFP	Studies - Infra Red Detector	12/65-12/66	[REDACTED]
AF-924	Balock Instr.	FFP	IR Horizon Sensor Model	1/66-1/67	[REDACTED]
AF-950	Bell	FP	Basic Ordering Agreement	3/66-Annual	[REDACTED]
Order #2	"	"	Repair of 8096 Engine	6/66-9/67	[REDACTED]
AF-933	"	FFP	Agena Engine Prod.	1/66-11/67	[REDACTED]
AF-939	LMSC	FPI	Agena Vehicle Prod.	1/66-4/68	[REDACTED]
AF-947	MIT	CR	Guidance & Control Study	1/66-12/66	[REDACTED]
AF-1008	Barnes Eng	FFP	Horizon Sensor Prod.	5/66-11/67	[REDACTED]
P-1044	Bell	FFP	Velocity Meter Prod.	6/66-4/68	[REDACTED]
AF-1058	LMSC	FFP	Agena Vehicle Storage	7/66-6/67	[REDACTED]

\* Contract Complete - has been sent to records storage



~~CONFIDENTIAL~~

[REDACTED]

[REDACTED]

[REDACTED]

~~CONFIDENTIAL~~

EXEMPT FROM GDS PROVISIONS  
DECLASSIFIED BY SP5 JLS/STW  
ON 08-12-2001





AFSA LAUNCH SERVICES & SUPPORT

1263

Contr No.	Contractor	Type	Description	Period of Perf.
AF-52	IXSC	CTTP	TR Launch Support	1/66-12/66
AF-62	"	CTTP	Alert Program	3/66-11/66
AF-79	"	CTTP	Agenda-3 Penetration Kode	*Comp. 7/66
AF-131	"	CTTP	Pt Arguillo Launch Com. 2	4/66-1/63
AF-135	"	CTTP	MR Launch Pad 13	5/66-4/63
AF-193	"	YTP	AGE Study	*Comp. 11/66
AF-198	"	CTTP	MR Launch Support	10/66-12/63
AF-233	"	CTTP	TR Launch Support	12/66-12/63
AF-239	"	YTP	MR Pad 14 Study	*Comp. 1/63
AF-187	"	CTTP	MR Pad 14 Conversion	2/63-12/66
AF-317	"	YTP	AGE Launch Disaster *Comp.	5/64
AF-479	"	CTTP	MR Launch Support	1/64-12/64
AF-501	"	CTTP	TR Launch Support	1/64-12/64
AF-638	"	CTTP	TR Launch Support	1/65-12/65
AF-689	"	CTTP	TR Launch Support	1/65-12/65
AF-715	"	CTTP	AGE Improvements & Mod	12/64-7/65
AF-821	"	CTTP	Agenda Age Tower Supply	3/65-7/66
AF-936	"	YTP	TR Launch Support	1/66-3/67
AF-968	"	YTP	TR Launch Support	4/66-9/67

\* Contract Complete - has been sent to records storage.





\*Obligated funds equal funds received on these contracts



AGRA PROGRAM

DOCUMENTATION - AUTHORITY - SIGNIFICANT CHANGES

PROGRAM 60A AMENDED PROGRAM PLAN, DECEMBER 1961

PROGRAM 60A AMENDED PACKAGE, APRIL 1962

AGRA/D PROGRAM MANAGEMENT CONCEPT, APRIL 30/MARCH 1962

AGRA/D - RFP - 605, PROGRAMMING AND FUELING FOR SPACE LAUNCH VEHICLES  
DECEMBER 1965 - DECEMBER 1966

AGRA/D - ADVANCED DEVELOPMENT PLAN, JUNE 1966  
CHEMICAL ROCKET, SPACE MANEUVERING (L.O./AER50 ENGINE & TRUS)

AGRA/D

- 30 NOV 61 - HQ USAF MESSAGE (AFMDC-F-62230) AUTHORIZING 12 M&B VEHICLES  
PRODUCTION PACKAGE, PRODUCTION CAPABILITY 5 VEH/MO.
- 5 JAN 62 - HQ USAF MESSAGE (AFSSY-FC-90015) AUTHORIZING 20 PRODUCTION  
VEHICLES AT 4 VEH/MO. RATE.
- 18 JUL 62 - HQ USAF MESSAGE (AFSSY-66176) AUTHORIZING 22 ADDITIONAL  
PRODUCTION VEHICLES AT 4 VEH/MO.

- 23 OCT 65 - HQ USAF MESSAGE (AFM 11-6-117) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 2 JAN 66 - HQ USAF MESSAGE (AFM 11-6-12) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 21 FEB 66 - HQ USAF MESSAGE (AFM 11-6-126) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 22 APR 66 - HQ USAF MESSAGE (AFM 11-6-125) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 10 DEC 66 - HQ USAF MESSAGE (AFM 11-6-127) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 1 NOV 65 - HQ USAF MESSAGE AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE
- 1 NOV 66 - HQ USAF MESSAGE (AFM 11-6-122) AUTHORIZING 25 PRODUCTION VEHICLES AT A 2 VEH/10 RATE



1267

AVAILABILITY

PRODUCTION COMMENTS

CONTRACT

AFON(695)-21  
 AFON(695)-68  
 AFON(695)-194  
 AFON(695)-151  
 AFON(695)-722  
 AFON(695)-939  
 AFON(695)-67-C-0077

QUANTITY

12  
 39  
 146  
 29  
 57  
 36  
 25

DELIVERIES

APR 62 - SEPT 62  
 SEP 62 - JULY 63  
 JULY 63 - DEC 64  
 JAN 65 - DEC 65  
 DEC 65 - JAN 67  
 FEB 67 - APR 68  
 APR 68 - APR 69

244





1270

**PROGRESS REPORT**

- MAY 63  
FACT COMPLETED FOR S-01A AGENA D NO. 39.
- MAY 63  
INITIATION OF PRODUCTION TEST PROGRAM (PTEST)
- MAY 63 - APR 64  
DEVELOPMENT AND INCORPORATION OF B-7 MILITARY SCALE ENGINE,  
AGENA D NO. 72
- JAN 64  
INCORPORATION OF ADDITIONAL BASIC CAPABILITIES (ABC PROGRAM)  
IN PRODUCTION VEHICLE - AGENA D NO. 62
- MAR 64  
FACT COMPLETED FOR S-01B AGENA D NO. 63
- MAR 65  
DIRECT BUY OF 8096 ENGINES FROM BELL AEROSYSTEMS AF04(695)-766.
- FEB 66  
DIRECT BUY OF HORIZON SENSORS FROM BARNES ENGINEERING  
AF04(695)-1008.
- MAR 66  
DIRECT BUY OF VELOCITY METERS FROM BELL AEROSYSTEMS AF04(695)-1044

AGENA CONTRACT STRUCTURE

JUNE 1956 - LOCKHEED NOTIFIED THEY WON COMPETITION FOR WS-117L

AGENCY	CONTRACT NO.	AGE.	PERIOD OF PERFORMANCE	END ITEM	HOW AWARDED
INSC	AF04(647)-97		OCT 1956 - DEC 1957		COMPETITIVE
INSC	AF04(647)-181		DEC 1957 - JUN 1959		FOLLOW-ON
INSC	AF04(647)-347		MAR 1959 - BREAKOUT TO USING PROGRAMS		SOLE-SOURCE
INSC	AF04(695)-21		AUG 1961 - NOV 1962	DESIGN QUALIFICATION & PRODUCTION OF (12) AGENA VEHICLES, S-01A	SOLE SOURCE INSC
INSC	AF04(695)-68		DEC 1961 - AUG 1963	PRODUCTION OF 36 AGENA S-01 VEHICLES SPARES AND OPTIONALS	SOLE SOURCE INSC
INSC	AF04(695)-194		AUG 1962 - OCT 1964	PRODUCTION OF 46 AGENA VEHICLES, SPARES & OPTIONALS, INCORP CHANGE FROM S-01A TO S-01B	SOLE SOURCE INSC
INSC	AF04(695)-451		DEC 1963 - DEC 1964	PRODUCTION OF 29 AGENA VEHICLES, SPARES AND OPTIONALS	SOLE SOURCE INSC

JUNE 1976 - LOCKED NOTICES SENT FOR COMPLETION FOR WS-117L

ARMY OFFICE MEMPHIS (Cont'd)

CONTRACTOR	CONTRACT NO.	DATE	PERIOD OF PERFORMANCE	ITEM	HOW OBTAINED
IBM	AD04(695)-122	FEB 1965 - JAN 1967	PRODUCTION OF 57 AECVA VEHICLES, SPARES & OPTIONAL (LESS HELL ENGINES)	SOLE SOURCE	IBM
HELL	AD04(695)-166	FEB 1965 - OCT 1966	PRODUCTION OF 55, 6096 AND 2, 8247 ENGINES	SOLE SOURCE	HELL
IBM	AD04(695)-939	JAN 1966 - NOV 1968	PRODUCTION OF (36) S-01B AECVA VEHICLES, SPARES AND OPTIONALS	SOLE SOURCE	IBM
HELL	AD04(695)-938	JAN 1966 - NOV 1967	PRODUCTION OF (36), 6096 ENGINES	SOLE SOURCE	HELL
IBM	AD04(695)-0-0071	JAN 1967 - DEC 1969	PRODUCTION OF (19), AECVA S-01B VEHICLES, SPARES & OPTIONALS	SOLE SOURCE	IBM
IBM	AD04(695)-0-0128	FEB 1967 - JULY 1967	PHASE I STUDY APPROVED AECVA PROGRAM	SOLE SOURCE	IBM

## PROJECT COUGH DROP

- IMMEDIATE RETROFIT
  - REPLACE BEARINGS WITH LOOSE CLEARING BEARINGS
  - REPLACE FUEL SECONDARY BEARING
  - INSPECT GEARS - REPLACE ALL INVINCIBLES WITH RILEY
  - PERFORM REVERSE LEAK CHECK ON FUEL SECONDARY SEAL
  - REDUCE LEAK SPEC ON TURBINE HOT GAS SEAL
  
- RETROFIT PLAN EXCLUDES 13 VEHICLES
  - SYSTEM TEST COMPLETE
  - SCHEDULE IMPACT
  
- 10 VEHICLES CAN BE RETROFITTED BETWEEN 15 JULY AND 1 NOVEMBER 1967
  
- NO IMPACT ON FLIGHT SCHEDULES - MINOR IMPACT ON USER PRODUCTION SCHEDULES
  
- ESTIMATED COST: 20 - 30K/VEHICLE

ACENA  
PROJECT COUGH DROP

- NOVEMBER RETROFIT - FOLLOWING PHASE II TEST VALIDATION
  - "YORK QUALITY" GEARS
  - NEW HIGH TEMPERATURE BEARINGS
  - IMPROVED TURBINE DRIVE AND FUEL SECONDARY SEALS
  - POSSIBLE CHANGES TO LUBRICATION - QUANTITY AND QUALITY
  
- RETROFIT OF 17 ADDITIONAL VEHICLES BETWEEN 1 NOV 67 AND 1 MAR 68
  
- NO IMPACT ON FLIGHT SCHEDULES
  
- ESTIMATED COST: 25/35K PER VEHICLE

**PROJECT COUGH DRIP**

**CONCLUSION**

● INCREASED CONFIDENCE IN P<sub>C</sub> DIP ELIMINATION JUSTIFIES \$20-30K/ENGINE  
EXPENDITURE FOR IMMEDIATE RETROFIT OF 10 ADDITIONAL ENGINES

**RECOMMENDATION**

● APPROVAL OF IMPLEMENTATION OF IMMEDIATE RETROFIT PLAN

SOLE SOURCE CONSIDERATIONS

● FEBRUARY 1967 (SYSTEM)

"MAXIMUM USE OF STANDARD AGENA COMPONENTS"

EXISTING FACILITIES

- AGENA KNOW-HOW (LMSC/BAC)

- SCHEDULE MARCH 69 DD 250

● JULY 1967 (SYSTEM)

- PHASE I DEFINITION ORIENTATED TOWARDS MAXIMUM USE OF STANDARD AGENA COMPONENTS

- SPECIFICATIONS AND OTHER DATA FOR PHASE II NOT USEFUL FOR COMPETITION

- ALL PHASE I ARGUMENTS STILL APPLY EXCEPT DD 250 MARCH 70

- AWARD TO NEW CONTRACTORS WOULD REQUIRE NEW PHASE I

- SP RELATIONSHIPS

● JULY 1967 (ENGINE ONLY)

- PHASE I SYSTEM DEFINITION ORIENTATED TOWARDS IMPROVEMENT OF EXISTING ENGINE

- SPECIFICATIONS AND OTHER DATA FOR PHASE II NOT USEFUL FOR COMPETITION

- ALL PHASE I ARGUMENTS STILL APPLY EXCEPT DD 250 MARCH 70


- AWARD TO NEW CONTRACTOR WOULD REQUIRE NEW PHASE I FOR SYSTEM



STAFF PARRIS

1965

1967



CONCLUSIONS

- STILL ON FIRM GROUND FOR SOLE SOURCE
  - SYSTEM
  - ENGINE ALONE

RECOMMENDATION

- CONTINUE SOLE SOURCE TO LMEC/BAC

AGENA  
SP CONCEPT

● CONFIGURATION WILL BE DETERMINED BY ACTION TAKEN ON AGENA D MANAGEMENT

- SP WILL DETERMINE PROJECT PECULIAR ITEMS OR PROCESSES

- PROJECT PECULIARIZATION WILL CONTINUE

- DOES NOT CONTEMPLATE A STANDARD VEHICLE

● AGENA SPO RESPONSIBLE FOR

- DEVELOPMENT "IN A STANDARD FORM"

- PROVIDING "STANDARD AGENA" TO SP FOR FLIGHT TEST

● TEST PROGRAM TO BE CONDUCTED BY SP

- SYSTEM ENGINEERING

- INTEGRATION OF SCIENTIFIC PAYLOAD

- TEST PLAN

- FLIGHT TEST

**SPO CONCEPT**

**INITIAL CONFIGURATION DETERMINED BY:**

**DIRECTED LIMITATIONS**

**SP MISSION PERFORMANCE REQUIREMENTS**

**● PROCEED INTO PHASE II WITH INITIAL CONFIGURATION DESIGN REQUIREMENTS BASELINE**

**● DEFINE ADDITIONAL HOUSEKEEPING SUBSYSTEMS ASAP:**

- SPACEFRAME )

- POWER )

- GUIDANCE & CONTROL )

- TT & C )

- AGE )

**MODULARIZED TO SUIT MISSION REQUIREMENTS**

**● OBTAIN APPROVAL FOR COMPLETE SYSTEM CONFIGURATION DEVELOPMENT FROM SAMSO, SAFSP, AFSC, USAF, SAFRD**

**● SPO CONDUCT TEST PROGRAM AS PART OF DEVELOPMENT EFFORT**

CONCLUSIONS

THERE IS A FUNDAMENTAL PHILOSOPHICAL DIFFERENCE BETWEEN SP AND AGENA SPO  
ON IMPROVED AGENA DEVELOPMENT

● SP VISUALIZES:

- HOUSEKEEPING SUBSYSTEMS AS PECULIAR UNDER DIRECT SP CONTROL
- TEST PROGRAM TO BE CONDUCTED BY SP

● SPO VISUALIZES:

- HOUSEKEEPING SUBSYSTEMS AS STANDARD (MODULARIZED) AS PART OF SPACECRAFT SYSTEM
- TEST PROGRAM TO BE PART OF SPO DEVELOPMENT PROGRAM

## RECOMMENDATIONS

● ADVOCATE THE SPO CONCEPT OF SYSTEM DEVELOPMENT

● REPLY TO GENERAL MARTIN'S 23 JUNE LETTER EXPRESSING  
SANSO CONCEPT OF IMPROVED AGENA DEVELOPMENT

11/13  
RECOMMENDATIONS

SUMMARY

AGENDA

- I ADVOCATE THE CUSTOM SYSTEM CONCEPT AND ADVISE AFSC AND SAFSP
- II APPROVE IN PRINCIPLE RETURNING TO PRIME CONTRACT STRUCTURE
- III APPROVE TURBO PUMP IMMEDIATE RETROFIT PROGRAM

AGENDA E

- IV APPROVE CONTINUING SOLE SOURCE ON PHASE II
- V ADVOCATE THE SPO CONCEPT OF DEVELOPMENT AND ADVISE SAFSP

**CONFIDENTIAL**

PROPERTY OF THE AIR FORCE  
REPRODUCTION AND DISSEMINATION  
OF THIS REPORT IS PROHIBITED EXCEPT BY  
PERMISSION OF THE AIR FORCE  
ATTENTION: AFM, 1116  
WASHINGTON, D.C. 20330



6662

27 July 1967

ATTACHED: Historical Report

TO: SIV

Attached is one copy of SSWA Historical Report for the period of  
11 June 67 to 30 June 67.

*Richard K. ...*  
Lt Col, USAF  
Acting Program Director, AGENA

1 Atch  
Historical Report, w  
Sketch

5 (c)  
8 (c)

When references are withdrawn this  
document shall be destroyed  
with the exception of the  
original and one copy  
in accordance with the  
instructions of the  
Department of Defense

~~CONFIDENTIAL~~



## AGENA PROGRAM OFFICE

### Historical Data

1 Jan 67 to 30 Jun 67

1. Col Norman J. Keefer assumed the duties of Chief, Agena Program Office on 8 May 1967, thus relieving Col Alfred J. Gardner who has assumed the duties of Special Assistant to the Deputy for Launch Vehicles until his retirement on 31 July 1967.
2. During January, the remaining two vehicles of the 57 vehicle production contract, APO4(695)-722, were delivered. The first ten vehicles of the current 36 vehicle production contract, APO4(695)-939 were delivered at the rate of two a month commencing in February. The original production rate on the current contract was scheduled at 24 vehicles per month commencing in February 1967 and terminating in April 1968. Due to a change in using program requirements, resulting in an increasing number of vehicles in storage, the schedule now calls for two vehicles a month from February 1967 through July 1967, decreasing to 14 vehicles a month from August 1967 through November 1968. The follow-on production contract, PO4(695)-67-C-0077, was originally scheduled to have delivery of 19 vehicles at a rate of two per month commencing in April 1968 and terminating in April 1969. Due to the stretch-out production schedule on the current contract, the follow-on contract now specifies 14 vehicles per month commencing in December 1968 and terminating in December 1969.
3. In February the Improved Agena (Agens "E") Phase I effort, contract PO4(695)-67-C-0123, was initiated. The Phase II development effort was scheduled to begin in mid May. Due to the lack of adequate design definition the Phase I effort was stretched out to adequately define the design requirements and eliminate the possible existence of any serious technical problems. The Phase II effort is now scheduled to begin 1 September 1967 and continue through March 1970.
4. During the period February to May, SAVSP conducted a comprehensive study of the Agena production methods. In a briefing to Dr. Flax, they proposed to eliminate the present method - which involves considerable disassembly and modification of the vehicle by using programs. The Agena Program Office is currently conducting a comprehensive study of user requirements which will be completed by 1 September 1967.

PROGRAM CONTROL DIVISION

Historical Data

1 JAN 1967 to 30 JUNE 1967

1. During the report period the delivery schedule for Standard Agena Vehicles, procured from Lockheed Missiles and Space Co. on Contract AF04(695)-939, was reduced from 24 vehicles to 2 vehicles per month with a further reduction to 14 commencing in August. This change was due to using program reductions in vehicle requirements which necessitated a delivery stretchout. Bell Aerosystems schedule for delivery of engines on Contract AF04(695)-938, was adjusted to support the stretched-out vehicle schedule.

2. Phase I program for an Improved Agena was initiated in February 1967. The first production unit is planned for delivery in early 1970.

3. Direction was initiated on 27 January 1967, for Western Electric Co. to retrofit forty-four (44) guidance canisters containing a latent defect in the pulse delay network. Scheduling and reallocations developed precluded launch or production line impact.



5. Capt C. Ewyer was assigned to the Division on 31 May 1967, being re-assigned from SSVAC. Miss Opal Twibell transferred into the Division from SWAWA on 16 April 1967.

atc 2

DEPARTMENT OF THE AIR FORCE  
HEADQUARTERS SPACE SYSTEMS DIVISION (AFSS)  
40 UNIT POST OFFICE, LOS ANGELES, CALIFORNIA 90045



15 Jul 67

TO: SSVAC Historical Report (1 Jan - 30 Jun 1967)

FROM: SSVAC

1. Mission. The mission of the Agena Configuration Management Division (SSVAC) is to apply the principles of configuration management to the Agena space vehicle program with as few deviations as possible.

2. Personnel. Capt. John Straton and 2d Lts. Barda Sizemore and Bentley Stansbury have been assigned to the division. Capt. Craig Snyser was reassigned to SSVAP and Miss Barbara Wesman left the civil service. Major Bradford is attempting to add a GS-12 civilian position to the division and up-grade an existing civilian position from GS-12 to GS-13. Support from Aerospace Corporation is now being received.

3. Activities.

a. Reviews and Inspections. Preliminary Design Reviews (PDRs) were conducted on the Velocity Meter/Velocity Meter Counter and the Electronic Event Timer. The PDR on the Improved Agena was aborted. This will cause delay in going into Phase II of the program. Combined PDR/CDRs (Critical Design Reviews) were held on the Three-Start Engine and the Command Destruct Kit. A CDR was held on Braze Plumbing for the Agena and First Article Configuration Inspections (FACIs) were conducted on the Maximum Access Booster Adapter (MABA) and the four Rocket Engine Service Kits.

b. Configuration Control. Lockheed Missiles and Space Company (LMSC) agreed to put effectivities on Class II changes. Preliminary Engineering Change Proposals (PECPs) are being submitted by the contractors at the suggestion of the Configuration Management Division. Rigorous ECP guidelines are in preparation.

c. Configuration Accounting. The previously used configuration accounting report has been replaced with a new, superior, Contract End Item History Report. The new report is superior to the old report in that it can be effectively used as a tool for verifying completion of engineering and documentation changes by referencing changes authorized to specific part number changes and serialized articles installed in the vehicle.

d. Configuration Identification. The Agena Configuration Management Division is reviewing the level at which it intends to control specifications. In the past, specifications have been controlled down to the level of piece part and process specifications.

e. Data Management. SSVAC continues to handle Data Management for the directorate. A formal data call system has been implemented by the Data Management Officer, Mr. Phillips, to insure that data requirements are adequately

*atc*

and on each contract, program plan, and basic ordering agreement.

1. Significant Events:

1. Improved Agency: The decision has been made to procure an Improved Agency. This major effort has had a large impact on the Configuration Management Division. Plans of the effort has been delayed due to the unsuccessful Preliminary Design Review.

2. ICI Inspection: Representatives of the Office of the Inspector General reviewed the operations of the division during the reporting period. The only significant recommendation furnished by the inspecting team was to set up a formal data call system to insure adequate data management on all contracts. This has been accomplished.

*for [Signature]*  
Major, USAF  
Chief, Configuration Management Div.  
Agency Program Office

**URGENT: MEXICO**  
**January-June 1967**  
**SSVA-1**

Standard Arms Telemetry Frequency Conversion

Clearance was received to proceed with the conversion to S-Band. Work is now underway.

Command Destruct System

The evaluation of the Command Destruct System compatibility problem has continued throughout the first half of 1967. This problem originated in March 1966 when the NTR Range Safety Office (NROSO) conducted a new review of the Destruct system and disapproved it. The disapproval was based on the interrelationship of the battery, receiver, and destruct unit. The destruct unit (a 1-0m device) drew a very large current when activated. The surge current caused the battery terminal voltage to drop to 9 volts. The receiver, designed to operate with at least 22 volts, could not continue to operate at 9 volts. After 10-20 milliseconds, the receiver output relays would deactivate, removing power from the destruct unit. Tests and calculations by LMSC indicated that the destruct unit would always detonate before relay drop-out, however, FN would not accept the statistical detonator sure-fire time and insisted that the destruct relays would remain activated unless the command was removed. To meet the requirement, SSVA initiated modification of the Command Destruct System through Program Plan 279 which was redesignated as Program Plan 303 on 1 January 1967, and which provided a wire harness to limit the surge current from the battery, preselection of battery cells, and tests on battery & receiver/decoder compatibility.

The final Design Review Meeting was held during 22-24 May 1967. Revised documentation from the meeting was expected to be released prior to the scheduled launch of Mariner-Venus in June. During the Design Review a representative of the receiver manufacturer discovered the much longer time duration requirement which existed at the proposed new low voltage limit for the receiver/decoder. Consequently, he could not agree to the revised specification on which the prime contractor had committed to AFSSD, and which was to be released following the design review. This information was telephoned by the prime contractor to AFSSD on 1 June. LMSC submitted (per request of SSVA) an addendum which would authorize additional testing by LMSC to attempt to resolve the differences between the current-voltage requirements of AFSSD, and the limitations of existing equipment. After revising the addendum, SSVA authorized LMSC to implement the revised addendum to Program Plan 303.

*attach 4*

~~CONFIDENTIAL~~

**ANNUAL REPORT**  
**1 Jan 67 - 30 Jun 67**  
**Systems Branch/STII-2**

**1. (U) Significant Policy & Planning Developments**

a. The arrival of our third program director (Colonel Keefer) within the year, the retirement of Lt Col Greenfield, Chief of Engineering, without a replacement, the removal of Maj Crawford from his reliability/quality activities to act as Chief of Engineering, the transfer of Capt Straton to SSVAC with no one to take his place, and the arrival of 25 Aerospace MTS for the first time on the program, has resulted in a shift from a systems engineering capability to a philosophy of systems management through increased dependence on the contractor.

b. A highlight of this period has been the demonstration by Major Einstein of the great value of the Engineering Management Office (EMO) function. The EMO has developed a self-checking system of managerial controls over the efforts of our division engineers that has resulted in improved communication within the SPO, more effective planning, a new orderliness to technical direction and an "inescapable" tracking of suspense items.

c. Capt Tubbesing has made further improvements to the preparation and coordination of technical statements of work (SOW). The significant result of this effort is a much more accurate definition of engineering requirements in the SOW which, with initial understanding, helps to eliminate down-stream interpretation differences.

d. New policies have been established by the SPO, as the result of Systems Branch action, which more effectively utilize the resources of the AFPRO. Each SPO member has identified his AFPRO counterpart, and will establish a personal working relationship with him. Also, information copies of all correspondence to the contractor will be directed to an individual AFPRO addressee. This improved communication should result in a better informed SPO. We have found that the AFPRO viewpoint always adds a dimension of depth to problems reported--but not necessarily researched--by the contractor.

e. A Systems Branch manpower study of the Engineering Division developed, upon Colonel Keefer's arrival, into a comprehensive analysis of the entire SPO function. The result of this study was the determination of need and approval for 25 additional technical people. Since Air Force personnel were not available, an alternate decision was made to use 25 Aerospace members of the technical staff (MTS). These are now phasing into the program.

DOWNGRADED AT 3 YEAR INTERVALS  
DECLASSIFIED AFTER 12 YEARS  
DOD DIR 5200.10

~~CONFIDENTIAL~~

2000

## 2. (U) Current Mission Objectives

a. One of the main branch activities is the technical administration of the support engineering contracts. A new contract became effective 1 Jan 67 for 390,000 manhours (\$6.385 million) of engineering. Through an improved SCM on this contract, the SPO is realizing an increase of useful engineering effort of about \$200,000.

### b. Proposal Evaluation

This office has assisted in the fact finding/negotiations of the following contracts:

- (1) Agena Production Contract - AF 04(695)-939
- (2) Engineering Support Contract - F04695-67-F-0092
- (3) Electronic Event Timer - AF 04(695)-589 Order No. SSD-67-22
- (4) Agena Coupling Improvement Program - AF04(695)-589 Order No. SSD-67-20
- (5) Production Qualification Program - AF 04(695)-589 Order No. SSD-67-18
- (6) Agena Storage Contract - F04695-67-C-0168

### c. Statement of Work Preparation

During this period, the following work statements were prepared and submitted to the Agena Contracts Division (SSVAK) for contractual action:

- (1) Velocity Meter Counter Mod II B - AF 04(695)-589 Order No. SSD-68-24
- (2) Quantic Horizon Sensor
- (3) Project Cough Drop - AF 04(695)-589 Order No. SSD 67-23
- (4) Agena Storage Contract - F04695-67-C-0168
- (5) Electronic Event Timer Phase II - AF 04(695)-589 Order No. SSD-67-22

## 3. (C) Agena Flight Performance

Through 30 June 1967 there have been 243 Agena flights. Of this total, 150 have been of the Standard Agena or Agena D configuration. The flight success ratio of the Standard Agena is 93%. A complete resume of Agena flights is contained in the semi-annual report, "Agena Flight Summary Reports." The report covering flights through 30 June 1967 will be distributed by 15 Sep 67.

1 January 1967 - 30 June 1967

## **1. DEVELOPMENTS**

### **1.1 GCE**

In January it became increasingly clear that one major using program planned to proceed with full development of a Redundant Attitude Control System (RACS) and planned to fly the system as soon as development was complete. Later a second generation system consisting of a Dual Attitude Control System (DACS) would replace the entire Agena primary guidance and control system. With the advent of this dual system, the GCE would no longer be required by the major user of Agena vehicles. On 24 Feb 67 all work on the GCE development was stopped. The residual data was gathered and stored pending a possible future need for this development.

### **1.2 Digital Velocity Meter Mod IIA**

The previous designation of Velocity Cut-off System Mod X (VCS Mod X) was dropped. The Bell contract was revised to call for individual contract end item (CEI) specifications for the DVM IIA and the Mod IIA Counter. LMSC will furnish individual interface specifications which will be incorporated in the Bell CEI's. This will lead to a cleaner set of specifications and will permit future changes to the components without affecting the "system".

The Preliminary Design Review was held at Bell on 11-13 January 1967. The PDR was unsatisfactory and repeated on 4-5 April 67. The first service test unit is scheduled to be sent to LMSC on 1 July 1967, and the first production unit will be available in Oct 67 for incorporation on AD 199 and subsequent vehicles. The Critical Design Review is tentatively scheduled for 12 Jul 67 at Bell.

### **1.3 Velocity Meter Counter, Mod IIB**

In June it was apparent that the Velocity Meter Counter Mod IIA was not compatible with the power supplies of a major using program. Standard Agena suggested that the IIA Counter be modified for this program and that the modifications include improvements to satisfy the Improved Agena requirements. The engineering required to add the extra burns for Improved Agena would be included with very little additional cost. By satisfying this using program's need and adding the multi-burn capability, the Counter remains a piece of standard equipment and will meet known future requirements. This development is mandatory to support the using programs.

### **1.4 Electronic Event Timer**

The EET effort was reinstated in mid-December 1966, as a study effort. LMSC presented their proposal on the revised effort on 20 January 1967. Negotiations were held on 27-28 February at SSD. The Preliminary Design Review was held at LMSC on 13-14 April 1967. Go-ahead for the Acquisition Phase was given in the form of a letter contract on 1 May 1967. In view of the Improved Agena slippage, a stop work order was issued in early June 1967 holding all work in abeyance for 90 days.



## 1.5 Improved Agena

The Guidance Branch has provided support for the Improved Agena Program by participating in fact-findings, specification reviews, and the Preliminary Design Review. Every effort has been made to point out the necessity for including the Guidance Subsystem in the improvement program, rather than try to use all the existing equipment. The Improved Agena provides an engine capable of five starts, increased payload capability, 90-day orbital lifetime, and an integral secondary propulsion system capable of 10 starts. However, no provision has yet been made to update the Guidance System to make it capable of controlling a multi-burn engine or a secondary propulsion system; or to increase its altitude capabilities and injection accuracies; or to make it capable of a 90-day orbital lifetime.

## 1.6 New Horizon Sensor Concept

1.6.1 Applied Devices (formerly Belock Instrument Corporation) completed their contract for the development of a "Solid State Horizon Scanning Technique." The objective was to develop and demonstrate a specific photo-conductive detector for use with the Applied Devices Solid State Light Beam Scanner. The objective was not reached, but most of the major problem areas were met and solved. A high degree of confidence can now be placed on the ultimate attainment of an infrared photo-conductive detector which would not require cryogenic cooling. Further effort is required to fully optimize the doping process and to develop the applicable photo-conductor deposition techniques. A follow-on contract is planned, but the sponsor has not been identified.

1.6.2 The Quantic Industries development of a "High Accuracy Horizon Sensor System" was concluded during this period under Contract AF C4 (695)-924. The technical objectives of this development were obtained. The final report will be published in July 1967. A follow-on effort is planned. The objectives of this effort will be the development, qualification and fabrication of two Quantic Mod IVA Precision Horizon Sensor Systems for orbital flight test to determine the accuracy, reliability, and other key performance parameters of the Sensor System in a Space environment. The contract duration will be 88 weeks beginning July 1967.

## 1.7 Barnes 13-150-33 Model IIC Horizon Sensor

In order to meet Using Program SP-14E's requirements, the last 12 GFP systems to be delivered under Contract AF C4(695)-1008 will be program peculiar. The telemetry scale factor and the procedure for nulling the control outputs has been changed. Delivery of the first modified system is scheduled for the last week in July. The changes are contracted for under ECP-23E.

## 1.8 Inertial Reference Package (IRP)

MIT continued the design and development of a three-axis, strapdown IRP for possible use on the Agena Spacecraft. All preliminary components of the IRP have been subjected to rigorous testing and analyses. Many second and third generation components have evolved that feature improvements extending their

1126

application beyond earlier designs. Much effort has been concentrated on circuit optimization, analysis and testing. The gyro-to-base plate thermal model has been analyzed and worst case temperature limits for base plate variations have been obtained in terms of the variations in gyro power consumption, supply voltage and thermal resistance.

Tests on the second Kearfoot Alpha series Gyros are nearing completion. All parameters are within specification. Delivery of the Gyros for the design proof unit are expected in July. After installation, qualification testing will begin on the design proof unit. Present schedule calls for completion of all testing by September 30, 1967.

## **2. MAJOR PROBLEMS**

### **2.1 Sequence Timer**

**2.1.1 Timer Improvements.** The redesigned cam, stiffening rings, and new gear wheels have been scheduled for incorporation at the same time the improved Licon switches are incorporated. Currently LMSC is having problems getting the new gear wheels, and this is holding up the whole program. LMSC is estimating that the first improved timer will be produced by the end of July.

**2.1.2 Globe Motor Thrust Bearing.** In June a Sequence Timer failure experienced by General Dynamics/Convair Division was traced to an improperly installed thrust bearing in their timer motor. Inspection of several similar timer motors at LMSC found one motor (P/N 1062385-5 CCA 1470-1110) with the inner and outer bearing races reversed (documented on FEDR 325197 Suppl. 13637) UAS 358 was issued to sweep all Sequence Timers which contain Globe motors and all uninstalled Globe motors for a bearing inspection. Action is continuing at this time.

Modification of the bearing assembly is also under consideration. There are two candidate fixes, one of which looks very promising. Motors with the redesigned bearings could be available by the end of July.

### **2.2 Sterer Thrust Valve Bent Rods**

In March during a program systems test a Sterer Thrust Valve jammed in the open position. Subsequent failure analysis showed that the solenoid piston had wedged itself in the coil due to a bend in the rod which connects the piston to the bellows assembly. Examination of other units showed this same condition to exist in varying degrees in a number of valve clusters.

Through discussions with Sterer it was determined that the rods had been improperly heat treated, which permitted them to warp after assembly. All units have been retrofitted with new piston assemblies.

### **2.3 DVM Chopper Failure**

In May an Agena Space Vehicle experienced an in-flight anomaly in which the Velocity Meter failed to shut down the main engine at the predetermined velocity. Investigation of flight data and test records indicated the probable cause to be the failure of a synchroverter switch (chopper). All Agena vehicles were grounded at this time until corrective action could be accomplished. The failure mode was determined to be a broken wire between the chopper mechanism and pin 7 of the header, due to metal fatigue of the wire when exposed to a vibration environment of 30 g's. The design of the switch allowed movement of the chopper mechanism relative to its cylindrical sleeve, and the wire was flexed by this motion.

Investigation revealed a series of unreported failures which had occurred during the past several months. One chopper failure at LMSC was not reported to SSD nor was corrective action initiated. Six of the seven failures which occurred at

Bell Aerosystems Co were not reported to IMSC. In addition, there were three failures at the part level at Bristol Co, the part supplier, and one at Bell. With the flight failure, this made a total of 13 known failures.

It was also determined that the same part was being used in the Barnes Engineering Co Horizon Sensor. Analysis showed that the Horizon Sensor performance was not in great danger from a chopper failure. It was therefore recommended to use the Horizon Sensors in present condition until testing or analysis indicates otherwise.

Corrective action required to fix the chopper was to secure the mechanical vibrator in place with an epoxy. Existing systems will be reworked to new configuration.

In addition, the failure reporting and corrective action system at Bell was thoroughly reviewed and action taken to implement effective procedures.

#### 2.4 Guidance J-Box Pulse Engineering Transformer Failures

Investigation of several transformer (P/N 1461900-001) failures in the Guidance J-Box revealed a failure mode which consisted of open windings in the primary and/or secondary caused by expansion and contraction of transformers materials. Since most flight missions do not require the function of the suspect transformer, the disposition of the majority of boxes was "use as is". For those programs desiring the use of the transformer, the recommended fix consisted of temperature cycling the J-Box and retesting. Failed transformers will be replaced with units which have been screened by a similar temperature cycling test.

### 3. PERSONNEL

The Guidance Branch is now operating with four of its six authorized officers. These are Maj Moore, Maj Birch, Capt Cronquist and Lt Wood. Lt Col Wm. Gallup departed in May for flying duty in SEA, although he had been TDY for training since December 1966.

**HISTORICAL REPORT**  
**1 January 1967 - 30 June 1967**  
**Mechanical Branch**  
**SSVAE-4**

Subsystem A

1. Titan III B/Agona

The FACI of the booster adapter optional kit for this vehicle was conducted during February 1967. As the result of this FACI, changes to the Destruct/Discrete Junction Box Assembly specification were required and the preparation of a Part I booster adapter specification was initiated. It is estimated that these actions will be completed during July 1967. The first optional kit will be delivered to the using program early in the next report period. The booster adapter has, to date, been manufactured under a using program contract and has successfully completed several flights.

2. Strengthened Booster Adapter

During the first four months of this calendar year IMSC subjected a new .160 inch thick booster adapter to a series of qualification tests. It was the objective of this program to verify the capability of the structure to withstand to ultimate levels, the flight loads due to maximum acceleration and to maximum airloading. A secondary, yet significant consideration was that of determining the capability of the adapter to withstand a non-uniform pattern of stress due to an asymmetrical temperature distribution coupled with concurrent mechanical loading due to acceleration. Previously a similar test with a slightly different distribution caused a .143 in adapter to buckle prematurely.

1130

A planning error occurred; in that the aft Y-ring and tank skirt assembly was not aged to the required -76 condition, and buckling failure did eventually take place unexpectedly. A second assembly was manufactured and the structure withstood all loading, including a test to 131% of limit load prior to failure. The latter took the form of a small buckle above the nitrogen fill door. As test objectives were achieved a qualification certificate was issued.

Although some degree of qualification to an asymmetrical temperature distribution (80/60) was demonstrated, it remains for the technique referenced in the booster adapter specification to be exercised to properly evaluate structural capability for a given mission. This method is discussed briefly in paragraph 5 below.

### 3. Zipcord Program

As noted in the last report, the program contractor, LMSC, had submitted a plan to investigate the cause of the Zipcord jacket failures. This plan was evaluated but no decision to continue or cancel the program was reached.

### 4. Agna Propellant Tank Discrepancies

Since the last report, concrete efforts have been made to improve the overall quality of the Agna propellant tank in view of continuing quality problems. Particular attention has been given to the areas of surface imperfections (scratches, pits, etc.) and weldment discrepancies (porosity, thermal cracks, etc.) which reflect the contractor's level of workmanship. Of those tank assemblies found discrepant, to one degree or

another, final analysis revealed the condition to be acceptable from a performance standpoint. The problem, therefore, is considered a conflict between engineering specification requirement trying to maintain a level of manufacturing quality above what is demanded by the flight environment. This, together with certain inherent difficulties in the welding of 6061-T4 aluminum material, has resulted in several engineering/quality assurance disagreements, resolved finally by contract waiver action.

The following major steps have been taken to alleviate this problem:

(a) The contractor has proceeded to upgrade his tooling, particularly that used during the welding operations.

(b) Welding equipment is being improved, particularly with the aim of reducing the wandering of the AC weld arc. This action contributes to a surface melting condition away from the weld bead which manifests itself eventually as fine surface cracks.

(c) A coordinated effort is presently underway to relax certain specification requirements in line with defect magnitudes found acceptable by fracture mechanics analyses. A new criteria is also being developed to aid in the evaluation of porosity and its effect on weld strength.

The efforts outlined above are believed to be an approach to resolving the tank quality problems.

## 5. Determination of Asymmetrical Heating Effects on Standard Agena Vehicles

During this report period test data was gathered and collated as part of the final effort to develop a reliable analytical technique for determining the effects of an asymmetrical temperature distribution on the strength of the Agena vehicle. The data were used to verify the accuracy of a computer program based largely on the modified cylindrical shell equations of Flügge. Specifically, this program is intended to provide values for stress as a function of angular position around the structure under consideration. As finally documented, a thermal stress decrement due to asymmetrical heating can then be determined and subtracted from the stress capability based on uniform heating. The result should be the final capability expressed as a decreased value of structural margin.

As future flight profiles will reflect various trajectory parameters, this technique should prove invaluable in terms of its adaptability and ultimate accuracy. To date, a mission has not required its use although that time is probably fast approaching. The method, nevertheless, has been exercised in conjunction with the qualification test of the Agena .160 booster adapter mentioned above. Comparison of predicted stress values with test measurements indicated very close agreement. In conclusion, the value of this program, together with the advancements realized in the area of small scale structural testing, have more than justified the cost of the total endeavor. Furthermore, with the dissemination of program information, the Aerospace industry should realize significant benefits in terms of conducting future buckling tests of



cylindrical, monocoque structures. Rather than relying on empirical data from costly and time consuming test programs, this analytical technique may be employed with confidence.

6. Plumbing Improvement Program (Flared Joints)

It was previously reported that an effort had been made by LMSC to upgrade the quality of tube flares in separable connectors in an attempt to reduce cold gas leakage once installed on the vehicle. The development of an orbital flaring machine has promised this reduction in gas leakage, yet obstacles have arisen to preclude the adoption of the improved flaring technique on a 100% production basis. A program evaluating the orbital machines manufacturing accuracy was therefore initiated during this period. The results of this program were compared on a 3 sigma statistical basis with the existing process specification IAC 0942F and the updated NASA Standard MC 146. A side program was also performed to determine the effect of tube bending on flare quality.

The primary phases of work have been completed and results are as follows:

(a) For 1/8 hard CRES it is possible to adopt MC 146 Revision C with the exception that the external angle requirement will have to be relaxed to  $66^{\circ} \begin{matrix} +4^{\circ} \\ -2^{\circ} \end{matrix}$ .

(b) For 5052-0 Aluminum Alloy it is possible to adopt MC 146 revision D with the exception noted in (a).

(c) For the annealed stainless steel and 6061-0 aluminum materials significant improvements in quality were not evident and therefore the existing process requirements must stand.

(4) At this time all inspection work has yet to be completed although it does appear certain that tubing cannot be bent after flaring without experiencing some degree of distortion.

1134  
The overall conclusion of this program is that a marked upgrading of flare quality can be achieved for certain primary materials as previously noted. However, it is not going to be possible to adopt a single set of updated process requirements. The appropriate specification, as revised, will reflect differing sets of flaring requirements, each to be invoked as deemed applicable by the design engineer, (i.e., for high pressure cold gas systems 1/8 hard CRES tubing will be necessary and flared in accordance with MC 146 revision C.)

At this time an effort is underway to revise the process specification LAC 0942 by 25 August 1967.

#### 7. Incorporation of Permanent Joints on the Standard Agena Vehicle

During this report period concluding reports were received describing in detail the development and qualification efforts required to incorporate induction brazed fittings on the Standard Agena Vehicle. The documents reflected an accurate and thorough program of design, test and evaluation necessary for production modifications to be effected with confidence. A progressive inspection was also conducted by Air Force personnel to insure engineering drawing and process control adequacy. Of significance during this review was the attention given to radiographic inspection and its bearing on the acceptability of brazed fittings. To this end a 100% inspection program was instigated to gain confidence after which a sampling plan is to go into effect.

To date several Agena vehicles have received brazed pneumatic system plumbing lines as part of their normal build-up. Program peculiar vehicles have also received a brazing retrofit of certain optional kits serving attitude control functions. This changeover from the separable connector design has not been subjected to the rigors of pre-launch checkout or of the flight environment; however, a high degree of confidence does exist insofar as the integrity of this design is concerned.

In the future, effort will be made to maintain a high level of process control which together with good workmanship will insure to the largest extent a structurally sound and leak-free plumbing system. As part of this work, higher quality thermocouples will be sought as well as sensitive, portable, gas leak detectors. Programs will also be undertaken to replace more separable connectors with brazed fittings thereby reducing in proportion any leakage potential.

## Subsection 2

### 1. Agena Propulsion Performance

1136

During the period of this report 16 Agena vehicles were launched. All of these launches used the YLR-81-BA-11 rocket engines. Of the 15 vehicles which were given a chance to perform on the booster, 14 were successful as far as the propulsion subsystem is concerned. The single gross propulsion failure was the NASA ATS satellite which did not achieve a proper orbit due to a failure to achieve an engine restart. This failure was traced to the oxidizer propellant isolation valve which did not close, thus allowing engine heat to boil propellants out of the oxidizer pump and sump starving the engine inlet at restart. The valve underwent a rapid modification program to prevent future occurrences. This program was successful and all vehicles are being retrofitted with the new design.

### 2. USAF YLR-81-BA-11 Rocket Engines

The engines continue to exhibit the chamber pressure anomaly ( $P_c$  dip) at an alarming rate. Nine such occurrences have now been recorded since mid 1966 and the last two have occurred on consecutive launches.

Project "Coughdrop" was initiated in late 1966 as a high priority program to isolate the causes of failure. To date more than \$1.4 million has been spent with less than conclusive results. The failures have been reproduced in test at both Bell Aerosystems Company (BAC) and in the altitude chambers at Arnold Engineering Development Center (AEDC). The occurrence has been shown to be the failure of one or more ball bearings in the turbine pump assembly. The main unknown is the triggering mechanism, since the failures are thermally induced by adverse

heating rates in the pump. An exhaustive review of the flight and ground test history, manufacturing documentation and "cradle to grave" handling has been conducted in an attempt to isolate changes which might have occurred in any phase of the cycle which could contribute to the failures. Two such correlations were found:

(1) When, for various reasons, the MIL-L-7808D oil was changed to MIL-L-7808E and then 7808F revisions, the latest revision was automatically incorporated into the engine in the field. A detailed review of the military specification revisions indicated it would have been better to stay with the "D" revision. However, a return to the "D" oil has apparently not solved the problem since the last two dips occurred after the change back.

(2) BAC changed gear vendors in mid 1965 which apparently resulted in a block of lower quality gears in the group of engines which exhibit a high anomaly rate. Test and retrofit planning is underway in case a gear change becomes mandatory.

An extensive test program has been conducted at sites previously mentioned which seems to indicate the trigger mechanism may also be associated with a flow of combustion products through the gearcase resulting from a leaking turbine drive seal.

A high priority effort is now underway to determine running heat and leak rates in the pump. Parallel efforts are also underway to:

(a) provide a high strength high temperature ball bearing for this application,

(b) provide better quality seals to maintain internal gasket pressure as well as prevent the flow of combustion products into the assembly.

The effort, including qualification testing, will be conducted as rapidly as possible but any ECD earlier than December 1967 is very optimistic.

### 3. 3-Start YLR 81-BA-11 Rocket Engine Kit

A three start capability for the YLR-81-BA-11 is progressing well. The design was selected because of a substantial weight saving over the multi start XLR-81-BA-13 engine. One test failure of the bracketry associated with the triple starter assembly has been experienced. The failure was caused by the use of a "non-flight" bolt in a vibration test fixture. No significant cost or schedule impact is forecast at this time and hardware deliveries are slated for the August-September 1967 time period.

### 4. Improved Agena Program

a. Approval was secured to run a modified contract definition phase to define the work required to develop the 8133 rocket engine and integral secondary propulsion system (ISPS) for the Agena vehicle. The definition phase started 13 February 1967 and is still in progress as of this report. The effort was funded under P.E. 6.44.09.12.4 and contracted for under contract FO4695-67-C-0123 with Lockheed Missiles and Space Co (LMSC) as prime contractor and Bell Aerosystems Company (BAC) as subcontractor for the engine work. During the definition phase (or Phase I as it became known), the BAC model number of the engine was changed from 8133 to 8533 and the engine was given the USAF designation of XLR 81-BA-15. The

Improved Agena vehicle was given the military designation of S-60 Space Vehicle.

b. Very briefly, the primary objectives of the Improved Agena Program are to increase vehicle payload by converting the presently used unsymmetrical dimethylhydrazine (UDMH) Fuel to a 50/50 by weight blend of hydrazine and UDMH, and changing the oxidizer from inhibited red fuming nitric acid (IRFNA) to nitrogen tetroxide ( $N_2O_4$ ). An additional objective is to increase the orbital maneuvering capability of the vehicle by incorporating a multistart capability on the 8533 engine (similar to that on the XLR 81-BA-13 Gemini Agena Target Vehicle Engine) and by development of the ISPS which will provide orbital adjust capability and use propellants from the vehicle main tanks.

c. Accomplishments made to date during the definition phase are the following:

(1) Trade-offs were performed to define the design approach to be taken during the follow-on development phase (Phase II). The analyses and studies which serve as input to these trade-offs are continuing and evaluation of the trade-offs is in progress as of this report.

(2) Tests were performed to determine materials compatibility, performance and heat rejection of various injector configurations, thermal properties of the new propellants, and the capability of existing weld techniques to meet the environments imposed by the  $N_2O_4$  oxidizer.

(3) Space allocations were made and interfaces defined.

(4) Key Part I CEI specifications were drafted for contractual use during Phase II.

(5) Various plans, such as contamination control reliability and EMI control, were drafted for use in Phase II.

d. In summary, the definition phase (which is now essentially complete) accomplished its objectives in that several key technical problem areas were discovered to exist which had previously been unsuspected. More realistic estimates of the cost and schedule for Phase II were developed. Present plans call for finishing Phase I in August of 1967 and giving go-ahead for Phase II shortly thereafter.

5. Pressurization System

a. The present aluminum propellant vent coupling has experienced a continuous history of discrepancies due to both the leakage caused by scratches and gouges on mating surfaces, and failure to meet specification pad-hold requirements during several test programs.

At the end of the last report period work was initiated on the Coupling Improvement Program. The primary objectives of this program are three fold. First, the coupling material has been changed from aluminum to stainless steel in order to eliminate or reduce the possibility of nicking mating surfaces. The change to steel will also enable the coupling to be installed into the vehicle plumbing system by means of a permanent induction brazed joint. Secondly, to assure a wet-pad-hold capability of 15 days, spring-loaded teflon seals (Omniseals) have been incorporated in the vent coupling and have satisfactorily completed exposure tests during development. Thirdly, in order to prohibit the transposition between any combination of gas fill and propellant vent valves, and thus eliminate pad hazards, four (4) distinct sets of non-interchangeability tongue and groove combinations have been introduced in the design.



The improved coupling is scheduled to be incorporated on vehicle AD 205 during the first quarter of 1968.

b. As mentioned above, the propellant isolation valve (PIV) was found to have caused a flight failure by not closing completely after engine first burn. A ground test program revealed that the main seal, against the moving blade of the valve, was able to be vibrated or shocked out of its retaining ring. The seal would then fall down into the path of the blade, jamming it open. A retaining method was designed into the seal and ring thus preventing recurrence of this failure.

**Procurement Division  
Historical Data  
1 Jan 1967 to 30 June 1967**

1. During the period, Procurement Division (SWAK) supported the Agena Directorate by issuing and administering a variety of contracts for the following supplies and services:

1142  
Standard Agena Vehicles  
Propulsion Subsystems  
Guidance and Control Subsystems  
Velocity Meters  
Horizon Sensors  
Spare Parts and Logistics Support  
Modification Kits  
Repair Services and Storage  
Sustaining Engineering and Studies  
Launch Services at AFEIR & AFWR  
Parts Qualification Program (PQP)

The above contracts have a value exceeding \$500,000,000.

2. During this period, Hq USAF authorized development of an Improved Agena in January 1967. Letter Contract FO4695-67-C-0123 was issued in February 1967 for Phase I of the development program. The definitive contract was distributed in June 1967. Start of the Phase II effort originally scheduled to start during this period was slipped due to changes in program requirements and additional effort to be performed as part of Phase I. The requirement for implementing the "Cost/Schedule Planning and Control Specification" (C/SPCS) was established under Contract C-0123 also.

3. Additional new procurements were initiated during this period as follows:

Letter Contract FO4695-67-C-0077 was issued to Lockheed in January 1967 to procure nineteen (19) additional Agena Vehicles.

Letter Contract FO4695-67-C-0092 was issued to Lockheed in March 1967 to purchase Engineering Support and Studies for the Agena program.

Definitive Contracts FO4695-67-C-0075 and FO4695-67-C-0150 were issued in March and June 1967 respectively for Launch Services at the AF Eastern Test Range and AF Western Test Range.

Basic Ordering Agreement Orders under Contract AFO4(695)-589 were issued as follows:

- No. 18 - Production Qualification Program
- No. 20 - Brazed Coupling Development
- No. 21 - Agena 3 Start Engine Development
- No. 22 - Electric Event Timer Development
- No. 23 - Project Cough Drop

4. Letter Contract AFO4(695)-939 with Lockheed, for procurement of thirty six (36) Agena Vehicles was negotiated in June 1967.

5. Personnel changes during the period involved assignment of a new Military Division Chief, a Procuring Contracting Officer and two (2) buyers.

  
Lt. Col USAF  
Chief, Procurement Division  
Agena Program Office

~~CONFIDENTIAL~~

OPERATIONS DIVISION  
Historical Data  
1 January 1967 to 30 June 1967

1. (U) SSVAO has been operating at 70% authorized strength throughout the period except after the departure of Capt Norman Lee on 9 June. Lt Gordon Waterous, Capt Lee's replacement, reported in on 30 June. Maj Elmer T. Davis, Jr, was designated as Chief of the Division 28 Mar 67.
2. (E) A Memo of Agreement was drafted between SSBG and SSVA concerning mutual responsibilities for procurement of BTL radio guidance support for the TIIIB. Final signature has been delayed pending comments on the proposed Memo from Program 110, which is concerned about giving too much control of the guidance function to the TIII SPO.
3. (U) The SLV-2G (Long Tank TAT)/Agena interface specification prepared by LMSC under SSVAO direction was signed off by LMSC, DAC, SSVA, and SSVX in January 1967 and released.
4. (U) LMSC began preparations, under SSVAO direction, on the SLV-3A (Long Tank Atlas)/Agena interface specification. Coordination copy of the completed specification was sent to SSVA 30 June 1967.
5. (E) The activation of the Vandenberg AFB Ground Guidance Station (GGS) 6-1 is proceeding on schedule. GGS-4 will be turned over to ADC on 1 April 1968. The principle events that have occurred are:
  - a. (U) A Supplemental Agreement was negotiated with Western Electric Co (WECO) for \$605,000 to provide all necessary radar equipment modifications and activities to activate GGS 6-1.
  - b. (U) The facility criteria for GGS 6-1 was completed by WECO and furnished to the Corps of Engineers. The Corps provided the detailed design package, the contract was let, and the facility contractor has been working since April 67.
  - c. (U) The status of facility work on 30 Jun 67 was: Monolith completed, Antenna Pad completed, Terminal Building in final completion stage, Control Room and other GGS modifications almost finished. The total project should be completed in mid July 67.
  - d. (U) The three Titan I IOC Radar Systems received from Ellsworth AFB were found to be corroded and were therefore scrapped. Two other Titan I systems were received from Cape Kennedy as replacements for the GGS 6-1 job. Additional items of equipment will be obtained from the Titan I sites at Mt Home and Lowry.

DOWNGRADED AT 3 YEAR INTERVAL  
DECLASSIFIED AFTER 12 YEARS  
DDO DIR 5200.10

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

6. (U) The Guided Missile Test Station (GMS) replaced the laboratory model GMS on SIC-4 West during May 67. The received unit is being modified for installation at SIC-3 West.

7. (U) Activities in Support of the Proposed TIIID Program.

a. (U) An experiment designed to measure the effect of Solid Rocket Motor Flame Attenuation (Project See-Thru) at X band frequencies was flown on TIIIC-10. The purpose is to predict possible flame attenuation that could affect the WECO Ground Guidance Radar to MBGE R.F. link. WECO participated in the project planning but at the time of this report has not completed the data review. Present planning is to perform similar tests on TIIIC-5 in Dec 67.

b. (U) A TIIID guidance accuracy and error analysis updated report was completed during this period. The significant results were that the major error contribution was due to thrust vector misalignment, and that Kalman Filter techniques result in appreciable improvement of accuracy and reduction of error effect. The TIII SPO has informed SSSVAO and WECO that the TIIID specification requires implementation of techniques to reduce thrust vector misalignment.

c. (U) To date no program go-ahead has been given for TIIID. The continued slippage of the program will render invalid many of the results of the guidance accuracy study. Also, if no attempt is made to retain contractor personnel who are familiar with TIIID and the guidance study, a significant time advantage will be lost. A significant refamiliarization time period will be required for new personnel who are taken on to accomplish the guidance equation task when the program is given go-ahead. This has been brought to the attention of the TIII SPO and SAFSP.

8. (e) 846 Program.

a. (e) During the last six months modifications have been made to the Program 846 guidance program to allow split shaping of the pitch program for their mission, i.e., they will have two basic booster pitch programs, one for low inclination missions and one for high inclination missions. Present planning is for implementation of the split shaping during the next six months.

b. (e) In conjunction with the split shaping for the pitch program WECO has performed an extensive look angle study to determine if the radar look angles will be acceptable with the new Pitch Programs. One result has been to design a ferrite attenuator switch. This will permit elimination of the Dorsal/Ventral antenna interference region that currently exists. The ferrite attenuator will be incorporated within the next six months.

~~CONFIDENTIAL~~

c. (U) Ground Guidance station 6-2 at WAFB has been fully activated since 15 Mar 67 and is now providing all operational support for Programs 846 and 770. NASA Delta and NASA/Agema are programmed to move to GGS 6-2 in Feb 1968.

9. (U) Program 110.

a. (U) An Acquisition Aid system for use with the WECO ground guidance radar has been designed and is near completion in GGS #4. The system uses Range Safety Tracking data to provide pointing information to the WECO Radar Antenna.

b. (U) Mission Safety Program (MSP). Implementation of the Mission Safety Program has been deferred until implementation of the Acquisition Aid. The MSP will be located in the off line computer utilized for processing the Acquisition Aid Tracking data provided by range safety. It is anticipated that the MSP and Acquisition Aid will be completed in July 67.

c. (U) A look angle study has been initiated for an "extended life" follow-on vehicle for Program 110.

10. (U) A consolidated contract was negotiated with Western Electric Company for all WECO hardware supporting the 846, 770, Titan III, NASA/Agema and Improved Delta Programs. Full implementation of AFSCM 375 configuration management has also been placed on all WECO hardware for the above programs.

11. (U) A number of Western Electric hardware problems occurred during the current report period. Significant among these were:

a. (U) A latent defect in the G-346308 pulse delay network, manufactured by Andersen Laboratories, was uncovered which resulted in questionable reliability of forty four (44) series 600 missile borne guidance units. Recycle and repair had to be effected from three launch sites and two contractor plants. Through judicious planning no production or launch impact occurred.

b. (U) Questionable J-6 connectors were uncovered during production sample testing. This problem resulted in a two month production stoppage effective from 1 June, which will continue to 31 July. No serious schedule impact is contemplated.

12. (U) Guidance System, General.

a. (U) In the last six months WECO/UNIVAC guidance has guided eleven program 846, 770, 110, NASA/Agema and NASA Delta W.T.R. launches without a guidance system anomaly.

b. (U) A proposal was submitted to SP-6 for guiding an Atlas/ Agena vehicle from ETR using JCO/UNITAC guidance. This proposal was significantly less than the cost of the G.I. guidance that will be used. Because of the tight schedule, however, it appears SP-6 will use the G.I. guidance system.

13. (U) ETR Launch Complex 14 was deactivated and turned back to the Range except for the Blockhouse and the Propellant Transfer Unit (PTU) building. Pending further disposition, the Agena electrical and mechanical equipment will be stored in the Blockhouse and the PTU units will remain in the PTU building.

14. (U) Space Launch Complex (SLC) 3 East has been placed on a standby status since the last PRIME launch. Several of the Agena AGE items have been transferred to SLC 3 West for the Thorad modification.

15. (U) Agreement was reached with NASA to transfer the Vehicle Systems Test (VST) Complex 10 to SAFSP. VST C10 was used and modified by NASA for the Gemini Agena Target Vehicle Program.

16. (U) Captain Norman Lee, the Chairman of the SLC-3W Complex Modification Working Group was transferred out of SSD 9 Jun 67. The chairmanship of the group was turned over to Captain F. R. Anderson (SSVX). SSVAO continues participation in the modification of the Complex, but in a reduced role due to small amount of IMSC work remaining and to lack of personnel. Target date for completion is late August 1967.

17. (U) Contract F 04695-67-C-0075 was negotiated and definitized during the period for \$4,568,000 Target Price. This contract provides the Agena launch capability at the Eastern Test Range from 1 Apr 67 through 31 Mar 68. There are six launches scheduled under the contract.

18. (U) Contract F 04695-67-C-0150 was negotiated in June 67. It will not be definitized until 30 Sep 67. This contract buys the Agena launch capability at VAFB from 1 Oct 67 through 30 Sep 68. The Target Price is \$17,132,000.

19. (U) The Santa Cruz Test Base Sustaining Contract was negotiated and definitized during the period. The contract guarantees the capability to test Agena vehicle systems while hot firing the engine when the need arises. It also provides the pyrotechnic testing and inspection required to support Agena users. The contract Target Price is \$1,113,000. The contract period 1 July 67 through 30 June 68.

30

**Standard Apna**  
**Support Engineering Program Plan**  
**Contract 70675-67-C-0072**

**"Final Customized Apna Program Plan."** This document defines method of satisfying the requirement produce personalized vehicle rather than "standard" Apnas.

Standard Apna was initially configured to satisfy stated mission requirements of the then existing using program to be "used as is" except for selected optional and program additions. The experience of now using program(s) and/or changed mission requirements, particularly during the last two years, renders the essentially unchanged Standard Apna configuration less than ideal for adaptation to present and foreseeable future usage. The using programs are consequently obliged to "work around" or implement changes to the basic Apna in order to accomplish their mission objectives of today. The resultant impact to the Standard Apna concept is that the production-line vehicle must be modified following Standard Apna system test, and even disassembled in some instances to permit removal of outdated equipment and harnesses. Program substitute equipment is then installed, and test re-validation of the basic vehicle is required.

Authorization for preparation of this program plan is as recorded in Official Appendix No. 7 to the Standard Apna Technical Direction Manual.

**2. OBJECTIVE**

The objective of this program plan is to conduct a study concerning: updates of the Standard Apna concept and production-line activity to permit fabrication and assembly of vehicles in accordance with present using program needs. The immediate objective is to define a customized Standard Apna vehicle for Programs 816 and 110, using only that basic and optional equipment desired by those programs. Program-specific equipment and equipment bracketing will also be identified that should be included during initial fabrication and assembly to permit use of the vehicle with programed later additions. The long-range objective of the Standard Apna program (not part of this plan), is to eliminate use of Standard Apna equipment such as the in-line Module, Base/Accessories, and related items with project-level and equipment commensurate with present mission requirements.

Standard Apna Program \_\_\_\_\_ Date \_\_\_\_\_  
SAPO Contracting Officer Approval \_\_\_\_\_ Date \_\_\_\_\_



PLAN NO. 10  
27 July 1965

## APPLICABLE DOCUMENTS

Documents applicable to the effort conducted under this plan are as defined herein.

## TASK STATEMENTS

Tasks to be included under this plan will include the following:

### a. Study

#### (1) Program 846

- (a) Creation of a Part I and Part II specification for the Program 846 Customized Arena;
- (b) Compilation of a Program 846 Customized Arena equipment list;
- (c) Creation of a Program 846 Customized Arena test plan (including MTV);
- (d) Creation of a Program 846 Customized Arena manufacturing plan (tooling, etc.);
- (e) Creation of a detailed implementation schedule;
- (f) Preparation of a cost analysis to accomplish the tasks;
- (g) A definition of what contractual and documentation items are required to accomplish the tasks (Arena and using Program);
- (h) Creation of a Program 846 Customized Arena Configuration Management Plan;
- (i) Creation of Program 846 Customized Arena top assembly drawing;
- (j) Preparation of a summary proposal that will form the basis of the production contract FCP.

#### (2) Program 110

The same tasks will be accomplished as defined in h.a.(1) above for the Program 110 Customized Arena.

### b. Analysis and Design

As applicable in h.a. above.

### c. EMI Design

As applicable in h.a. above.

2. Reliability  
As applicable.

3. Maintainability  
As applicable.

4. Performance  
As applicable.

5. Quality Assurance  
As applicable.

6. Transportability  
As applicable.

7. Safety Engineering  
The contents of MIL-S-38130 shall be used as a guide in the performance of this plan.

8. Air and Water Pollution Control  
Not applicable.

9. Human Engineering  
As applicable.

10. Maintainability  
As applicable.

11. Documentation  
Upon conclusion of the effort under this plan, a brief summary shall be prepared and submitted to SACSO (satisfying the requirement of Item 20 of Exhibit "B" to this contract). Copies of other documents created under this plan, in draft form, shall accompany submittal of the summary.

5. PROBLEMS AND REPORTS

Problems which may affect technical progress or schedule compliance shall be communicated to Headquarters SACSO (SMAH/RFO). A project leader shall be named by the Contractor in writing to Headquarters SACSO (SMAH/RFO) upon the Contracting Officer's approval of this program plan.

Plan No. 225

27 July 1967

6. MANPOWER (Engineering Estimates)

Manloading:

(1) Dollars: None

(2) Manpower: 5863 man-hours

(3) Manloading:

Months	1	2	3
Man-hours	1735	2208	1920

b. Equipment

Not applicable.

c. Facilities

Not applicable.

7. SAFETY (See attached sheet)

The final report will be submitted by LMSC to AFSSD on 30 September 1967.

FINAL DRAFT

PROGRAM PLAN 35-002

152

My Campbell

PL 325

- Standard Agency initially configured to permit "use as is"
- For Program and changing requirements now negate "use as is"
- Present usage requires various degrees of modification, disassembly, equipment substitution, and retest.

Objectives

- Immediate - customize production line for major programs
  - Long range - utilize program developed hardware to re-establish Standard Agency System concept
- Tasks
- Define using program configurations.
  - Prepare customized equipment lists
  - Ident existing basic and optional equipment
  - Define input upon planning, procurement and testing per omitted equipment.
  - Define input upon manufacturing, schedule, system test per customized configurations
  - Summarize configuration management/documentation
  - Summarize long range objectives

Resources

36 man-months

Schedule

3 months - Prelim. Report 1 Sept. 1967  
Final Report 30 Sept. 1967

11 37 >

Plan No. 125  
26 June 1967

**CUSTOMIZED STANDARD AGENA**  
**Support Engineering Program Plan**  
**Contract F06695-67-C-0092**

1. **GENERAL**

Standard Agena was initially configured to satisfy stated mission requirements of the then existing using programs to be "used as is" except for planned optional and program add ons. The emergence of new using program(s) and/or changed mission requirements, particularly during the last two years, renders the essentially unchanged Standard Agena configuration less than ideal for adaptation to present and foreseeable future usage. The using programs are consequently obliged to "work around" or implement changes to the basic agena in order to accomplish real mission objectives of today. The resultant impact to the Standard Agena concept is that the production line vehicle must be modified following Standard Agena system test, and even disassembled in some instances to permit removal of outdated equipment and harnesses. Program substitute equipment is then installed and test revalidation of the basic vehicle is required.

2. **OBJECTIVE**

The objective of this program plan is to conduct a study concerning update of the Standard Agena concept and production line activity to permit fabrication and assembly of vehicles in accordance with present using program needs. The immediate objective is to define a customized Standard Agena vehicle for each major program using only that basic and optional equipment desired by the program. Program peculiar equipment and equipment bracketing will also be identified that should be included during initial fabrication and assembly to permit on-time-build-up with no planned later tear down.

-----  
Standard Agena  
Program Approval \_\_\_\_\_ Date \_\_\_\_\_  
ANCON CONTRACTING \_\_\_\_\_ Date \_\_\_\_\_

Plan No. 325

26 June 1967

As limited by paragraph 4(a)(8) below, the long range objective is to eliminate outdated Standard Agena equipment such as the Guidance Module, Safe/Arm boxes, etc., and replace these with program developed equipment commensurate with present day mission requirements. By proper incorporation into the Standard Agena, Program developed equipment such as the dual attitude control system (DACCS) and Safe/Arm boxes with telemetry instrumentation matrixes will reestablish the Standard Agena as a complete system capable of satisfying present day basic mission objective. Customization would gradually become less significant program to program with greater flexibility for vehicle late reassignments as flight schedules and newly created programs of the future may necessitate.

APPLICABLE DOCUMENTS

Not applicable.

4. TASKS

a. Study

Contractor studies will be conducted as follows:

- (1) A review of each using program vehicle configuration definition will be made. <sup>Required</sup> changes to Standard Agena configuration and equipment subsequent to Standard Agena DD250 will be itemized.
- (2) A customized Standard Agena configuration (equipment list) will be compiled for each using program that requires significant changes to the basic Agena. Program peculiar equipment which should be installed during initial vehicle assembly will be included. Structural holes and bracketry to accommodate Program equipment will be noted for incorporation during

PP 325

26 June 1967

- (3) A list of outdated basic and optional equipment will be compiled with quantity reference to the master vehicle schedule.
- (4) A statement of impact upon planning, procurement, scheduling, production, incoming and acceptance testing, for the outdated equipment will be made.
- (5) A statement of impact upon Standard Agena System Test will be made.
- (6) A statement of impact upon manufacturing schedules and activities as a result of the new customized configuration(s) will be made.
- (7) A summary of proposed configuration management/documentation will be prepared.
- (8) A summary plan will be provided that describes <sup>the</sup> long range objective for replacing outdated portions of the present Standard Agena with using program developed equipment that will in turn permit achievement of a maximum "common" and complete Standard Agena system.

(b) Analysis and Design

*as required*

Plan No. 325  
26 June 1967

6. RESOURCES

Manmonths: 18

Months:	1	2	3	4	5	6	7	8	9	10	11	12
							6	6	6			

Preliminary Report - September 1, 1967

Final Report - September 30, 1967



314

28 Jul 67

29 Jul 1957, meeting at Lockheed attended by  
Gen Cooper, Colonels Hamilton and Smith.  
Briefing material supplied.

STANDARD AGENA



112

# STD. AGENA CONTR. REQUIREMENTS

AF 04(695)939/0077

VEHICLES

○ TOTAL ON CONTRACT	55	} 2 PER MO THRU JULY '67 1 1/2 PER MO BAL. CONTR.
○ DEL. TO DATE	12	

OPTIONAL

○ TOTAL ON CONTRACT	630
○ DEL. TO DATE	210

SPARES

○ TOTAL ON CONTRACT	748
○ DEL. TO DATE	602

USING PROGRAM ALLOCATION

846	110	770	OTHER
16	21	10	8

**STD. AGENA TYPICAL SCHEDULE**

**FINAL ASSY**

**20 DAYS**

**SYSTEM TEST**

**30 DAYS**

**STORAGE**


**VARIABLE  
0-6 MONTHS**

**BASED ON 5 DAY - SINGLE SHIFT**

STANAGP ALPHA

UNCLASSIFIED

# BASIC VEHICLE



UNCLASSIFIED


07601-0-00-000 0 0000 000000

UNCLASSIFIED

STANDARD ACMA

# GUIDANCE MODULE (PRESENT)

## BASIC



**NOTE:** FOR AD 210 - 4773  
THIS MODULE CONSISTS OF  
PACS AND RACS (OPTIONAL)  
WHICH IS THE DUAL  
ATTITUDE CONTROL  
SYSTEM (DACS)

LMSC-687529 3-6-64

UNCLASSIFIED


LOCKHEED MISSILE & SPACE COMPANY

DATE: 11-80 BY: 68888 JPL/STP/STP/STP/STP

UNCLASSIFIED

# FORWARD SECTION

## BASIC




LASC-A637882 3-6-64

UNCLASSIFIED

LOCKHEED MARTIN SPACE COMPANY

# FORWARD SECTION

## OPTIONALS



LMSC-4637533 2-6-64

UNCLASSIFIED

DESIGNED BY SPACELAB & SPACE COMPANY

# FORWARD SECTION



## USING PROGRAM ADDITIONS—STANDARD AGENA INSTALLED

PROGRAM  
INSTRUMENTATION

BTL ADAPTER KIT

AMPERE HOUR  
METER KIT

UPA KIT  
(H/S LOCKOUT BAR  
ON GUIDANCE MODULE)



BTL ANTENNA  
INSTALLATION

LMSC-AD7584 3-8-64

UNCLASSIFIED

LOCKHEED MISSILES & SPACE COMPANY



# STD. AGENA FND RACK

\* MODEL 1191

## OPTIONAL KITS

### NOMENCLATURE

FK PATCH PANEL

S-BAND BESSIN/DECODER ADAPT.

C-BAND BEACON ADAPTER

BATTERY ADAPT. - IC

II

VIA

SENSOR BAR PIN PULLER

COMMAND DESTRUCT.

ORBITAL PROG. ADAPT.

TM TRANS. 2W ADAPT.

TM TRANS. 10W ADAPT.

AUX FM/TM ADAPT. (TYPE I)

SAFE/ARM PLUG

BEACON ANTENNA C/O COVER

SEQUENCE TIMER


HORIZOR SENSOR PRE-AMP. SIGNAL COND.

\* UPA


BLANK COMM. PANEL

\* BTL

\* AMP HOUR METER



# TANK SECTION




LMSC-A637528 3-4-64

UNCLASSIFIED

CONTRACT WITH THE SPACE COMPANY

# AFT SECTION

## BASIC VEHICLE




143C-4637525 3-6-64

UNCLASSIFIED

UNCL - 4810 & SPACE COMPANY

# AFT SECTION WITH OPTIONALS



LMSC-A637526 3-6-64

UNCLASSIFIED


DESIGNED BY TRW & SPACE COMPANY

UNCLIFIED

# AFT SECTION

USING PROGRAM ADDITIONS-STANDARD AGENA INSTALLED

3747422-208



440C A637537 3-6-64

UNCLASSIFIED


PERFORMED BY AEROSPACE CORPORATION

**STD. AGENA AFT PACK**

**OPTIONAL KITS**

**NOI:ENCLATURE**

- BOOSTER ADAPTER EXT. ---
- BOOSTER ADAPTER EXT. RING
- ENGINE CONE AUX. STRUCT.
- \* SINGLE START ---
- \* PROPELLANT DUMP
- \* AUX. N<sub>2</sub> TANK ---
- AFT STRUC. LEFT HAND
- AFT STRUC. RIGHT HAND
- THIRD NITROGEN TANK
- BOOSTER ADAPTER (.160) ---
- MAXIMUM ACCESS BOOSTER ADAPTER (MABA) ---



\* MODEL 1191

UNCLASSIFIED

# BOOSTER ADAPTER

CABLE FAIRING

BOOSTER ADAPTER EXTENSION KIT

RETROROCKET FAIRING (2)

BOOSTER ADAPTER STRUCTURE

ROLLER ACCESS DOORS (8)


OX. FILL DOOR

FUEL FILL DOOR

NITROGEN FILL DOOR

PRIMACORD SEPARATION RING

LASC-AB37530 3-6-64



SELF DESTRUCT CHARGE FAIRING

S/A ACCESS DOOR

SEPARATION RAILS (4)

ACCESS PANELS

DEBRIS SHIELD

DEBRIS SHIELD

BOOSTER ADAPTER EXTENSION KIT

RING KIT

UNCLASSIFIED

GROUP 1 - EXCLUDED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION

CONFIGURATION MANAGEMENT

STANDARD AGENA PROGRAM



# CONTRACT SPECIFICATION COMPARISON

<u>PROGRAM</u>	<u>CONTRACT SPECS</u>	<u>375-1 ON CONTRACT</u>
[REDACTED]	2000	YES
[REDACTED]	9	YES (RELAXED)
[REDACTED]	1	YES (RELAXED)
[REDACTED]	1	NO
[REDACTED]	1	NO
[REDACTED]	40	YES

## AGENA COMPLIANCE DOCUMENTS

- ~ 2000 SPECS ON CONTRACT  
INCLUDES 208 MAJOR ASSEMBLIES, BLACK BOXES, & HARNESES  
PLUS ELECTRONIC PIECE PARTS  
LOCKHEED CORP. PROCESS SPECS  
MILITARY SPECS.
  - ~ 1650 DRAWINGS ON CONTRACT
  - ANY SPEC. CHANGE OR NON-CONFORMANCE REQUIRES CLASS I ECP  
INVOLVES EJA, WAIVER OR USCN, AFPRO REVIEW, AFSSD APPROVAL & CCN
  - ALL CLASS I DWG. CHANGES REQUIRE ECP & CCN
  - ALL CLASS II DWG. CHANGES REQUIRE AFPRO ENG. APPROVAL  
NOT REQUIRED BY ANA 445 OR OTHER PROGRAMS
  - NON-CONFORMANCE TO ANY DWG. IS SUBJECT TO CLASS I (ECP/CCN)
- HISTORY - 1966 - ~ 168 ECP'S PLUS 34 WAIVERS FOR DET. NGV-COMPL.  
CURRENT EX: MASA SPECS - 1 YEAR TO CONVERT - 110 TO STD AGENA

RESULT: A MAJOR FACTOR IN AGENA SLOW RESPONSE & COST


## AGENDA CONFIG. MGM'T/SPEC. PROPOSAL

- COMMON AGENDA § USING PROGRAM GRD. RULES
- WRITE 375-1 INTERPRETATION EXHIBITS FOR CONTRACT -
- WRITE MODEL SPEC. FOR EACH CUSTOMIZED PROG. ~ 4  
846, 110, 770, § STD. CONFIG. ...
- REDUCE NUMBER FROM 2000 TO ~17 PER MODEL
- SCRUB THE REMAINING 17  
REMOVE AMBIGUITIES, REDUNDANCIES, ADD  
CRITICAL MATERIAL FROM SUB-TIERS, IF ANY
- RELAX SPEC. § DWG. NON-CONFORMANCE INTERPRETATION -  
BY AFPRO PER SPO DIRECTION.
- ELIMINATE AFPRO CLASS II ENG. APPROVAL




# AGENA CHANGE CONTROL


CAL. DAYS (5 DAY WEEK)




# EJA/ECP/CCN FLOW CHART



# EJA/ECP/CCN FLOW CHART



PREL. ECP  
ADDS ~  
53  
WORKING  
DAYS



# FORMAL EJA/ECP/CCN CYCLE

TYPICAL TIME SPAN MONTHS DAYS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

CSE MTR. FCY. ALL  
NEW ITEMS APPROVAL

CCB MTR. FCY. P.I.I.  
PLAN NEW ITEMS

FORMAL EJA

REFRO. & DISTRIBUTE

CCB APPROVE & AUDIT PLAN

DCC PROGRAM

PRICING

ECP PREPARATION

ECP SUBMITTAL


AF CCB REVIEW

AF CCED TO LMSC  
CON/ISSN

CCB CONTRACTS CDI


DCC PROGRAM  
RELEASE

EMERGENCIES  
COULD START HERE  
WITH AF TRX & CCN #.





# EJA/ECP/CCN CONTROL PLAN



# CUSTOMIZED AGENA

---

# PROGRAM OBJECTIVES

DEVELOP STANDARDIZED VEHICLE AVAILABLE  
FOR FLIGHT JUNE 1962

INCORPORATES

HIGH RELIABILITY

MISSION ADAPTABILITY

MAINTAINABILITY

SERVICEABILITY

PRODUCIBILITY

REDUCE CHECKOUT REQUIREMENTS

IMPROVE PERFORMANCE

REDUCE PRODUCTION COST

CREATE A CAPABILITY FOR PRODUCTION  
AT 5/MONTH (FIXED PRICE CONTRACT)

DEVELOP AND MAINTAIN STREAMLINED  
PROCEDURES AND ORGANIZATION FOR FAST  
REACTION AND LOW COST

P-13620 'S-OIA' 4-9-65  
CYS-1

UNCLASSIFIED

LOCKHEED MISSILES & SPACE COMPANY  
A DIVISION OF LOCKHEED CORPORATION