AIR FORCE BALLISTIC MISSILE DIVISION (ARDC)

LUNITED STATES AIR FORCE

Force Unit Fost Office, Los Angeles 15, California

REPLY TO

ATTN OF: WDZYO/Colonel McKean/2751

SUBJECT: Meteorological Requirements for SAMOS Satellite System

TO: ARDS (RDRTT-2)

- a space reconnaissance and data processing system which will permit the collection, processing and dissemination of visual and electronic reconnaissance data of the entire world surface mass on a recurring basis. An enalysis of the SAMOS satellite system mission and concept reveals that in both the R&D testing phase and in the operational employment phase, orbital requirements exist for global cloud cover information. The requirements described here are exclusive of those for meteorological support during the design stages, the launch phase, the recovery efforts or support to tracking and restout stations.
- System (subsystem b) is directly proportional to the proper interpretation of available knowledge on the atmospheric observation through which the satellite cameras cannot observe. These phenomena are primarily cloud coverages but though objectives could be obscured by smoke, haze, snow cover, etc. The reconstitutional equipment for the visual reconscissance readout portion of the SAFOS program consists of the satellite-borne equipment required to collect information and on a command signal from the around to convert stored inages to appropriate signals for transmission to the ground.
- 3. Paginning with the first SAIDS development flight test of the first vicual reconnaissance system scheduled in September, 1760, anformation will be required on the stroopheric obscuring phenomena over the United States and posits of Europe for interpreting post-operation engineering aspects and for plauning concepts of future operations. These data will be required at the Satellite Test Center, 6594th Test Wing (Satellite), Summyvale, California. The STC will exercise over-all control of the Red Darks flight test operations. It will be the hub of the commands flight test operations network and commands, mission control and quality control. Later development flight tests of the E-2 and E-5 camera systems will also require aloud cover and atmospheric obscuring data on a current and forecast basis on each orbit path to maximise the photographic

JECRET

4 M210-147

coverage over the item to be completely complete during these orbital tests.

system vehicles presently planned rot December: 1962, the routine capability will be required at Offutt APB, Mebraska, to support the Satellite Operations Center/Data Processing Facility. System control for the operational program will emanate from this facility. Functions within this facility include operations scheduling and analysis, launch control monitoring and satellite vehicle mission control. The projected operationally ready date of the SAMOS system is mid-1963. There will be a continuing requirement at that time to provide global cloud cover and atmospheric obscuring forecast and observational data to support the operational system routinely at the SOC. The data readout capability will be limited to approximately 84 minutes per day. In order to select judiciously the correct time to command photographs and readouts and to optimize the systems effectiveness, accurate information on cloud cover will be essential.

5. Weapon System Evaluation Group Report No. 39. "Military Application of Artificial Earth Satellites, " Tol J, Hq USAF, 22 demo 1959, provides a clear insight into the SAMOS need for globe | cloud information. Supplement No. 1 to this report, Time Required for a Photo Recommatseance Satelling to Obtain a Clear Look at the Soviet Union", 19 Aug 1959, deduces that proper application of cloud cover information versus random photographic sampling can significantly improve system effectiveness. The Lockhead Missile and Space Division has submissed a specific requirement to AFRAD in their SECRET letter by the Satellite Systems Manager, LESD 353609, 5 February 1960, "Special Meather Support Requirements for Flights 1, 2 and 3 of the SAMOS Flight Test Program." AFBED herewith validates this requirement for global cloud cover histories during SAMOS orbital operations. The details of providing the required support should be developed at the working level through the Staff Meteorologist, 6594th Test Wing (Satellite), with the AWS elements in direct contact with the key personnel at the

Air Weather Service. ANS must evaluate their capability to support the SAMOS orbital operations. The DOD priority designation associated with this requirement which should be cited to Headquarters Air Weather Service for their guidance and action is DN Brick-Bat .Ol. USAF precedence I-l applies. An AWS Headquarters Task Total use given a preliminary briefing on this requirement at AFBMD during 22-24, Harch. The Task Team indicated that the requirement could be within their technical capabilities in the time period stated. It important that the requirement be forwarded for their immediate action, however, in order to allow sufficient time for the development of reliable global cloud climatologies on which to base computer

programming factivities at the Global Meather Central and the AWS Automatic Detaility are already located at Offutt AFB. The effect to provide the required meteorological support to SAWS in both RAD and operational phases is unique as well as a sissable drained on the AWS resources. Any AWS activities generated as a result of this requirement aimed at developing this global forecast capability should be accorded the same precedence as the SAWS system.

HAROLD L. MCKEAN

Colonel, USAF Director of Operational Employment Copies to: WDLRM, WDL, WDZ, WDLR WDZT, WDZI, WDZIS, RIW, RDWIS, RDWOT, RDRRB, TWG, TWR, TWZ, TWYM, DOWE, AWSCO, AWSOP, AWSSS, AWSCL

Halus AF AF DAT

1980 APR 15 10 EZ

សូរទីស្កី ដែល**ខ្មែរ**

SECRET

WDZYO-14